

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Volume 12, Part 2

01 05 2007

ISSN 1015-8243

Contents/İçindekiler: Koçak, A. Ö. & M. Kemal, Synonymical and distributional List of the species of Konya Province (Central Turkey) (Lepidoptera), p.33; editorial p.62.

Synonymical and distributional List of the species of Konya Province (Central Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymical and distributional List of the species of Konya Province (Central Turkey) (Lepidoptera). *Priamus* 12 (2): 33-62.

This paper deals with the Lepidoptera species hitherto recorded in the Konya Province in the Central Turkey. Totally 1230 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Konya Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Konya. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in *Memoirs* vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 1230 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) *Cauchas anatolica* (Rebel,1902) (Adelidae) *anatolica* Rebel,1902 14 42
- 2) *Cauchas ruffrontella* (Treitschke,1833) (Adelidae) *ruffrontella* Treitschke,1833 05 16 35 42
- 3) *Alucita cancellata* (Meyrick,1908) (Alucitidae) *cancellata* Meyrick,1908 06 31 42
- 4) *Alucita desmodactyla* Zeller,1847 (Alucitidae) *desmodactyla* Zeller,1847 42 46
- 5) *Alucita grammodactyla* Zeller,1841 (Alucitidae) *grammodactyla* Zeller,1841 01 05 06 16 29 42 44 45 46 55 58 61 71
- 6) *Alucita major* (Rebel,1906) (Alucitidae) *major* Rebel,1906 07 42 46
- 7) *Arctia (Epicallia) villica* (Linnaeus,1758) (Arctiidae) *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923. 03 05 06 07 10 13 14 15 16 17 19 22 30 32 33 34 37 42 46 60 64 65 66 71
- 8) *Arctia (Eucharia) festiva* (Hufnagel,1766) (Arctiidae) *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétériés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928. 05 06 16 17 24 25 27 32 36 38 40 42 44 58 60 63 64 65 71
- 9) *Chelis reticulata* (Christoph,1887) (Arctiidae) *reticulata* Christoph,1887 04 07 24 25 30 36 42 49 58 60 65
- 10) *Cymbalophora rivularis* (Ménétériés,1832) (Arctiidae) *rivularis* Ménétériés,1832; *dannehli* Dannehl,1929. 01 23 25 30 42 65 70
- 11) *Eilema caniola* (Hübner,[1808]) (Arctiidae) *caniola* Hübner,[1808] 05 07 10 16 17 28 30 42 48 55 57 62 71
- 12) *Eilema costalis* (Zeller,1847) (Arctiidae) *#morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847 06 07 08 10 16 25 33 34 36 42 45 46 53 56 75
- 13) *Eilema pseudocomplana* (Daniel,1939) (Arctiidae) *pseudocomplana* Daniel,1939 06 16 25 36 42 46 62

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Miscellaneous Papers of the Cesa.

- 14) **Lacydes spectabilis (Tauscher,1806)** (Arctiidae) *spectabilis* Tauscher,1806; *intercissa* Freyer,1842. 03 06 13 23 24 25 26 30 38 42 46 50 58 65 70 73
- 15) **Ocnogyna (Somatotrichia) parasita (Hübner,1790)** (Arctiidae) *parasita* Hübner,1790 05 06 07 09 15 17 20 35 42 43 45
- 16) **Ocnogyna (s.str.) bellieri (Lederer,1855)** (Arctiidae) *bellieri* Lederer,1855; *banghaasi* Staudinger,1895. 01 02 07 31 33 42 46 63
- 17) **Paidia (s.str.) cinerascens (Herrich-Schäffer,[1847])** (Arctiidae) *cinerascens* Herrich-Schäffer,[1847] 03 05 06 16 42 46 71
- 18) **Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934 01 05 06 07 12 14 16 19 22 32 33 34 35 36 42 44 46 50 52 53 55 56 65 71 76
- 19) **Phragmatobia placida (Frivaldsky,1835)** (Arctiidae) *placida* Frivaldsky,1835 04 05 06 23 30 32 33 36 42 43 46 60 65
- 20) **Aglais urticae (Linnaeus,1758)** (Argynnidae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 21) **Argynnis (Fabriciana) adippe (Rottemburg,1775)** (Argynnidae) *cydippe* Linnaeus,1761 (*rejected*); *berecynthia* Poda,1761 (*rejected*); *adippe* Rottemburg,1775; *phryxa* Bergsträsser,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc. 01 05 06 07 08 10 11 14 16 25 31 32 33 34 37 39 42 43 46 53 58 67 74 76 77 78
- 22) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnidae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 23) **Argynnis (Pandoriana) pandora (Denis & Schiffermüller,1775)** (Argynnidae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 24) **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnidae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 *nec* Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 *nec* Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 25) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnidae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 26) **Brenthis daphne (Bergsträsser,1780)** (Argynnidae) *daphne* Bergsträsser,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 27) **Brenthis hecate (Denis & Schiffermüller,1775)** (Argynnidae) *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 28) **Cynthia cardui (Linnaeus,1758)** (Argynnidae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 29) **Euphydryas (Eurodryas) orientalis (Herrich-Schäffer,[1845])** (Argynnidae) *orientalis* Herrich-Schäffer,[1845]; *amasina* Seitz,1908. 05 06 16 18 23 42 43 44 71
- 30) **Issoria lathonia (Linnaeus,1758)** (Argynnidae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 31) **Limenitis (Azuritis) reducta Staudinger,1901** (Argynnidae) *reducta* Staudinger,1901. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 32) **Melitaea (Cinclidia) phoebe (Goeze,1779)** (Argynnidae) *phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotopos* Bergsträsser,[1780]; *tremulae* Piller & Mitterpacher,1783. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 33) **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnidae) *punica* Oberthür,1876 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 34) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidae) *didyma* Esper,[1779]; *armoricana* Oberthür,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 35) **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnidae) *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 36) **Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnidae) *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844. 01 02 05 07 10 13 21 24 25 27 30 31 32 36 42 43 44 46 47 49 56 65 72 73 80
- 37) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidae) *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 38) **Melicta athalia (Rottemburg,1775)** (Argynnidae) *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *subluciflua* Verity,1935; *mixtaceladussa* Verity,1940; *neglecta* Pfau,1962 01 03 05 06 08 10 11 16 17 18 19 24 25 29 30 31 34 36 37 39 42 52 53 54 55 58 60 61 62 66 69 73 74
- 39) **Nymphalis antiopa (Linnaeus,1758)** (Argynnidae) *antiopa* Linnaeus,1758; *pompador* Pollich,1783; *morio* Retzius,1783; *borealis* Wnukowsky,1927. 03 05 06 08 09 10 11 14 16 17 22 24 26 28 29 32 33 34 35 36 37 38 42 45 53 58 60 62 66 71 74
- 40) **Nymphalis polychloros (Linnaeus,1758)** (Argynnidae) *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896. 01 03 05 06 07 08 09 10 11 13 14 16 17 18 19 20 21 22 23 25 26 30 31 32 33 34 35 36 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73
- 41) **Nymphalis xanthomelas (Esper,[1781])** (Argynnidae) *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781] 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 42) **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnidae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 43) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnidae) *egea* Cramer,[1775] (*junior* homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1973; *#balucha* Evans,1932; *#pallida* Evans,1932. 01 02 04 05 06 07

- 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73
76 78
- 44) *Thaleropsis ionia* (Eversmann,1851) (Argynniidae) *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851. 03 05 06 07 08 13 21 23
24 25 28 30 32 33 42 44 47 48 58 60 62 65 73
- 45) *Vanessa atalanta* (Linnaeus,1758) (Argynniidae) *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczii* Schille,1896; *#klime*
Fischer,1896; italica Stichel,1900. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43
44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 46) *Amselina cedeștiella* (Zeller,1868) (Autostichidae) *cedeștiella* Zeller,1868; *dissoluta* Staudinger,1870. 05 06 42 46 51 71
- 47) *Amselina emir* (Gozmany,1961) (Autostichidae) *emir* Gozmany,1961 06 32 33 42 71
- 48) *Apiletria (Aretascetis) endopercna* (Meyrick,1936) (Autostichidae) *endopercna* Meyrick,1936 13 42 63
- 49) *Apiletria (Aretascetis) purulentella* Stainton,1867 (Autostichidae) *purulentella* Stainton,1867 01 05 42 46 76
- 50) *Aprominta aga* Gozmany,1962 (Autostichidae) *aga* Gozmany,1962 03 32 42
- 51) *Aprominta bifasciata* (Staudinger,1870) (Autostichidae) *bifasciata* Staudinger,1870; *virginella* Rebel,1902. 01 16 31 33 35? 42 46
51
- 52) *Holcopogon bubulcellus* (Staudinger,1859) (Autostichidae) *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata*
Walsingham,1900. 01 05 16 42 46 65 70
- 53) *Oegoconia deauratella* (Herrich-Schäffer,[1854]) (Autostichidae) *deauratella* Herrich-Schäffer,[1854]; *bacescui* Popescu-Gorj &
Capuse,1965 05 06 38 42 46
- 54) *Symmoca contristella* Caradja,1920 (Autostichidae) *contristella* Caradja,1920 42
- 55) *Symmoca salinata* Gozmany,1986 (Autostichidae) *salinata* Gozmany,1986 42 66 70
- 56) *Brachodes appendiculata* (Esper,[1783]) (Brachodidae) *appendiculata* Esper,[1783]; *vahlana* Fabricius,1787; *saldonana*
Fabricius,1787; chimaera Hübner,1796; *lucida* Lederer,1853; *powelli* Oberthür,1922 05 06 38 42 44 50 71 76
- 57) *Carposina berberidella* Herrich-Schäffer,[1854] (Carposinidae) *berberidella* Herrich-Schäffer,[1854] 06 42 44
- 58) *Millieria dolosana* (Herrich-Schäffer,[1854]) (Choreutidae) *#dolosalis* Heydenreich,1851; *dolosana* Herrich-Schäffer,[1854];
#dolasana Desmarest,[1857] 05 16 42
- 59) *Axia (Epicimelia) theresiae* (Korb,1900) (Cimeliidae) *theresiae* Korb,1900 06 13 29 30 42 44 50 58 65 76
- 60) *Coleophora albicans* Zeller,1849 (Coleophoridae) *albicans* Zeller,1849; *artemisiella* Scott,1861; *simillimella* Fuchs,1881; *digitella*
Palm,1947 42
- 61) *Coleophora amasiella* Stainton,1867 (Coleophoridae) *amasiella* Stainton,1867 05 06 42 46 68
- 62) *Coleophora arenbergeri* Glaser,1981 (Coleophoridae) *arenbergeri* Glaser,1981 42
- 63) *Coleophora astragalella* Zeller,1849 (Coleophoridae) *astragalella* Zeller,1849; *fimbriosa* Herrich-Schäffer,1861; *plusiella*
Constant,1865; persimilis Rebel,1904 04 05 06 16 42 50 58
- 64) *Coleophora audeoudi* Rebel,1935 (Coleophoridae) *audeoudi* Rebel,1935 06 42
- 65) *Coleophora bivittella* Staudinger,1879 (Coleophoridae) *bivittella* Staudinger,1879 05 20 42 51
- 66) *Coleophora caelebipennella* Zeller,1839 (Coleophoridae) *caelebipennella* Zeller,1839; *bifurcella* Turati,1930 16 42
- 67) *Coleophora cartilaginella* Christoph,1872 (Coleophoridae) *cartilaginella* Christoph,1872; *dubiosa* Toll,1952; *paraspumosella*
Toll,1957; medicagivora Toll,1961. 04 05 06 12 23 38 42 51 71
- 68) *Coleophora confusa* Staudinger,1880 (Coleophoridae) *confusa* Staudinger,1880 05 06 38 41 42
- 69) *Coleophora coronillae* Zeller,1849 (Coleophoridae) *coronillae* Zeller,1849 06 42 46 58
- 70) *Coleophora corsicella* Walsingham,1898 (Coleophoridae) *corsicella* Walsingham,1898 42
- 71) *Coleophora daglarica* Baldizzone & Tabell,1999 (Coleophoridae) *daglarica* Baldizzone & Tabell,1999 42
- 72) *Coleophora didymella* Chrétien,1899 (Coleophoridae) *didymella* Chrétien,1899 42
- 73) *Coleophora dignella* Toll,1961 (Coleophoridae) *dignella* Toll,1961 06 07 14 42
- 74) *Coleophora ditella* Zeller,1849 (Coleophoridae) *ditella* Zeller,1849; *tanaceti* Roesler,1866 *nec* Mühl.,1865; *roesleri* Wocke,[1876];
anatolica Toll,1952. 42 58
- 75) *Coleophora fiorii* Toll,1953 (Coleophoridae) *fiorii* Toll,1953 06 42
- 76) *Coleophora fuscicornis* Zeller,1847 (Coleophoridae) *fuscicornis* Zeller,1847 16 42 77
- 77) *Coleophora gazella* Toll,1952 (Coleophoridae) *gazella* Toll,1952 06 13 42 58
- 78) *Coleophora glaucicolella* Wood,1892 (Coleophoridae) *glaucicolella* Wood,1892 14 42 55
- 79) *Coleophora goluensis* Baldizzone,1994 (Coleophoridae) *goluenis* Baldizzone,1994 06 07 23 42 71
- 80) *Coleophora granulosa* Staudinger,1880 (Coleophoridae) *granulosa* Staudinger,1880 05 06 33 42
- 81) *Coleophora inusitatella* Caradja,1920 (Coleophoridae) *inusitatella* Caradja,1920 42
- 82) *Coleophora isomoera* Falkovitsh,1972 (Coleophoridae) *isomoera* Falkovitsh,1972 03 11 32 35 42 50
- 83) *Coleophora ivrizensis* Baldizzone,1994 (Coleophoridae) *ivrizensis* Baldizzone,1994 23 38 42
- 84) *Coleophora kautzi* Rebel,1933 (Coleophoridae) *kautzi* Rebel,1933 03 06 30 32 42 50 70
- 85) *Coleophora lixella* Zeller,1849 (Coleophoridae) *lixella* Zeller,1849 05 06 29 38 42 50 58
- 86) *Coleophora luteolella* Staudinger,1880 (Coleophoridae) *luteolella* Staudinger,1880; *mendosella* Toll,1960 01 05 06 11 34 41 42 50
- 87) *Coleophora lycaoniae* Baldizzone,1994 (Coleophoridae) *lycaoniae* Baldizzone,1994 42
- 88) *Coleophora medelichensis* Krone,1908 (Coleophoridae) *medelichensis* Krone,1908 06 38 41 42 50 51
- 89) *Coleophora miniaxella* Toll,1952 (Coleophoridae) *miniaxella* Toll,1952 42
- 90) *Coleophora narbonensis* Baldizzone,1990 (Coleophoridae) *narbonensis* Baldizzone,1990 42
- 91) *Coleophora obtectella* Zeller,1849 (Coleophoridae) *obtectella* Zeller,1849 04 06 13 25 29 42 50 53 58
- 92) *Coleophora ochrea* (Haworth,[1828]) (Coleophoridae) *ochrea* Haworth,[1828] 03 06 13 30 42 46 71
- 93) *Coleophora onobrychiella* Zeller,1849 (Coleophoridae) *onobrychiella* Zeller,1849; *arenariella* Zeller,1865 06 16 29 42 50 55 58
- 94) *Coleophora onopordiella* Zeller,1849 (Coleophoridae) *onopordiella* Zeller,1849; *eremica* Amsel,1935; *cerinaula* Meyrick,1936; *fusca*
Toll,1952; pseudophlomidella Toll,1952; *sivandella* Toll,1959; *litorella* Nemes,2003 05 06 23 25 33 38 42 44 45 50 51 58 71
- 95) *Coleophora ornatipennella* (Hübner,1796) (Coleophoridae) *ornatipennella* Hübner,1796; *#agrammella* Rebel,1935. 05 14 16 33 42
46 76
- 96) *Coleophora parthenica* Meyrick,1891 (Coleophoridae) *parthenica* Meyrick,1891; *cygnipennella* Toll,1959; *candidella* Toll,1959;
transcaspica Toll,1959; *lashkarella* Toll & Amsel,1967; *hilmendella* Amsel,1968. 06 33 42
- 97) *Coleophora pellicornella* Zerny,1930 (Coleophoridae) *pellicornella* Zerny,1930 03 06 42 50 70
- 98) *Coleophora phlomidella* Christoph,1862 (Coleophoridae) *phlomidella* Christoph,1862 42
- 99) *Coleophora phlomidis* Stainton,1867 (Coleophoridae) *phlomidis* Stainton,1867 05 06 12 23 33 42 46 58
- 100) *Coleophora phrygiae* Baldizzone,1994 (Coleophoridae) *phrygiae* Baldizzone,1994 03 06 25 38 42 58
- 101) *Coleophora pseudociconiella* Toll,1952 (Coleophoridae) *pseudociconiella* Toll,1952; *patrascui* Nemes,2003 42
- 102) *Coleophora quadristraminella* Toll,1961 (Coleophoridae) *quadristraminella* Toll,1961 42
- 103) *Coleophora qulikushella* Toll,1959 (Coleophoridae) *qulikushella* Toll,1959 06 33 42 51 58 71
- 104) *Coleophora serpylletorum* Hering,1889 (Coleophoridae) *serpylletorum* Hering,1889; *assisti* Nemes,2003 06 14 25 33 38 42 50 58

- 105) *Coleophora tanacetii* Mühlig, 1865 (Coleophoridae) *tanacetii* Mühlig, 1865 42
- 106) *Coleophora univittella* Staudinger, 1880 (Coleophoridae) *univittella* Staudinger, 1880 04 06 13 29 32 38 42 44 45 50 53 58 70
- 107) *Coleophora valesianella* Zeller, 1849 (Coleophoridae) *valesianella* Zeller, 1849; *giraudi* Ragonot, 1874; *simillima* Staudinger, 1880; *predotaella* Rebel, 1914 06 07 32 42 50 71
- 108) *Coleophora vicinella* Zeller, 1849 (Coleophoridae) *vicinella* Zeller, 1849; *gypsophilae* Christoph, 1862. 05? 42
- 109) *Coleophora wiltshirei* Toll, 1959 (Coleophoridae) *wiltshirei* Toll, 1959 01 42
- 110) *Coleophora zelleriella* Heinemann, 1854 (Coleophoridae) *zelleriella* Heinemann, 1854 33 42
- 111) *Goniodoma auroguttella* (Fischer v. Röslerstamm, 1841) (Coleophoridae) *auroguttella* Fischer v. Röslerstamm, 1841 05 42
- 112) *Eteobalea serratella* (Treitschke, 1833) (Cosmopterigidae) *serratella* Treitschke, 1833; *sareptensis* Walsingham, 1907; *cinereocapitella* Caradja, 1920 05 06 16 38 42 46 76
- 113) *Eteobalea sumptuosella* (Lederer, 1855) (Cosmopterigidae) *sumptuosella* Lederer, 1855; *cinereocapitella* Caradja, 1920; *amseli* Osthelder, 1940 05 06 42 46
- 114) *Hodgesiella christophi* Koster & Sinev, 2003 (Cosmopterigidae) *christophi* Koster & Sinev, 2003 42 50 58
- 115) *Cossulinus argentatus* (Staudinger, 1887) (Cossidae) *argentatus* Staudinger, 1887 42 46 65
- 116) *Cossulinus lignosus* (Brandt, 1938) (Cossidae) *lignosus* Brandt, 1938 04 12 25 30 36 42 46 49 50 58 68 69
- 117) *Cossus cossus* (Linnaeus, 1758) (Cossidae) *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794 01 05 06 12 13 14 16 17 19 23 25 30 36 42 46 49 53 55 58 60 61 65 73
- 118) *Dyspessa emilia* (Staudinger, 1879) (Cossidae) *emilia* Staudinger, 1879 01 05 06 07 19 33 42 50 58
- 119) *Dyspessa pallidata* Staudinger, 1901 (Cossidae) *pallidata* Staudinger, 1892; *pallidata* Staudinger, 1901; *nigrita* Wagner, 1931; *cerberus* Daniel, 1939; *dueldueli* Daniel, 1939. 01 03 05 31 42 46 58
- 120) *Dyspessa ulula* (Borkhausen, 1790) (Cossidae) *ulula* Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscata* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 *nec* Roth., 1912. 05 06 07 14 16 17 20 21 26 33 36 42 45 46 58 60 66
- 121) *Holcocerus volgensis* Christoph, 1893 (Cossidae) *volgensis* Christoph, 1893 42
- 122) *Phragmataecia castaneae* (Hübner, 1790) (Cossidae) *castaneae* Hübner, 1790; *arundinis* Hübner, [1808]; *minor* Moore, 1879; *pygmaea* Graeser, 1888; *minima* Hampson, 1891 04 36 42 46
- 123) *Zeuzera pyrina* (Linnaeus, 1761) (Cossidae) *pyrina* Linnaeus, 1761; *hypocastani* Poda, 1761; *aesuli* Linnaeus, 1767; *hilaris* Fourcroy, 1785; *octopunctata* Boisduval, 1832; *decipiens* Kirby, 1892 06 07 08 14 34 38 42 45 46 50 61
- 124) *Dysauxes famula* (Freyer, 1836) (Ctenuchidae) *famula* Freyer, 1836; *hyalina* Freyer, 1845; *ragusaria* Zickert, 1904; *kaschmirensis* Rothschild, 1910; *semidiaphana* Stauder, 1921; *herthina* Stauder, 1921; *burgeffi* Draudt, 1931; *pseudoservula* Naufock, 1933; *pontica* Friese, 1959; *sofiata* De Laever, 1983; *lucana* De Laever, 1983. 01 06 07 08 10 11 12 14 16 17 21 23 25 30 31 33 34 36 42 44 45 46 50 56 59 60 65 71 73
- 125) *Dysauxes punctata* (Fabricius, 1781) (Ctenuchidae) *punctata* Fabricius, 1781; *serva* Hübner, [1803]; *confamula* Hübner, [1803]; *ochrea* Millière, 1876 01 17 25 42 55 75
- 126) *Syringopais temperatella* (Lederer, 1855) (Deoclonidae) *temperatella* Lederer, 1855; *fuscofasciata* Stainton, 1867; *ochrolitella* Staudinger, 1871; *xenicopa* Meyrick, 1920 35 42 46
- 127) *Tinagma anchusellum* Benander, 1936 (Douglassiidae) *anchusellum* Benander, 1936 05 06 23 42 46
- 128) *Tinagma columbellum* (Staudinger, 1880) (Douglassiidae) *columbellum* Staudinger, 1880. 05 42 46
- 129) *Cilix asiatica* A. Bang-Haas, 1907 (Drepanidae) *asiatica* A. Bang-Haas, 1907; *depalpata* Strand, 1913 05 06 07 10 12 17 30 33 36 42 45 46 47 50 58 65 71 73
- 130) *Cilix glaucata* (Scopoli, 1763) (Drepanidae) *glaucata* Scopoli, 1763; *modesta* Müller, 1764; *ruffa* Linnaeus, 1766; *spinula* [Denis & Schiffermüller], 1775; *candidula* [Denis & Schiffermüller], 1775; *compressa* Fabricius, 1777 06 14 17 32 33 42 64
- 131) *Watsonalla binaria* (Hufnagel, 1767) (Drepanidae) *binaria* Hufnagel, 1767; *falcata* Fabricius, 1775; *falcularia* Villers, 1789; *falcatalis* Haworth, 1802; *uncula* Hübner, [1802] 05 06 08 10 12 14 16 30 42 46 50 53 62 65 71 73
- 132) *Elachista argentella* (Clerck, 1759) (Elachistidae) *argentella* Clerck, 1759 05 06 16 33 42 46
- 133) *Elachista nuraghella* Amsel, 1951 (Elachistidae) *nuraghella* Amsel, 1951 42
- 134) *Epermenia (Calotripis) insecurella* (Stainton, 1849) (Epermeniidae) *insecurella* Stainton, 1849; *dentosella* Stainton, 1851; *iniquellus* Wocke, 1867; *plumbeella* Rebel, 1915; *kruegerella* Schawerda, 1921. 06 42 65
- 135) *Ethmia aurifluella* (Hübner, [1810]) (Ethmiidae) *aurifluella* Hübner, [1810]; *albarracinella* Ragonot, 1882. 16 35 42 44 48 65
- 136) *Ethmia bipunctella* (Fabricius, 1775) (Ethmiidae) *bipunctella* Fabricius, 1775; *echiella* [Denis & Schiffermüller], 1775; *hoehenwartiella* Rossi, 1790; *griseicostella* Wiltshire, 1947. 05 06 16 35 42 46 56 71
- 137) *Ethmia candidella* (Alpheraky, 1908) (Ethmiidae) *candidella* Alpheraky, 1908; *orientella* Caradja, 1931. 16 42 46 65 71
- 138) *Ethmia chrysopyga* (Zeller, 1844) (Ethmiidae) *chrysopyga* Zeller, 1844; *callidella* Walsingham, 1910. 05 16 33 42
- 139) *Ethmia pseudoscithrella* (Rebel, 1902) (Ethmiidae) *pseudoscithrella* Rebel, 1902 42 65
- 140) *Ethmia pusiella* (Linnaeus, 1758) (Ethmiidae) *pusiella* Linnaeus, 1758; *scaella* Scopoli, 1763; *sequella* [Denis & Schiffermüller], 1775; *lithosperma* Hübner, 1796. 05 16 35 42 44 45 46
- 141) *Ethmia quadrinotella* (Mann, 1861) (Ethmiidae) *quadrinotella* Mann, 1861; *atticella* Caradja, 1920; *galaxaea* Meyrick, 1922. 01 05 06 31 42 46 71 76
- 142) *Ethmia treitschkeella* (Staudinger, 1879) (Ethmiidae) *treitschkeella* Staudinger, 1879 05 06 42 44
- 143) *Aproaerema anthyllidella* (Hübner, [1813]) (Gelechiidae) *anthyllidella* Hübner, [1813]; *caliginosella* Duponchel, 1843; *psoralella* Millière, 1865; *sparsiciliella* Barrett, 1891; *alfalfella* Amsel, 1958; *aureliana* Capuse, 1964 05 16 42 46 71 76
- 144) *Aristotelia osthelderi* Rebel, 1935 (Gelechiidae) *osthelderi* Rebel, 1935 42
- 145) *Aroga aristotelis* (Millière, 1875) (Gelechiidae) *aristotelis* Millière, 1875; *astragali* Staudinger, 1879; *fulminella* Millière, 1882; *lacertella* Walsingham; *hyrcanella* Toll, 1948. 01 05 21 42 46 71
- 146) *Bryotropha arabica* Amsel, 1952 (Gelechiidae) *arabica* Amsel, 1952 05 06 15 23 26 33 42 44 46 47 63 71
- 147) *Bryotropha tachyptilella* (Rebel, 1916) (Gelechiidae) *tachyptilella* Rebel, 1916 06 23 32 42
- 148) *Bryotropha terrella* ([Denis & Schiffermüller], 1775) (Gelechiidae) *terrella* [Denis & Schiffermüller], 1775; *inulella* Hübner, [1825]; *pauperella* Hübner, [1825]; *latella* Herrich-Schäffer, 1854; *lutescens* Constant, 1865; *suspectella* Heinemann, 1870; *alpicolella* Heinemann, 1870; *tenebrosella* Teich, 1886; *sardoterrella* Schawerda, 1936 05 16 42
- 149) *Deltophora maculata* (Staudinger, 1879) (Gelechiidae) *maculata* Staudinger, 1879 05 06 31 42 46
- 150) *Dirhinosis unifasciella* (Rebel, 1929) (Gelechiidae) *unifasciella* Rebel, 1929 42
- 151) *Epiparasia incertella* (Herrich-Schäffer, 1861) (Gelechiidae) *incertella* Herrich-Schäffer, 1861; *longivitella* Rebel 06 38 42 68
- 152) *Gelechia senticetella* (Staudinger, 1859) (Gelechiidae) *senticetella* Staudinger, 1859; *obscuripennis* Frey, 1880; *limitanella* Rebel, 1904; *#senticella* Rebel, 1932; *nigrostriatella* Zerny, 1936. 42
- 153) *Gelechia stramentella* (Rebel, 1935) (Gelechiidae) *stramentella* Rebel, 1935 42
- 154) *Metanarsia (s.str.) modesta* Staudinger, 1871 (Gelechiidae) *modesta* Staudinger, 1871 42
- 155) *Metzneria aprilella* (Herrich-Schäffer, [1854]) (Gelechiidae) *aprilella* Herrich-Schäffer, [1854] 05 06 16 33 42 46

- 156) *Metzneria metzneriella* Stainton, 1851 (Gelechiidae) *paucipunctella* Douglas, 1850 nec Zeller, 1851; *metzneriella* Stainton, 1851. 42 46
- 157) *Mirificarma* (s.str. (s.str.)) *maculatella* (Hübner, 1796) (Gelechiidae) *maculatella* Hübner, 1796 05 42
- 158) *Nothris sabulosella* Rebel, 1935 (Gelechiidae) *sabulosella* Rebel, 1935 42
- 159) *Nothris verbascella* (Brahm, 1791) (Gelechiidae) *verbascella* [Denis & Schiffermüller], 1775; *verbascella* Brahm, 1791; *lutarea* Haworth, 1828 05 06 16 38 42 46
- 160) *Ornativalva plutelliformis* (Staudinger, 1859) (Gelechiidae) *plutelliformis* Staudinger, 1859; *sinuatella* Walsingham, 1904 07 17 23 42
- 161) *Pseudotelphusa paripunctella* (Thunberg, 1794) (Gelechiidae) *paripunctella* Thunberg, 1794; *triparella* Zeller, 1839; *trijugella* Erschoff, 1877; *sultanella* Caradja, 1920; *arenicolella* Caradja, 1920. 16 42
- 162) *Psoricoptera gibbosella* (Zeller, 1839) (Gelechiidae) *gibbosella* Zeller, 1839; *triorthias* Meyrick, 1935; *lepigreella* Lucas, 1946. 42 76
- 163) *Scrobipalpa* (Ilseopsis) *divisella* (Rebel, 1936) (Gelechiidae) *divisella* Rebel, 1936 42 46
- 164) *Scrobipalpa* (Ilseopsis) *pulchra* Povolny, 1967 (Gelechiidae) *pulchra* Povolny, 1967 42 71
- 165) *Scrobipalpa* (s.str.) *anatolica* Povolny, 1973 (Gelechiidae) *anatolica* Povolny, 1973 42
- 166) *Sophrionia consanguinella* Herrich-Schäffer, [1855] (Gelechiidae) *consanguinella* Herrich-Schäffer, [1855]; *marginella* Toll, 1936 nec *marginella* Thunberg, 1794 non Den. & Schiff., 1775. 42 46
- 167) *Stenolechia gemmella* (Linnaeus, 1758) (Gelechiidae) *gemmella* Linnaeus, 1758; *nivella* Fabricius, 1794; *nivea* Haworth, 1828; *lepidella* Zeller, 1839; *nigrovittella* Duponchel, [1839]. 06 42
- 168) *Stomopteryx deterrentella* (Zeller, 1847) (Gelechiidae) *detersella* Zeller, 1847 05 06 16 33 42 45 46 65 71 76
- 169) *Turcopalpa glaseri* Povolny, 1973 (Gelechiidae) *glaseri* Povolny, 1973 42
- 170) *Amorphognysia necessaria* (Zeller, 1849) (Geometridae) *necessaria* Zeller, 1849 05 06 09 34 42 45 65 71
- 171) *Anticlea derivata* ([Denis & Schiffermüller], 1775) (Geometridae) *derivata* [Denis & Schiffermüller], 1775; *nigrofasciaria* Goeze, 1781; *separata* Thunberg, 1788. 06 14 16 39 42
- 172) *Aplasta ononaria* (Fuessly, 1783) (Geometridae) *ononaria* Fuessly, 1783; *rubellata* Villers, 1789; *rubicaprararia* Hübner, 1793; *sudataria* Hübner, [1817] 05 06 09 13 16 17 23 31 33 39 40 41 42 46 48 59 65 71
- 173) *Aplocera annexata* (Freyer, [1830]) (Geometridae) *annexata* Freyer, [1830]; *boisduvaliata* Duponchel, 1831 05 06 16 24 31 33 36 38 42 46 58 60 61 65 69 76
- 174) *Aplocera columbata* (Metzner, 1845) (Geometridae) *columbata* Metzner, 1845; *nomadaria* Herrich-Schäffer, 1848 05 06 13 14 16 24 25 42 58 76
- 175) *Aplocera fraternata* (Herrich-Schäffer, 1861) (Geometridae) *fraternata* Herrich-Schäffer, 1861 16 33 42 46 51
- 176) *Aplocera mundata* (Staudinger, 1892) (Geometridae) *mundata* Staudinger, 1892 01 05 42 46
- 177) *Aplocera numidaria* (Herrich-Schäffer, [1852]) (Geometridae) *numidaria* Herrich-Schäffer, [1852] 05 08 42 60 76
- 178) *Aplocera obsitaria* (Lederer, 1853) (Geometridae) *obsitaria* Lederer, 1853; *pseudopallidata* Bytinski-Salz & Brandt, 1937 04 05 21 42 46 47 58 62 65 76
- 179) *Aplocera plagiata* (Linnaeus, 1758) (Geometridae) *plagiata* Linnaeus, 1758; *pallidata* Staudinger, 1879. 01 05 06 14 16 17 22 23 24 30 31 33 34 35 38 39 42 45 46 58 60 62 65 71
- 180) *Asovia maeoticaria* (Alpheraky, 1876) (Geometridae) *maeoticaria* Alpheraky, 1876; *decoloraria* Alpheraky, 1889 05 39 42 45
- 181) *Biston stratarius* (Hufnagel, 1767) (Geometridae) *strataria* Hufnagel, 1767; *prodromaria* [Denis & Schiffermüller], 1775; *marmorata* Sulzer, 1776; *vernalis* Fourcroy, 1785; *nigricans* Oberthür, 1913 05 33 34 42
- 182) *Campogramma bilineatum* (Linnaeus, 1758) (Geometridae) *bilineata* Linnaeus, 1758; *brocatella* Fourcroy, 1785; *dumetata* Schrank, 1802; *bilineararia* Boisduval, 1840; *musauria* Freyer, 1846; *testaceolata* Staudinger, 1871 05 06 14 16 17 22 23 31 33 34 35 36 38 39 42 45 46 59 65
- 183) *Casilda antophilaria* (Hübner, [1813]) (Geometridae) *antophilaria* Hübner, [1813]; *gegenaria* Alpheraky, 1883; *halbipunctaria* Alpheraky, 1883; *elvira* Thierry-Mieg, 1911. 06 07 16 33 42
- 184) *Cataclyme riguata* (Hübner, [1813]) (Geometridae) *riguata* Hübner, [1813]; *subtilisparsata* Wehrli, 1932. 05 06 14 16 23 38 42 46 58 71 76
- 185) *Catarhoe cuculata* (Hufnagel, 1767) (Geometridae) *cuculata* Hufnagel, 1767; *sinuata* [Denis & Schiffermüller], 1775; *sabinata* Dannehl, 1933 17 42
- 186) *Catarhoe permixtaria* (Guenée, [1858]) (Geometridae) *permixtaria* Herrich-Schäffer, 1851; *permixtaria* Guenée, [1858] 05 06 14 16 17 31 42 46 65 71
- 187) *Catarhoe putridaria* (Herrich-Schäffer, [1852]) (Geometridae) *putridaria* Herrich-Schäffer, [1852]; *bulgariata* Millière, 1868 05 06 38 42 58 76
- 188) *Chiasmia* (Godonela) *aestimaria* (Hübner, [1809]) (Geometridae) *aestimaria* Hübner, [1809]; *contemptata* Guenée, [1858]; *aestimata* Herrich-Schäffer, 1861; *tunesella* Lucas, 1949. 16 42 46 65
- 189) *Chiasmia clathrata* (Linnaeus, 1758) (Geometridae) *clathrata* Linnaeus, 1758; *almacola* Wehrli, 1934. 05 06 14 16 22 31 33 34 42 46 50 65 71
- 190) *Cidaria fulvata* (Forster, 1771) (Geometridae) *fulvata* Forster, 1771 06 14 24 29 42 58 69 76
- 191) *Cinglis humifusaria* (Eversmann, 1837) (Geometridae) *humifusaria* Eversmann, 1837 08 42
- 192) *Comibaena bajularia* ([Denis & Schiffermüller], 1775) (Geometridae) *pustulata* Hufnagel, 1767 nec Müller, 1764; *bajularia* [Denis & Schiffermüller], 1775 37 39 42
- 193) *Costaconvexa polygrammata* (Borkhausen, 1794) (Geometridae) *polygrammata* Borkhausen, 1794; *polygrammaria* Haworth, 1809; *conjunctaria* Lederer, 1853; *rosea* Wiltshire, 1946 05 42
- 194) *Crocallis* (s.str.) *elinguaria* (Linnaeus, 1758) (Geometridae) *elinguaria* Linnaeus, 1758; *trapezaria* Boisduval, 1840 05 42 46
- 195) *Crocallis* (s.str.) *inexpectata* Warnecke, 1940 (Geometridae) *inexpectata* Warnecke, 1940 05 42
- 196) *Crocallis* (s.str.) *tusciaria* (Borkhausen, 1793) (Geometridae) *tusciaria* Borkhausen, 1793; *extimaria* Hübner, [1799] 05 17 31 42 46 58
- 197) *Cyclophora punctaria* (Linnaeus, 1758) (Geometridae) *punctaria* Linnaeus, 1758; *amata* Linnaeus, 1758; *teutonaria* Linnaeus, 1758; *amataria* Linnaeus, 1761; *fultaria* Villers, 1789; *communifasciata* Donovan, 1808; *unifasciata* Donovan, 1808; *subangularia* Haworth, 1809; *acutaria* Roquette, 1857; *naevata* Bastelberger, 1900 01 05 08 16 17 34 42 46 55
- 198) *Cyclophora puppillaria* (Hübner, [1799]) (Geometridae) *puppillaria* Hübner, [1799]. 06 07 14 16 17 31 33 34 42 45 46 58
- 199) *Cyclophora suppunctaria* (Zeller, 1847) (Geometridae) *suppunctaria* Zeller, 1847 30 42 71
- 200) *Dasycorsa modesta* (Staudinger, 1879) (Geometridae) *modesta* Staudinger, 1879 05 14 17 22 31 33 39 42 46 56 59 65 71
- 201) *Dyscia* (Calodyscia) *innocentaria* (Christoph, 1885) (Geometridae) *innocentaria* Christoph, 1885; *sicanaria* Oberthür, 1923 05 06 16 17 35 38 42 45 46 50 71
- 202) *Dyscia* (s.str.) *conspersaria* ([Denis & Schiffermüller], 1775) (Geometridae) *conspersaria* [Denis & Schiffermüller], 1775; *cuniculina* Hübner, 1790; *cunicularia* Esper, 1803; *turturaria* Boisduval, 1840 05 16 17 22 34 39 42 50 65 75
- 203) *Eilicrinia cordiaria* (Hübner, 1790) (Geometridae) *cordiaria* Hübner, 1790 06 16 22 42 45 46 58 59 65 71
- 204) *Eilicrinia trinitata* (Metzner, 1845) (Geometridae) *trinitata* Metzner, 1845 05 06 16 22 38 39 42 45 59 71

- 205) **Ennomos (Deuteronomos) quercarius (Hübner,[1813])** (Geometridae) *quercaria* Hübner,[1813] 05 33 34 42
- 206) **Ennomos (s.str.) effractarius Freyer,[1842]** (Geometridae) *effractaria* Freyer,[1842] 31 42 44 46
- 207) **Epirrhone galiata ([Denis & Schiffermüller],1775)** (Geometridae) *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912 05 06 16 29 31 34 42 46 48 51
- 208) **Eulithis pyraliata ([Denis & Schiffermüller],1775)** (Geometridae) *pyraliata* [Denis & Schiffermüller],1775 42
- 209) **Eulithis roessleraria (Staudinger,1871)** (Geometridae) *roessleraria* Staudinger,1871; *pseudoledereri* Schwingenschuss,1939. 01 33 42 46
- 210) **Eumera regina Staudinger,1892** (Geometridae) *regina* Staudinger,1892 05 42 58
- 211) **Eumera turcosyrica Wehrli,1932** (Geometridae) *turcosyrica* Wehrli,1932; *#turcosyriaca* Wehrli,1934. 31 42 46
- 212) **Euphyia frustata (Treitschke,1828)** (Geometridae) *frustata* Treitschke,1828; *muscosata* Donzel,1837; *fulvocinctata* Rambur,1866 05 42 46 61
- 213) **Euphyia sintenisi (Staudinger,1892)** (Geometridae) *sintenisi* Staudinger,1892; *sultania* Wehrli,1938. 23 42
- 214) **Eupithecia adscriptaria Staudinger,1871** (Geometridae) *adscriptaria* Staudinger,1871 16 42 76
- 215) **Eupithecia alliaria Staudinger,1870** (Geometridae) *alliaria* Staudinger,1870; *#notata* Dietze,1910 *nec* Sph.,1831 06 42 58
- 216) **Eupithecia breviculata (Donzel,1837)** (Geometridae) *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977. 05 06 16 17 31 35 39 42 46 65 71
- 217) **Eupithecia calligraphata Wagner,1929** (Geometridae) *calligraphata* Wagner,1929 42
- 218) **Eupithecia cerussaria (Lederer,1855)** (Geometridae) *cerussaria* Lederer,1855 33 35 42 46
- 219) **Eupithecia cucullaria (Rebel,1901)** (Geometridae) *undata* Bohatsch,1893 *nec* Frr.,1840; *cucullaria* Rebel,1901 07 38 39 42
- 220) **Eupithecia denticulata (Treitschke,1828)** (Geometridae) *denticulata* Treitschke,1828 06 31 42 58 66 76
- 221) **Eupithecia distinctaria Herrich-Schäffer,[1848]** (Geometridae) *distinctaria* Herrich-Schäffer,[1848]; *constrictata* Guenée,[1858]; *sextiata* Dardoin & Millière,1867; *piemonticola* Schwingenschuss,1954 07 33 42 46 65
- 222) **Eupithecia extremata (Fabricius,1787)** (Geometridae) *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977. 06 31 32 33 35 42 45 46 65
- 223) **Eupithecia karadaghensis Mironov,1988** (Geometridae) *karadaghensis* Mironov,1988 42
- 224) **Eupithecia limbata Staudinger,1879** (Geometridae) *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973 05 25 30 42 76
- 225) **Eupithecia millefoliata Roesler,1866** (Geometridae) *millefoliata* Roesler,1866; *achilleata* Mabilie,1869; *#maeoticaria* Bohatsch,1893 06 42 46 58 76
- 226) **Eupithecia mystica Dietze,1910** (Geometridae) *mystica* Dietze,1910; *wehrlii* F.Wagner,1931 31 42 46
- 227) **Eupithecia nigritaria Staudinger,1879** (Geometridae) *nigritaria* Staudinger,1879 33 42
- 228) **Eupithecia oblongata (Thunberg,1784)** (Geometridae) *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892. 05 06 16 17 42 46 58 65 71
- 229) **Eupithecia pimpinellata (Hübner,[1813])** (Geometridae) *pimpinellata* Hübner,[1813]; *altaicata* Guenée,[1858]; *lantoscata* Millière,1873; *cinerascens* Tengström,1875; *limbosignata* Dietze,1910; *elongata* Dietze,1913 *nec* Hw,1809; *retheli* L.B.Prout,1938; *variata* Schwingenschuss,1936. 42
- 230) **Eupithecia pulchellata Stephens,1831** (Geometridae) *pulchellata* Stephens,1831 42
- 231) **Eupithecia scalptata Christoph,1885** (Geometridae) *scalptata* Christoph,1885 06 42
- 232) **Eupithecia semigraphata Bruand,[1847]** (Geometridae) *semigraphata* Bruand,[1847] 05 06 30 42 46
- 233) **Eupithecia separata Staudinger,1879** (Geometridae) *separata* Staudinger,1879; *saueri* Vojnits,1978. 05 42
- 234) **Eupithecia silenicolata Mabilie,1867** (Geometridae) *silenicolata* Mabilie,1867 05 42 46 65
- 235) **Eupithecia spissilineata (Metzner,1846)** (Geometridae) *spissilineata* Metzner,1846; *multilineata* Mann,1866. 05 06 07 30 42 46
- 236) **Eupithecia subsequaria Herrich-Schäffer,[1852]** (Geometridae) *subsequaria* Herrich-Schäffer,[1852]; *dubiosa* Wagner,1929; *dubiosata* Wagner,1929; *richteri* Vardikjan,1954 05 06 42
- 237) **Glossotrophia (s.str.) diffinaria L.B.Prout,1913** (Geometridae) *luridata* Staudinger,1871 *nec* Zell.; *diffinaria* L.B.Prout,1913 24 42 46 50
- 238) **Gnophos (Dicrognophos) sartatus (Treitschke,1827)** (Geometridae) *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916. 05 16 17 20 31 34 35 42 45 46
- 239) **Gnophos (Neognophina) pfeifferi Wehrli,1926** (Geometridae) *pfeifferi* Wehrli,1926 32 42 46
- 240) **Gymnoscelis ruffasciata (Haworth,[1809])** (Geometridae) *ruffasciata* Haworth,[1809]; *pumilata* Hübner,[1813]. 05 14 16 17 22 31 34 35 42 47 71 76
- 241) **Hyposcotis (?) mutilata (Staudinger,1879)** (Geometridae) *mutilata* Staudinger,1879 05 42 44 46 47 58 65
- 242) **Hyposcotis (Charissa) certhiata (Rebel & Zerny,1931)** (Geometridae) *certhiatus* Rebel & Zerny,1931; *bezengius* Niesiolowski,1953. 42
- 243) **Hyposcotis (Charissa) obscurata ([Denis & Schiffermüller],1775)** (Geometridae) *#obscurata* [Denis & Schiffermüller],1775; *lividata* Fabricius,1787 *nec* Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808 05 16 22 42
- 244) **Hyposcotis (Euchrognophos) variegata (Duponchel,1830)** (Geometridae) *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932. 05 16 31 33 42 46 65
- 245) **Hyposcotis (Kemtrognophos) zeitunaria (Staudinger,1901)** (Geometridae) *zeitunaria* Staudinger,1901 42 46 71
- 246) **Idaea aversata (Linnaeus,1758)** (Geometridae) *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fuliginata* Haworth,1809; *latifasciaria* Heydenreich,1851. 05 14 16 22 34 39 42 54 59 61 65
- 247) **Idaea consanguinaria (Lederer,1853)** (Geometridae) *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929 05 16 17 31 33 34 35 38 42 46
- 248) **Idaea degeneraria (Hübner,[1799])** (Geometridae) *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913 05 06 07 16 17 22 31 33 34 39 42 46 58 65 71
- 249) **Idaea filicata (Hübner,[1799])** (Geometridae) *filicata* Hübner,[1799]; *filicaria* Duponchel,1830 05 14 16 17 22 33 34 42 45 46 58 59 65 71
- 250) **Idaea fuscovenosa (Goeze,1781)** (Geometridae) *fuscovenosa* Goeze,1781; *plebeia* Fourcroy,1785 42
- 251) **Idaea maritimaria (Bruand,1846)** (Geometridae) *maritimaria* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885 05 06 07 14 16 29 33 34 39 42
- 252) **Idaea metohiensis (Rebel,1900)** (Geometridae) *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938. 06 36 42
- 253) **Idaea moniliata ([Denis & Schiffermüller],1775)** (Geometridae) *moniliata* [Denis & Schiffermüller],1775; *?pentalineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805 01 05 06 14 16 22 33 34 39 42
- 254) **Idaea obsoletaria (Rambur,1833)** (Geometridae) *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 *nec* Wlk.,1861 05 07 16 35 39 42 45 58 59 71
- 255) **Idaea ossiculata (Lederer,1871)** (Geometridae) *ossiculata* Lederer,1871 01 05 07 30 31 33 38 40 42 46 58

- 256) **Idaea ostrinaria** (Hübner,[1813]) (Geometridae) *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938. 01 07 16 17 31 33 42 46 59 71
- 257) **Idaea rufaria** (Hübner,[1799]) (Geometridae) *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944 05 16 17 22 31 33 34 39 42 58 76
- 258) **Idaea rusticata** ([Denis & Schiffermüller],1775) (Geometridae) *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866. 05 06 13 16 22 38 39 42 58
- 259) **Idaea seriata** (Schränk,1802) (Geometridae) *albulata* Hufnagel,1767; *seriata* Schränk,1802; *cubicularia* Peyerimhoff,1862 16 35 42
- 260) **Idaea sericeata** (Hübner,[1813]) (Geometridae) *sericeata* Hübner,[1813]; *altivolaria* Bubacek,1923; 42 45
- 261) **Idaea straminata** (Borkhausen,1794) (Geometridae) *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmatata* Guenée,[1858] 05 16 36 42
- 262) **Idaea tineata** (Thierry-Mieg,1911) (Geometridae) *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931. 09 31 33 42
- 263) **Lithostege bosporaria** (Herrich-Schäffer,[1848]) (Geometridae) *bosporaria* Herrich-Schäffer,[1848]; *porcataria* Boisduval,1848; *latestrigata* Rebel,1931. 06 34 42
- 264) **Lithostege farinata** (Hufnagel,1767) (Geometridae) *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turton,1802; *bachmutensis* Prout,1938 05 16 34 38 42 47 50 51 56 58 65
- 265) **Lithostege flavicornata** (Zeller,1847) (Geometridae) *flavicornata* Zeller,1847 05 16 42 48 58
- 266) **Lithostege griseata** ([Denis & Schiffermüller],1775) (Geometridae) *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkiana* Stephens,1850 03 05 06 16 26 38 42 46 71
- 267) **Lythria cruentaria** (Hufnagel,1767) (Geometridae) *purpurata* Linnaeus,1761 nec Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839. 03 06 16 22 34 38 41 42 60 65 71
- 268) **Lythria purpuraria** (Linnaeus,1758) (Geometridae) *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767 05 06 14 16 17 22 31 33 34 38 39 42 46 58 60 69 71
- 269) **Microloxia herbaria** (Hübner,[1813]) (Geometridae) *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860. 05 16 17 42 71
- 270) **Narraga fasciolaria** (Hufnagel,1767) (Geometridae) *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829. 05 16 42
- 271) **Nebula ludificata** (Staudinger,1870) (Geometridae) *ludificata* Staudinger,1870; *decipitata* Staudinger,1901 05 14 24 42 46 47 58
- 272) **Nebula salicata** ([Denis & Schiffermüller],1775) (Geometridae) *salicata* [Denis & Schiffermüller],1775 01 05 16 17 29 34 35 36 42 46
- 273) **Nebula senectaria** (Herrich-Schäffer,[1852]) (Geometridae) *senectaria* Herrich-Schäffer,[1852]. 05 14 42 76
- 274) **Nebula senectaria sultana** (Schwingenschuss,1939) (Geometridae) *sultana* Schwingenschuss,1939 05 14 42 76
- 275) **Neognopharmia stevenaria** (Boisduval,1840) (Geometridae) *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841 05 06 14 16 17 31 42 44 46 47
- 276) **Nychiodes (Fritzwagneria) waltheri** F.Wagner,1919 (Geometridae) *waltheri* F.Wagner,1919. 31 34 42 46 58 71
- 277) **Oedeia atrata** (Linnaeus,1758) (Geometridae) *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpfenberg,1887 05 06 29 33 36 42 60 65 71
- 278) **Odontognophos zacharius** (Staudinger,1879) (Geometridae) *zacharia* Staudinger,1879 01 05 31 42 46 71
- 279) **Orthonama obstipata** (Fabricius,1794) (Geometridae) *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905 05 06 07 14 16 17 22 31 33 34 42 46 65 71
- 280) **Orthostixis calcaria** Lederer,1853 (Geometridae) *calcaria* Lederer,1853 05 42 46 65
- 281) **Orthostixis cribraria** (Hübner,[1799]) (Geometridae) *cribraria* Hübner,[1799]. 05 06 16 17 31 33 42 46 65
- 282) **Oulobophora externata** Freyer,1846 (Geometridae) *externata* Herrich-Schäffer,1843; *externata* Freyer,1846; *turcosyrica* Wehrli,1934. 05 16 31 33 34 35 42 46 56 65
- 283) **Pareulype berberata** (Fabricius,1787) (Geometridae) *berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840 16 24 42 51 58
- 284) **Pellonia vibicaria** (Linnaeus,1761) (Geometridae) *vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789. 05 13 14 22 29 34 38 39 42 59 65 69 76
- 285) **Peribatodes inaequalis** (Goeze,1781) (Geometridae) *rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *syritaurica* Wehrli,1931 05 16 17 22 31 33 34 36 42 45 46 59 65
- 286) **Peribatodes umbrarius** (Hübner,[1809]) (Geometridae) *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916 05 31 42 45 46 65 71
- 287) **Perizoma bifaciata** (Haworth,1809) (Geometridae) *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *#bifaciata* Haworth,[1828]; *aquilaria* Herrich-Schäffer,1848; *linolata* Guenée,[1858]; *odontata* Millière,1870 25 30 42
- 288) **Phaioграмма etruscaria** (Zeller,1849) (Geometridae) *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903. 05 16 17 31 33 39 42 46 65
- 289) **Phaselia serrularia** (Eversmann,1847) (Geometridae) *serrularia* Eversmann,1847; *phaeoleucaria* Lederer,1855. 05 31 42 65
- 290) **Protorhoe corollaria** (Herrich-Schäffer,[1848]) (Geometridae) *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935. 01 06 31 33 42 46 50
- 291) **Protorhoe renodata** (Püngeler,1909) (Geometridae) *renodata* Püngeler,1909 29 42
- 292) **Protorhoe unicata** (Guenée,[1858]) (Geometridae) *unicata* Guenée,[1858] 05 14 31 33 38 42 45 71
- 293) **Pydna badiaria** (Freyer,[1841]) (Geometridae) *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854. 05 06 25 29 30 38 42 44 46 50 51 58 65 71
- 294) **Rheumaptera montivagata** Duponchel,1830 (Geometridae) *montivagata* Duponchel,1830; *montivagaria* Boisduval,1840; *andalusica* Ribbe,1912 42 58
- 295) **Rhodometra sacraria** (Linnaeus,1767) (Geometridae) *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858]; 01 05 06 07 09 16 17 22 27 33 34 42 45 46 51 58 59 63 65
- 296) **Rhodostrophia auctata** (Staudinger,1879) (Geometridae) *auctata* Staudinger,1879 05 06 24 25 29 38 42 43 46 49 50 58 62 65 69 71 76
- 297) **Rhodostrophia discopunctata** Amsel,1935 (Geometridae) *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935 05 06 14 16 17 31 33 38 42 46 50 58 65
- 298) **Rhoptria asperaria** (Hübner,[1817]) (Geometridae) *asperaria* Hübner,[1817]; *collata* Hübner,[1826]; *pityata* Rambur,1829; *esteparentis* Agenjo,1933; *#aspersaria* Zukowsky,1941. 16 17 42 46
- 299) **Scopula beckeraria** (Lederer,1853) (Geometridae) *beckeraria* Lederer,1853 01 04 05 06 07 24 30 42 47 58 63 65 71

- 300) **Scopula decorata** ([Denis & Schiffermüller],1775) (Geometridae) *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806]. 03 05 06 14 16 29 30 38 39 42 43 45 46 51 58 60 71 76
- 301) **Scopula marginepunctata** (Goeze,1781) (Geometridae) *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891 01 05 14 16 17 22 24 31 34 35 38 39 42 46 58 59 65 71 76
- 302) **Scopula rubiginata** (Hufnagel,1767) (Geometridae) *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839 05 07 14 16 24 34 39 42 44 58 59
- 303) **Scopula submutata** (Treitschke,1828) (Geometridae) *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902 01 05 06 07 16 17 24 31 33 42 45 46 47 58 71
- 304) **Scopula turbulentaria** (Staudinger,1870) (Geometridae) *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syrturica* Wehrli,1934 01 05 07 16 17 31 33 34 35 39 42 45 46
- 305) **Scopula virgulata** ([Denis & Schiffermüller],1775) (Geometridae) *virgulata* [Denis & Schiffermüller],1775; *strigaria* Hübner,[1799]; *virgularia* Hübner,[1825]; *sulcaria* Hübner,[1825]. 05 16 42
- 306) **Scotopteryx chenopodiata** (Linnaeus,1758) (Geometridae) *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829 05 06 08 14 18 42 36 53 61 65 69 75
- 307) **Scotopteryx langi** (Christoph,1885) (Geometridae) *langi* Christoph,1885 42 76
- 308) **Scotopteryx mucronata** (Scopoli,1763) (Geometridae) *mucronata* Scopoli,1763; *virgaria* Esper,[1801]; *turturia* Treitschke,1827 06 14 42
- 309) **Stegania dilectaria** (Hübner,1790) (Geometridae) *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832] 22 34 42 46 65 71
- 310) **Stueningia wolffi** Hausmann,1993 (Geometridae) *wolffi* Hausmann,1993 07 33 42 46
- 311) **Synopsis sociaria** (Hübner,[1799]) (Geometridae) *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926 14 16 17 25 33 34 42 65
- 312) **Tephria hopfferaria** (Staudinger,1879) (Geometridae) *hopfferaria* Staudinger,1879 05 06 42 50 71
- 313) **Tephronia oppositaria** Mann,1864 (Geometridae) *oppositaria* Mann,1864 16 42
- 314) **Tephronia sepiaria** (Hufnagel,1767) (Geometridae) *sepiaria* Hufnagel,1767; *cineraria* [Denis & Schiffermüller],1775; *carieraria* Herrich-Schäffer,1848; *destituta* Walker,1870; *tingalata* Millière,1873 33 38 42
- 315) **Thalera fimbrialis** (Scopoli,1763) (Geometridae) *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903 05 13 16 17 22 30 33 34 41 42 46 58 62 65 75
- 316) **Thetidia smaragdaria** (Fabricius,1787) (Geometridae) *smaragdaria* Fabricius,1787 05 06 16 42 65 71
- 317) **Timandra comae** Schmidt,1931 (Geometridae) *angulata* Fourcroy,1785 nec Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994 01 05 08 16 22 33 34 39 42 53 55 58 59
- 318) **Wehrliola revocaria** (Staudinger,1892) (Geometridae) *revocaria* Staudinger,1892; *#fasciata* Wagner,1931. 42 46
- 319) **Xanthorhoe fluctuata** (Linnaeus,1758) (Geometridae) *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840 05 06 14 16 17 22 33 34 39 42 46 51 58
- 320) **Xanthorhoe spadicearia** ([Denis & Schiffermüller],1775) (Geometridae) *spadicearia* [Denis & Schiffermüller],1775; *alchemillaria* Esper,1801; *livinaria* LaHarpe,1855 42
- 321) **Glyphipteryx thrasonella** (Scopoli,1763) (Glyphipterygidae) *thrasonella* Scopoli,1763; *klemannella* Fabricius,1781; *fueslella* Fabricius,1787; *fjeslella* Fabricius,1794; *ahornerella* Hübner,1796; *seppella* Hübner,1796; *aillyella* Hübner,1796; *triguttella* Donovan,1806; *fuesslii* Haworth,1828; *equitella* Treitschke,1833; *poeyella* Duponchel,1838; *cladiella* Stainton,1859; *eynthoveniella* Snellen,1882; *albardella* Snellen,1882; *#nitens* Banks,1907; *struvei* Amsel,1938 05 23 42
- 322) **Triodia amasina** (Herrich-Schäffer,[1851]) (Hepialidae) *amasina* Herrich-Schäffer,[1851] 05 06 10 23 42 45 46 63 65 71
- 323) **Carcharodus (Lavatheria) lavatherae** (Esper,[1783]) (Hesperiidae) *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 324) **Carcharodus (Lavatheria) stauderi** Reverdin,1913 (Hesperiidae) *stauderi* Reverdin,1913. 01 05 07 23 24 27 30 31 35 36 42 44 50 58 60 65 76
- 325) **Carcharodus (Reverdinus) orientalis** Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 326) **Carcharodus (s.str.) alcaeae** (Esper,[1780]) (Hesperiidae) *alcaeae* Esper,[1780]; *malvae* Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 327) **Eogenes alcides** Herrich-Schäffer,[1852] (Hesperiidae) *alcides* Herrich-Schäffer,[1852] 05 08 20 23 24 25 30 35 36 42 50 56 60 62 65 66
- 328) **Erynnis (Hesperopegasus) marloyi** (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 329) **Erynnis (s.str.) tages** (Linnaeus,1758) (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 330) **Hesperia comma** (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 331) **Muschampia nomas** (Lederer,1855) (Hesperiidae) *nomas* Lederer,1855 01 03 05 06 07 12 13 21 23 27 31 32 33 38 42 44 46 47 49 50 51 58 60 62 63 70 73
- 332) **Muschampia poggei** (Lederer,1858) (Hesperiidae) *poggei* Lederer,1858 01 07 12 13 21 23 24 25 27 30 33 42 44 46 47 49 56 58 62 63 65 70
- 333) **Muschampia proteides** (Wagner,1929) (Hesperiidae) *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *#lycaomius* Benjamini & Avni,2001 01 03 05 06 07 08 13 14 15 21 24 25 32 33 38 42 43 44 46 49 51 58 60 65 70 76
- 334) **Ochlodes venatus** (Bremer & Grey,[1852]) (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81
- 335) **Pyrgus armoricanus** (Oberthür,1910) (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76

- 336) **Pyrgus bolkariensis** De Prins & Poorten,1995 (Hesperiidae) *bolkariensis* De Prins & Poorten,1995 42 51
- 337) **Pyrgus cinarae** (Rambur,[1839]) (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 76
- 338) **Pyrgus melotis** (Duponchel,[1834]) (Hesperiidae) *melotis* Duponchel,[1834]; *hypoleucus* Lederer,1853; *jordana* Hemming,1932. 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 81
- 339) **Pyrgus serratulae** (Rambur,[1839]) (Hesperiidae) *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 340) **Pyrgus sidae** (Esper,[1784]) (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 341) **Spialia (Neospialia) orbifer** (Hübner,[1823]) (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 342) **Spialia (s.str.) phlomidis** (Herrich-Schäffer,[1845]) (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 343) **Thymelicus hyrax** (Lederer,1861) (Hesperiidae) *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937. 01 05 06 07 08 09 13 16 18 23 24 25 29 30 31 33 35 36 42 46 48 65 73
- 344) **Thymelicus lineolus** (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 345) **Thymelicus sylvestris** (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 346) **Chondrostega osthelderi** Püngeler,1925 (Lasiocampidae) *osthelderi* Püngeler,1925 06 42 71
- 347) **Gastropacha (s.str.) populifolia** (Esper,[1782]) (Lasiocampidae) *#populifolia* [Denis & Schiffermüller],1775; *populifolia* Esper,[1782] 42
- 348) **Gastropacha (s.str.) quercifolia** (Linnaeus,1758) (Lasiocampidae) *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909 11 14 16 42 58 61
- 349) **Lasiocampa grandis** (Rogenhofer,1891) (Lasiocampidae) *grandis* Rogenhofer,1891 01 06 07 11 12 13 14 19 41 42 44 46 50 56 62
- 350) **Lasiocampa trifolii** (Denis & Schiffermüller,1775) (Lasiocampidae) *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *terreni* Herrich-Schäffer 01 05 06 10 12 14 19 32 33 35 42 45 46 58 59
- 351) **Macrothylacia rubi** (Linnaeus,1758) (Lasiocampidae) *rubi* Linnaeus,1758 22 42
- 352) **Malacosoma castrensis** (Linnaeus,1758) (Lasiocampidae) *castrensis* Linnaeus,1758 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38 42 53 58 60 65 71
- 353) **Malacosoma neustrium** (Linnaeus,1758) (Lasiocampidae) *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803 05 06 08 12 13 14 17 19 22 23 25 30 32 33 35 36 37 42 46 53 58 60 61 62 65 71
- 354) **Phyllodesma tremulifolium** (Hübner,[1810]) (Lasiocampidae) *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *#tremulifolium* De Freina,1999 01 05 06 07 10 12 13 24 25 30 32 33 36 42 46 58 60 62 64 65 71
- 355) **Ceuthomadarus tenebrionellus** Mann,1864 (Lecithoceridae) *tenebrionellus* Mann,1864; *monochromella* Rebel,1902; *crepusculellus* Caradja,1920. 05 07 16 35 42 45 46
- 356) **Eurodachtha flavissimella** (Mann,1862) (Lecithoceridae) *flavissimella* Mann,1862 16 42
- 357) **Lemonia balcanica** Herrich-Schäffer,[1843] (Lemoniidae) *balcanica* Herrich-Schäffer,[1843]; *anatolica* Wagner,1931. 08 25 33 36 42 60
- 358) **Libythea (s.str.) celtis** (Laicharting,1782) (Libytheidae) *celtis* Laicharting,1782 01 03 05 06 07 08 09 10 11 13 14 16 17 20 23 25 26 29 30 31 32 33 34 35 37 38 41 42 43 46 48 58 60 62 65 66 71 73 76
- 359) **Apoda limacodes** (Hufnagel,1766) (Limacodidae) *limacodes* Hufnagel,1766; *testudo* [Denis & Schiffermüller],1775; *funalis* Donovan,1794; *testudinana* Hübner,[1799]; *avellana* auct. 05 16 17 33 42 53
- 360) **Callophrys rubi** (Linnaeus,1758) (Lycaenidae) *rubi* Linnaeus,1758 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 361) **Celastrina argiolus** (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 362) **Chilades (Freyeria) trochylus** (Freyer,[1843]) (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76
- 363) **Cupido (Everes) alcetas** (Hoffmannsegg,1804) (Lycaenidae) *tiresias* Hübner,[1800] *nec* *tiresias* Rottemburg,1775; *alcetas* Hoffmannsegg,1804; *coretas* Ochsenheimer,1808. 03 05 06 11 14 16 26 42
- 364) **Cupido (Everes) decoloratus** (Staudinger,1886) (Lycaenidae) *decoloratus* Staudinger,1886. 42
- 365) **Cupido (s.str.) minimus** (Fuessly,1775) (Lycaenidae) *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801. 01 03 06 16 24 25 29 32 36 37 42 51 53 58 60 65 66 69 74 76
- 366) **Cupido (s.str.) osiris** (Meigen,[1829]) (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 367) **Glaucopsyche (Apelles) astraea** (Freyer,[1851]) (Lycaenidae) *astraea* Freyer,[1851]; *#astrea* Gerhard,1853 01 05 07 32 33 38 42 44 51 58 60 62 66 70
- 368) **Glaucopsyche (s.str.) alexis** (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 369) **Heodes (Loweia) tityrus** (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acriion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79

- 370) **Heodes (s.str.) virgaureae (Linnaeus,1758)** (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 371) **Iolana lessei Bernardi,1964** (Lycaenidae) *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 37 38 42 43 46 48 50 51 60 62 65 70
- 372) **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 373) **Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925. 01 05 06 07 09 11 14 16 17 26 27 30 31 33 34 35 42 44 45 46 48 65 70 71 73 81
- 374) **Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 375) **Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December]. 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 376) **Plebejus (Lycaeides) idas (Linnaeus,1761)** (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 377) **Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 378) **Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermiller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931. 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 379) **Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003 04 05 08 13 16 24 25 29 38 42 51 53 58 60 65 69 76
- 380) **Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) *loewii* Zeller,1847; *emphyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhagamati* Sheljuzhko,1934. 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 381) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) *chiron* Rottentburg,1775 *nec* Fabricius,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 *nec* Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980. 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 382) **Polyommatus (Aricia (Pseudoaricia)) hyacinthus (Herrich-Schäffer,[1847])** (Lycaenidae) *hyacinthus* Herrich-Schäffer,[1847]; *guelayae* Schurian & Rose,1991; *silvestris* Schurian & Eckweiler,1993. 03 07 11 14 26 32 42 60
- 383) **Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) *isauricus* Staudinger,1871 01 04 07 24 25 33 35 36 38 42 44 46 51 58 62 76
- 384) **Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] *nec* Frivaldsky,1835; *orpheus* Nekrutenko,1980. 01 03 05 06 07 10 11 14 15 16 18 19 26 29 32 33 34 37 38 41 42 43 46 51 52 53 54 55 58 60 62 66 67 70 74 77 81
- 385) **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottentburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 386) **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae) *firdussii* Forster,1956 01 03 04 08 24 25 29 30 31 36 38 42 44 46 49 50 51 58 62 65 66 69 76
- 387) **Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis (Koçak,1979)** (Lycaenidae) *sertavulensis* Koçak,1979 07 32 33 42 70
- 388) **Polyommatus (s.str. (Agrodiaetus (Actisia))) sigberti Olivier, Poorten, Puplesiene & de Prins,2000** (Lycaenidae) *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000 01 03 24 26 28 32 38 42 51
- 389) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) *admetus* Esper,[1783] 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 390) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002. 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66
- 391) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) *ripartii* Freyer,[1830]. 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 392) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) hopfferi (Gerhard,[1851])** (Lycaenidae) *#hopfferi* Herrich-Schäffer,[August,1851] (*uninominal*); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961. 01 02 03 05 06 07 08 16 21 23 24 25 30 32 42 44 46 50 51 58 60 62 65 70 71 73
- 393) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900. 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 394) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) *mithridates* Staudinger,1878 02 05 06 07 08 13 19 21 23 24 25 29 32 38 40 42 44 46 50 51 58 62 65 66 68 70 71
- 395) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892. 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66 69 70 71 76 80
- 396) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) theresiae Schurian et al.,1992** (Lycaenidae) *theresiae* Schurian et al.,1992 01 27 42 46
- 397) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) *wagneri* Forster,1956 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 398) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia* Herrich-Schäffer,[1847] 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 399) **Polyommatus (s.str. (Agrodiaetus (Transcaspis))) eurypilos (Gerhard,[1851])** (Lycaenidae) *eurypilos* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978 01 02 03 05 06 08 15 20 24 25 27 29 33 36 38 42 46 48 50 51 58 60 62 66 69
- 400) **Polyommatus (s.str. (Agrodiaetus (Transcaspis))) guezelmavi Olivier et al.,1999** (Lycaenidae) *guezelmavi* Olivier et al.,1999 42

- 401) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909]. 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 402) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 403) **Polyommatus (s.str. (Lysandra)) ossmar (Gerhard,[1851])** (Lycaenidae) *ossmar* Gerhard,[1851] 01 03 05 06 07 11 14 16 19 20 24 32 33 37 38 42 46 50 51 58 60 62 66 70 71
- 404) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 405) **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *coelestinus* Eversmann,1843 01 04 05 06 07 08 12 13 23 24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 406) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius* Esper,1789 *nec* Rottemburg,1775; *amandus* Schneider,1792 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 407) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] *nec* Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985. 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 408) **Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae) *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charmeux,1992. 01 02 03 05 06 07 11 14 15 16 18 19 20 24 25 26 27 29 30 31 32 33 37 38 42 43 44 47 50 51 55 56 58 60 62 63 64 66 70 71 73
- 409) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919. 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 410) **Polyommatus (s.str.) eroides (Frivaldsky,1835)** (Lycaenidae) *eroides* Frivaldsky,1835 05 06 14 16 28 37 42? 60 66 67
- 411) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fuscioles* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 412) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama* Moore,1865 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 413) **Quercusia quercus (Linnaeus,1758)** (Lycaenidae) *quercus* Linnaeus,1758 01 03 05 06 07 08 09 10 11 12 14 16 17 18 22 23 25 28 29 30 32 33 34 38 39 42 43 44 45 46 49 58 60 62 64 65 66 71 74
- 414) **Rubrapteris bavius (Eversmann,1832)** (Lycaenidae) *bavius* Eversmann,1832 01 05 06 07 08 09 13 14 16 17 21 23 24 27 28 30 31 32 33 34 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80
- 415) **Satyrrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardti* Wiltshire,1943; *elta* Higgins,1964. 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 416) **Satyrrium (Nordmannia) acaciae (Fabricius,1787)** (Lycaenidae) *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965. 01 03 05 06 07 08 10 14 16 17 18 20 22 24 25 26 29 32 33 34 38 39 42 43 48 50 51 55 58 60 66 71 74
- 417) **Satyrrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) *ilicis* Esper,[1779] 01 03 05 06 07 08 09 10 11 14 15 16 17 19 20 22 24 25 26 29 31 32 33 34 35 37 38 39 40 41 42 43 45 48 50 51 54 55 58 60 61 62 66 67 69 70 71 74 76 81
- 418) **Satyrrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950. 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 419) **Satyrrium (Strymonidia) w-album (Knoch,1782)** (Lycaenidae) *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911. 05 06 07 08 13 14 16 24 34 41 42 44 48 53 65
- 420) **Satyrrium (Superflua) ledereri (Boisduval,1848)** (Lycaenidae) *ledereri* Boisduval,1848 05 06 07 08 19 24 27 29 30 32 36 42 44 46 50 51 58 62 63 65 71 73 76
- 421) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 422) **Thersamonia (s.str.) asabinus (Gerhard,[1850])** (Lycaenidae) *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852]. 01 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 58 60 62 63 64 65 66 67 69 70 71 72 73 76
- 423) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852]. 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76
- 424) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925. 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 425) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis* Klug,1834. 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 426) **Tomares (nogelii) nesimachus (Oberthür,1893)** (Lycaenidae) *nesimachus* Oberthür,1893 06 07 11 18 19 23 24 27 29 31 32 33 38 42 44 46 47 48 51 58 60 62 63 66 68 70
- 427) **Tomares (nogelii) nogelii (Freyer,[1851])** (Lycaenidae) *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852] 01 03 05 06 07 14 18 19 21 23 26 27 32 33 42 44 46 50 51 55 58 60 62 65 66 71
- 428) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion* Freyer,[1850] 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 429) **Turanana taygetica (Rebel,1902)** (Lycaenidae) *taygetica* Rebel,1902 03 42 51
- 430) **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) *chrysorrhoea* Linnaeus,1758; *phaeorrhoeus* Haworth,1803 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 50 58 60 65 66 71

- 431) **Leucoma salicis (Linnaeus,1758)** (Lymantriidae) *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42 46 53 58 60 62 63 65 66
- 432) **Orgyia dubia (Tauscher,1806)** (Lymantriidae) *dubia* Tauscher,1806 05 06 19 42 50 58 60 65 71
- 433) **Parocneria detrita (Esper,[1785])** (Lymantriidae) *detrita* Esper,[1785]; *orientalis* Schwingenschuss,1939; *orientis* Daniel,1963 06 10 12 14 25 31 42 46 60
- 434) **Parocneria terebinthi (Freyer,[1838])** (Lymantriidae) *terebinthi* Freyer,[1838] 01 05 06 07 08 16 30 33 42 46 47 60
- 435) **Polymona lapidicola (Herrich-Schäffer,[1852])** (Lymantriidae) *lapidicola* Herrich-Schäffer,[1852] 01 05 06 07 14 19 23 33 35 36 42 44 46 47 48 50 56 63 65 71 73
- 436) **Stigmella cocciferae Nieukerken & Johansson,2003** (Nepticulidae) *cocciferae* Nieukerken & Johansson,2003 06 07 32 33 35 42
- 437) **Stigmella eberhardi (Johansson,1971)** (Nepticulidae) *eberhardi* Johansson,1971 32 42
- 438) **Stigmella mespilicola (Frey,1856)** (Nepticulidae) *mespilicola* Frey,1856; *ariella* Herrich-Schäffer,1860 42
- 439) **Stigmella muricatella Klimesch,1978** (Nepticulidae) *muricatella* Klimesch,1978 42
- 440) **Stigmella samiatella (Zeller,1839)** (Nepticulidae) *samiatella* Zeller,1839 04 05 06 16 29 30 42 51
- 441) **Stigmella zangherii (Klimesch,1951)** (Nepticulidae) *zangherii* Klimesch,1951 01 33 42 51
- 442) **Trifurcula (Glaucolepis) albiflorella Klimesch,1978** (Nepticulidae) *albiflorella* Klimesch,1978 42
- 443) **Acontia lucida (Hufnagel,1766)** (Noctuidae) *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889. 01 05 06 16 18 23 24 30 33 34 35 41 42 50 51 58 65 71
- 444) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 445) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) *aceris* Linnaeus,1758 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46 47 50 58 62 73
- 446) **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) *euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusiak & Niesiolowski,1946. 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75
- 447) **Acronicta (Viminia) orientalis Mann,1862** (Noctuidae) *orientalis* Mann,1862 05 06 07 09 10 16 17 18 24 32 35 42 45
- 448) **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 01 03 05 06 07 08 16 25 26 30 33 42 45 46 50 51 58 62 63 65 66
- 449) **Aedophron phlebophora Lederer,1858** (Noctuidae) *phlebophora* Lederer,1858 05 06 12 13 18 25 30 33 36 42 45 46 47 49 50 51 58 65 66 70 71
- 450) **Aedophron rhodites (Eversmann,1851)** (Noctuidae) *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852]. 05 06 18 25 36 42 50 51 58 60 62 66
- 451) **Aegle diatemna Boursin,1962** (Noctuidae) *diatemna* Boursin,1962 23 42 47 63 71
- 452) **Aegle semicana (Esper,[1798])** (Noctuidae) *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938. 01 03 06 13 17 19 22 23 32 33 36 40 42 46 50 51 58 66
- 453) **Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. 01 03 05 06 07 08 14 18 21 25 33 36 42 46 50 58 59 61 62 63 65 70
- 454) **Agrotis (Putagrotis) syricola Berio,1936** (Noctuidae) *#syricola* Corti & Draudt,1933; *syricola* Berio,1936 01 06 07 17 33 42 44 45 46 47 50 56 63
- 455) **Agrotis (s.str.) desertorum Boisduval,1840** (Noctuidae) *desertorum* Boisduval,1840 04 06 18 24 25 30 33 36 42 46 50 51 58 60 62 65 69 70 71
- 456) **Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934. 01 03 04 05 06 07 08 12 14 18 24 25 28 30 33 34 37 39 36 42 45 46 50 51 58 60 65 71
- 457) **Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. 01 03 05 06 07 08 11 14 16 18 20 25 27 29 32 33 35 36 37 42 46 47 50 51 58 62 63 65 69 71
- 458) **Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)** (Noctuidae) *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (*praecox*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. 01 05 06 07 11 13 15 16 18 24 25 27 30 31 32 33 35 36 38 42 46 50 51 58 60 63 65 71
- 459) **Agrotis (s.str.) trux (Hübner,[1824])** (Noctuidae) *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933. 05 06 08 18 25 33 38 42 46 50 51 52 58 63
- 460) **Albocosta musiva (Hübner,[1803])** (Noctuidae) *musiva* Hübner,[1803] 42 60 75
- 461) **Allophyes asiatica (Staudinger,1892)** (Noctuidae) *asiatica* Staudinger,1892 02 05 06 13 14 24 25 42 56 58 64 66
- 462) **Amephana dalmatica (Rebel,1919)** (Noctuidae) *dalmatica* Rebel,1919 01 02 05 06 07 20 33 42 50
- 463) **Amphipyra micans Lederer,1857** (Noctuidae) *micans* Lederer,1857 01 05 06 08 24 25 30 33 36 42 46 51 58 62 65 66
- 464) **Amphipyra stix Herrich-Schäffer,[1850]** (Noctuidae) *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879. 01 05 08 15 25 30 32 36 42 50 62 65
- 465) **Amphipyra tetra (Fabricius,1787)** (Noctuidae) *tetra* Fabricius,1787 01 05 39 42 45 50 58 65
- 466) **Amphipyra tragopoginis (Clerck,1759)** (Noctuidae) *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766. 01 05 06 08 09 14 16 17 18 30 32 33 38 39 42 43 46 50 58 60 65
- 467) **Antarchaea numisma (Hübner,[1803])** (Noctuidae) *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851. 01 04 05 06 07 18 19 33 38 42 50 70
- 468) **Antitype chi (Linnaeus,1758)** (Noctuidae) *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929. 06 12 36 42 46 66 70
- 469) **Apamea anceps ([Denis & Schiffermüller],1775)** (Noctuidae) *anceps* [Denis & Schiffermüller],1775 01 04 06 18 20 25 32 33 38 42 46 49 50 51 58 60 65 66
- 470) **Apamea leucodon (Eversmann,1837)** (Noctuidae) *leucodon* Eversmann,1837 04 06 25 33 36 42 44 46 50 51 58 60 65
- 471) **Apamea monoglypha (Hufnagel,1766)** (Noctuidae) *polyodon* Linnaeus,1761 *nec* Cl.,1759; *monoglypha* Hufnagel,1766. 01 03 04 05 06 08 17 18 25 28 29 30 32 33 34 35 36 37 39 42 43 45 58 60 61 66 75
- 472) **Apamea platinea (Treitschke,1825)** (Noctuidae) *platinea* Treitschke,1825; *griseascens* Touleschkov,1951 *nec* Staudinger,1889; *touleschkoffi* Koçak,1980. 08 24 25 30 33 36 38 42 50 51 58 60 65 70 76

- 473) *Apamea syriaca* (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. 01
04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 474) *Archanara algae* (Esper,[1789]) (Noctuidae) *algae* Esper,[1789] 23 42
- 475) *Archanara geminipuncta* (Haworth,1809) (Noctuidae) *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817]. 34 42
- 476) *Arenostola phragmitidis* (Hübner,[1803]) (Noctuidae) *phragmitidis* Hübner,[1803] 02 23 42 46 63
- 477) *Argyrospila succinea* (Esper,[1798]) (Noctuidae) *succinea* Esper,[1798] 04 13 25 42
- 478) *Auchmis* (s.str.) *detersa* (Esper,[1791]) (Noctuidae) *detersa* Esper,[1791] 01 05 06 08 18 24 25 32 33 37 40 42 50 51 58 66 75
- 479) *Autographa aemula* ([Denis & Schiffermüller],1775) (Noctuidae) *aemula* [Denis & Schiffermüller],1775 04 06 12 23 25 42 58 69
75
- 480) *Autographa gamma* (Linnaeus,1758) (Noctuidae) *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992.
01 03 04 05 06 07 08 14 16 17 18 24 25 26 28 31 32 33 35 37 38 39 42 43 50 51 52 58 61 62 65 66 80
- 481) *Autophila* (Cheiropheanes) *ligaminosa* (Eversmann,1851) (Noctuidae) *ligaminosa* Eversmann,1851; *caucasica* Herz,1904. 05 06 08
13 14 17 18 25 33 36 42 46 50 65 73
- 482) *Autophila* (s.str.) *banghaasi* Boursin,1940 (Noctuidae) *banghaasi* Boursin,1940 01 04 05 06 08 09 12 13 15 18 23 24 25 29 30 38
42 50 58 62 60 65 66 75
- 483) *Autophila* (s.str.) *cerealis* (Staudinger,1871) (Noctuidae) *cerealis* Staudinger,1871 42 46
- 484) *Autophila* (s.str.) *libanotica* (Staudinger,1901) (Noctuidae) *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis*
Boursin,1962. 04 06 12 08 24 30 38 42 46 51 58 65
- 485) *Behounekia freyeri* (Frivaldsky,1835) (Noctuidae) *freyeri* Frivaldsky,1835; *senescens* Eversmann,1856. 01 05 06 13 18 25 30 32 35
36 38 42 46 47 50 51 62 65
- 486) *Bena bicolorana* (Fuessly,1775) (Noctuidae) *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis &
Schiffermüller,1775; *conspersa* Warren,1913. 01 05 06 11 17 18 33 39 42 62 73
- 487) *Bryophilopsis roederi* (Standfuss,1892) (Noctuidae) *roederi* Standfuss,1892 07 13 30 31 33 42 47 58 62 65 73
- 488) *Callopietria latreillei* (Duponchel,1827) (Noctuidae) *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858];
rakoto Viette,1865; *rechingeri* Koutsafikis,1973. 01 03 05 06 07 08 16 32 33 35 42 46 50 51 52
- 489) *Calophasia barthae* Wagner,1929 (Noctuidae) *barthae* Wagner,1929 06 07 38 42 63
- 490) *Calophasia lunula* (Hufnagel,1766) (Noctuidae) *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775. 01 04 05 06 08 14
18 24 25 30 33 36 42 49 50 51 58 65
- 491) *Calymma communimacula* ([Denis & Schiffermüller],1775) (Noctuidae) *communimacula* [Denis & Schiffermüller],1775 06 17 30
32 42 46 50 51 58
- 492) *Caradrina* (Eremodrina) *draudti* (Boursin,1936) (Noctuidae) *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax*
Boursin,1940 04 06 08 13 23 30 38 42 44 51 63 65
- 493) *Caradrina* (Eremodrina) *gilva* (Donzel,1837) (Noctuidae) *gilva* Donzel,1837; *molisana* Dannehl,1929 04 05 06 08 12 13 24 25 29
30 38 42 46 51 58
- 494) *Caradrina* (Eremodrina) *pertinax* (Staudinger,1879) (Noctuidae) *pertinax* Staudinger,1879; *argentea* Caradja,1930. 04 05 06 08
12 25 29 30 33 36 38 42 44 50 58 61 66 75
- 495) *Caradrina* (Eremodrina) *vicina* (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911 01 04 06 08 25
33 36 42 46 50 51 58
- 496) *Caradrina* (Eremodrina) *zernyi* (Boursin,1936) (Noctuidae) *zernyi* Boursin,1936; *signata* Boursin,1936 01 03 05 13 30 31 42 44 46
58
- 497) *Caradrina* (Paradrina) *clavipalpis* (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata*
Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909;
teidovolans Pinker,1974; *pinkeri* Kobes,1975 01 05 06 10 13 16 20 24 25 29 30 32 33 35 42 44 46 50 51 56 58 60 62 63 64
- 498) *Caradrina* (Paradrina) *wulschlegeli* (Püngeler,1903) (Noctuidae) *wulschlegeli* Püngeler,1903 06 07 08 12 14 18 24 25 30 35 37
42 43 49 50 51 58 60 62 65 66 80
- 499) *Caradrina* (Platyperigea) *albina* (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-
Haas,1912 01 04 06 07 17 18 24 25 30 33 36 38 42 50 51 58 62 65 66
- 500) *Caradrina* (Platyperigea) *aspersa* (Rambur,1834) (Noctuidae) *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti*
Turati,1913. 03 05 06 07 08 14 17 18 22 29 32 33 39 42 46 50 51 62 66
- 501) *Caradrina* (Platyperigea) *montana* (Bremer,1861) (Noctuidae) *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis*
Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949 04 25 36 42 50 51 58 65
- 502) *Caradrina* (Platyperigea) *terrea* (Freyer,[1840]) (Noctuidae) *terrea* Freyer,[1840]; *ustirena* Boisduval,1840 03 04 06 08 12 13 18
23 25 30 36 42 50 51 65 66
- 503) *Caradrina* (s.str.) *agrotina* (Staudinger,1892) (Noctuidae) *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca*
Osthelder,1933. 05 06 31 33 42 46 62
- 504) *Cardepija arenbergeri* Pinker,1974 (Noctuidae) *arenbergeri* Pinker,1974 01 06 27 38 42 51 58
- 505) *Cardepija sociabilis* (Graslin,1850) (Noctuidae) *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
01 04 06 35 38 42 44 51 63 76
- 506) *Catephia alchymista* ([Denis & Schiffermüller],1775) (Noctuidae) *alchymista* [Denis & Schiffermüller],1775 06 07 17 18 30 33 34
39 42 62 65
- 507) *Catocala* (Ephesia) *eutychea* (Treitschke,1835) (Noctuidae) *eutychea* Treitschke,1835; *delicata* Vicent,1913. 01 05 07 10 16 17 20
31 32 33 35 42 45 50
- 508) *Catocala* (Ephesia) *separata* Freyer,1848 (Noctuidae) *separata* Freyer,1848 07 33 42
- 509) *Catocala* (s.str.) *abacta* Staudinger,1900 (Noctuidae) *abacta* Staudinger,1900; *irana* Brandt,1938; *#iranica* Hacker,1986. 01 02 07
12 13 23 30 42 44 46 47 48 62 65 73
- 510) *Catocala* (s.str.) *conversa* (Esper,1783) (Noctuidae) *conversa* Esper,[1787] 01 06 07 08 11 16 17 22 25 27 30 33 35 42 45 51
- 511) *Catocala* (s.str.) *disjuncta* (Geyer,[1828]) (Noctuidae) *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 nec
Hulst,1884; *fumigata* Kuznetsov,1903. 01 05 06 07 08 16 18 31 32 33 35 42 50 62
- 512) *Catocala* (s.str.) *diversa* (Geyer,[1828]) (Noctuidae) *diversa* Geyer,[1828]; *#divera* Hacker,1988 03 05 16 30 42 50 56 62
- 513) *Catocala* (s.str.) *hymenaea* ([Denis & Schiffermüller],1775) (Noctuidae) *#hymenaea* [Denis & Schiffermüller],1775 05 06 07 09 16
33 35 42 50 60 65
- 514) *Catocala* (s.str.) *puerpera* (Giorna,1791) (Noctuidae) *puerpera* Giorna,1791; *amasia* Esper,[1804] nec Sm.,1797; *pellex*
Hübner,[1809]; *romana* Schultz,1909 01 05 06 08 16 18 19 25 33 42 50 51 58 65
- 515) *Cerastis rubricosa* (Fabricius,1787) (Noctuidae) *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida*
Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813]. 06 09 14 17 35 42 43 50 58
- 516) *Chazaria incarnata* (Freyer,1838) (Noctuidae) *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. 01 05 06 07 18 20 23 24 25 33
34 36 38 39 42 44 45 46 50 51 58 63 65 71
- 517) *Chersotis alpestris* (Boisduval,[1837]) (Noctuidae) *alpestris* Boisduval,[1837] 04 12 25 29 36 42 51 58 65

- 518) *Chersotis anatolica* (Draudt,1936) (Noctuidae) *anatolica* Draudt,1936; *elegantula* Boursin,1945. 04 24 25 36 42 50 51 58 60 65
- 519) *Chersotis capnistis* (Lederer,1872) (Noctuidae) *capnistis* Lederer,1872; *neara* Püngeler,1902. 01 03 06 08 18 25 29 32 36 38 42 43 46 50 51 58 60 65 66
- 520) *Chersotis cuprea* (Denis & Schiffermüller,1775) (Noctuidae) *cuprea* [Denis & Schiffermüller],1775; *haematitidea* Esper,[1794]; *palustris* Osthelder,1927; *jordanovi* Touleschkov,1951. 14 18 42 61
- 521) *Chersotis fimbriola* (Esper,[1798]) (Noctuidae) *fimbriola* Esper,[1798] 01 03 04 05 06 08 12 18 24 25 29 30 36 38 42 44 46 50 51 58 60 65 66 69 70
- 522) *Chersotis friedeli* Pinker,1974 (Noctuidae) *friedeli* Pinker,1974 06 25 42 50 58 63
- 523) *Chersotis gratissima* (Corti,1932) (Noctuidae) *gratissima* Corti,1932 01 04 06 12 23 25 30 36 42 44 46 51 60 65 69 70 75
- 524) *Chersotis illauta* (Draudt,1936) (Noctuidae) *illauta* Draudt,1936 04 12 25 42 46 50 51 65 70
- 525) *Chersotis juvenis* (Staudinger,1901) (Noctuidae) *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936. 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69
- 526) *Chersotis laeta* (Rebel,1904) (Noctuidae) *laeta* Rebel,1904 01 03 04 05 08 14 18 24 25 28 29 30 32 33 36 42 44 46 49 50 51 58 60 65 66 69 70
- 527) *Chersotis margaritacea* (Villers,1789) (Noctuidae) *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espunensis* Calle,1982 01 06 08 16 18 25 36 42 46 50 61
- 528) *Chersotis multangula* (Hübner,[1803]) (Noctuidae) *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Touleschkov,1951. 03 04 05 08 14 18 25 30 32 33 36 42 46 50 51 58 60 66
- 529) *Chersotis rectangula* (Fabricius,1787) (Noctuidae) *rectangula* Fabricius,1787. 06 07 08 11 12 18 24 25 26 36 38 42 43 50 49 60 66 75
- 530) *Chersotis semna* (Püngeler,1906) (Noctuidae) *semna* Püngeler,1906 04 06 08 18 25 33 42 46 50 51 58 60 62 66 69
- 531) *Chilodes maritima* (Tauscher,1806) (Noctuidae) *maritima* Tauscher,1806; *bipunctana* Haworth,1812. 33 42 46 51
- 532) *Chloantha hypericii* (Fabricius,1787) (Noctuidae) *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 533) *Cleonymia (Serryvania) opposita* (Lederer,1870) (Noctuidae) *opposita* Lederer,1870; *#obscurior* Osthelder,1933. 01 05 06 18 24 25 32 33 42 44 46 49 50 51 58 60 62 63 65
- 534) *Clytie (s.str.) syriaca* (Bugnion,1837) (Noctuidae) *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. 01 05 06 07 08 13 16 18 21 23 24 25 30 31 33 35 42 44 62 65
- 535) *Cryphia (Bryoleuca) petrea* (Guenée,1852) (Noctuidae) *petrea* Guenée,1852 01 04 07 13 30 33 42 46 66
- 536) *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962. 01 03 05 06 07 08 12 19 24 25 28 30 32 33 36 39 42 46 49 50 51 56 58 62 65 66 70 73
- 537) *Cryphia (Bryoleuca) rectilinea* (W.Warren,1909) (Noctuidae) *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962. 01 05 08 13 23 24 36 42 46 69
- 538) *Cryphia (Bryoleuca) tephrocharis* Boursin,1954 (Noctuidae) *tephrocharis* Boursin,1954 01 06 07 12 23 25 30 32 33 42 44 46 50 51 58 60 62 63 70
- 539) *Cryphia (Bryophila) maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950. 01 04 05 06 08 16 18 24 25 27 30 35 36 42 44 45 46 50 51 58 60 61 62 65 66
- 540) *Cryphia (Bryopsis) amasina* (Draudt,1931) (Noctuidae) *amasina* Draudt,1931 01 05 06 08 12 18 25 42 62 65
- 541) *Cryphia (Bryopsis) muralis* (Forster,1771) (Noctuidae) *muralis* Forster,1771; *lichenis* Fabricius,1781; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]. 05 06 16 25 42 75
- 542) *Cryphia (Euthales) algae* (Fabricius,1775) (Noctuidae) *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813]. 05 06 08 14 15 16 18 20 25 30 32 33 42 46 60 66
- 543) *Cryphia (Euthales) ochsi* (Boursin,1941) (Noctuidae) *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952 01 05 06 07 08 16 23 28 32 33 42 50 51 55 58 59 62 63 67
- 544) *Cucullia (Shargacucullia) barthae* Boursin,1933 (Noctuidae) *barthae* Boursin,1933 04 06 08 18 25 32 33 42 46 47 50 60 65
- 545) *Cucullia (Shargacucullia) lanceolata* (Villers,1789) (Noctuidae) *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826 01 04 05 06 18 25 33 42 46 47 50 51 58 60 65 66
- 546) *Cucullia (s.str.) argentina* (Fabricius,1787) (Noctuidae) *argentina* Fabricius,1787; *achalina* Püngeler,1900; *grisescens* Wagner,1931 *nec* Leech,1900; *anatoliensis* Koçak,1980. 05 06 18 25 27 30 36 38 42 50 58 65 71
- 547) *Cucullia (s.str.) boryphora* Fischer v. Waldheim,1840 (Noctuidae) *boryphora* Fischer & Waldheim,1840 02 36 42 50
- 548) *Cucullia (s.str.) citella* G.Ronkay & L.Ronkay,1987 (Noctuidae) *citella* G.Ronkay & L.Ronkay,1987 42
- 549) *Cucullia (s.str.) lucifuga* (Hübner,[1803]) (Noctuidae) *lucifuga* Hübner,[1803]. 25 36 42 69 75
- 550) *Cucullia (s.str.) santolinae* Rambur,1834 (Noctuidae) *santolinae* Rambur,1834 42 44
- 551) *Cucullia (s.str.) santonici* (Hübner,[1813]) (Noctuidae) *santonici* Hübner,[1813] 04 06 18 25 36 42 58
- 552) *Cucullia (s.str.) umbratica* (Linnaeus,1758) (Noctuidae) *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859. 08 16 18 25 36 42 46 58 60 65 75
- 553) *Dasytopia (s.str.) templi* (Thunberg,1792) (Noctuidae) *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909. 01 06 04 08 25 42 49 58
- 554) *Diachrysia chrysitis* (Linnaeus,1758) (Noctuidae) *chrysitis* Linnaeus,1758 13 14 16 18 25 28 30 42 46 50 52 55 57 59 61 65 66 75
- 555) *Dichagyris (Grisyigoga) candelisequa* ([Denis & Schiffermüller],1775) (Noctuidae) *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. 01 04 05 06 12 16 23 25 30 32 33 36 38 40 42 44 46 50 51 58 61 62 63 65
- 556) *Dichagyris (Yigoga) flavina* (Herrich-Schäffer,[1852]) (Noctuidae) *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931. 01 03 04 05 07 18 22 23 25 30 32 36 38 39 40 42 44 46 50 51 58 60 62 63 65 66
- 557) *Dichagyris (Yigoga) forcipula* ([Denis & Schiffermüller],1775) (Noctuidae) *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980. 01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 46 49 50 51 58 60 65 66 69
- 558) *Dichagyris (Yigoga) gracilis* (F.Wagner,1929) (Noctuidae) *gracilis* F.Wagner,1929 01 03 04 05 06 07 08 12 18 24 25 29 30 36 38 42 50 51 58 60 63 65 69
- 559) *Dichagyris (Yigoga) nachadira* (Brandt,1941) (Noctuidae) *nachadira* Brandt,1941 06 25 36 38 42 50 58 65
- 560) *Dichagyris (Yigoga) nigrescens* (Hofner,1888) (Noctuidae) *nigrescens* Höfner,1888 01 05 06 07 18 20 25 30 32 33 42 45 46 50 65 66
- 561) *Dichagyris (Yigoga) orientis* (Alpheraky,1882) (Noctuidae) *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933. 01 04 07 36 38 42 50 51 58 62 65
- 562) *Dichagyris (Yigoga) romanovi* (Christoph,1885) (Noctuidae) *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990. 04 13 23 25 30 32 38 42 50 51 58 63 66 76

- 563) *Dichagyris (Yigoga) signifera* ([Denis & Schiffermüller],1775) (Noctuidae) *#signifera* [Denis & Schiffermüller],1775 01 03 05 06 07 08 12 14 24 25 30 32 33 36 42 43 46 49 50 51 58 66
- 564) *Dichagyris (s.str.) amoena* (Staudinger,1892) (Noctuidae) *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933. 04 05 08 18 23 25 27 42 46 50 58 62 65 69
- 565) *Dichagyris (s.str.) erubescens* (Staudinger,1892) (Noctuidae) *erubescens* Staudinger,1892 01 06 24 25 27 33 42 44 46 47 51 58 63
- 566) *Dichagyris (s.str.) forficula* (Eversmann,1851) (Noctuidae) *forficula* Eversmann,1851 01 03 04 07 08 12 18 24 25 29 28 30 33 36 38 42 49 50 51 58 60 65
- 567) *Dichagyris (s.str.) melanura* (Kollar,1846) (Noctuidae) *melanura* Kollar,1846 01 04 05 06 08 24 25 29 30 40 42 44 46 50 51 58 62 65 66
- 568) *Dichagyris (s.str.) renigera* (Hübner,[1808]) (Noctuidae) *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. 04 05 06 08 18 25 30 36 42 50 51 58 62 65 69
- 569) *Dichagyris (s.str.) squalidior* (Staudinger,1901) (Noctuidae) *squalidior* Staudinger,1901 01 03 08 12 23 25 30 42 44 46 50 58 65 75
- 570) *Dicycla oo* (Linnaeus,1758) (Noctuidae) *oo* Linnaeus,1758; *ferruginago* Hübner,[1803]. 01 05 06 07 08 11 17 18 22 28 30 33 38 39 42 46 56
- 571) *Drasteria caucasica* (Kolenati,1846) (Noctuidae) *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903. 23 24 25 30 42 44 50 51 58 65
- 572) *Drasteria saisani* (Staudinger,1882) (Noctuidae) *saisani* Staudinger,1882; *clara* Staudinger,1895; *#saisani* John,1910. 01 04 06 08 12 25 30 33 36 42 44 47 50 51 58 65 66
- 573) *Dryobotodes (s.str.) carbonis* (Wagner,1931) (Noctuidae) *carbonis* Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976. 06 13 33 42 46 56 64
- 574) *Earias clorana* (Linnaeus,1761) (Noctuidae) *clorana* Linnaeus,1761; *viride* Retzius,1783 01 05 06 10 12 14 17 18 24 29 42 50 58 62 65 66 69
- 575) *Egira tibi Hreblay*,1994 (Noctuidae) *tibi Hreblay*,1994 03 06 07 17 33 34 35 36 42 43 46 58
- 576) *Emmelia trabealis* (Scopoli,1763) (Noctuidae) *trabealis* Scopoli,1763; *sulphurealis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goetze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865 01 04 05 06 07 08 11 16 18 30 32 33 36 41 42 46 50 56 58 59 65 66 71
- 577) *Enargia pinkeri* De Freina & Hacker,1985 (Noctuidae) *pinkeri* De Freina & Hacker,1985 01 06 07 18 33 38 42
- 578) *Epilecta linogrisea* ([Denis & Schiffermüller],1775) (Noctuidae) *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901. 01 03 05 06 08 16 17 33 42 46 50 62
- 579) *Episema amasina* (Hampson,1906) (Noctuidae) *amasina* Hampson,1906 05 06 18 42 25 36 47 49 50 58 60 65
- 580) *Episema korsakovi* (Christoph,1885) (Noctuidae) *korsakovi* Christoph,1885; *paenulata* Christoph,1885. 01 06 08 14 17 23 36 42 44 45 46 50 51 58 65
- 581) *Episema korsakovi levantina* Hacker,2001 (Noctuidae) *levantina* Hacker,2001 01 06 08 14 17 23 36 42 44 45 46 50 51 58 65
- 582) *Episema lederi* Christoph,1885 (Noctuidae) *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937. 04 05 06 21 23 25 36 38 42 44 46 47 49 50 56 58 60 62 63 65
- 583) *Episema tersa* ([Denis & Schiffermüller],1775) (Noctuidae) *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956. 06 14 18 42 46 49 50 51 58 62 65
- 584) *Eremobia asiatica* Draudt,1936 (Noctuidae) *asiatica* Draudt,1936 03 05 06 17 25 30 32 36 42 51 58 65
- 585) *Eublemma (Glossodice) polygramma* (Duponchel,[1842]) (Noctuidae) *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889. 01 03 04 05 06 07 14 18 23 24 25 30 33 35 42 44 46 50 51 58 60 65 66 70 75
- 586) *Eublemma (candidana-gr.) minutata* (Fabricius,1794) (Noctuidae) *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809]. 08 18 24 25 42 46 50 60
- 587) *Eublemma (candidana-gr.) wagneri* (Herrich-Schäffer,1851) (Noctuidae) *wagneri* Herrich-Schäffer,1851 01 04 08 13 23 24 25 29 30 36 40 42 44 46 50 58 60 66 69 75
- 588) *Eublemma (chlorotica-gr.) chlorotica* (Lederer,1858) (Noctuidae) *chlorotica* Lederer,1858 06 23 25 27 42 46 50 51 63
- 589) *Eublemma (pallidula-gr.) pallidula* (Herrich-Schäffer,1856) (Noctuidae) *pallidula* Herrich-Schäffer,1856 01 05 12 13 23 24 25 30 42 44 47 50 51 58 62 65 66
- 590) *Eublemma (rosina-gr.) amoena* (Hübner,[1803]) (Noctuidae) *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888. 01 04 05 14 16 18 25 42 45 50 51 58 65 69
- 591) *Eublemma (rosina-gr.) purpurina* ([Denis & Schiffermüller],1775) (Noctuidae) *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901. 03 05 10 14 18 24 34 42 50 60 62
- 592) *Eublemma (rosina-gr.) rosina* (Hübner,[1803]) (Noctuidae) *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938. 05 16 25 39 42 45 50 58
- 593) *Eublemma fugitiva* (Christoph,1877) (Noctuidae) *fugitiva* Christoph,1877 42
- 594) *Eublemma pannonica* (Freyer,1840) (Noctuidae) *panonica* Freyer,1840; *kindermannii* Boisduval,1840. 05 07 08 13 23 25 36 42 46 58
- 595) *Eublemma supuncta* (Staudinger,1892) (Noctuidae) *supuncta* Staudinger,1892 01 23 33 40 42 44 46 47 38 50 51 58 65
- 596) *Euchalcia (s.str.) emichi* (Rogenhofer,1873) (Noctuidae) *emichi* Rogenhofer,1873 01 08 18 19 25 30 31 36 38 42 46 49 50 51 58 62 65 66
- 597) *Euchalcia (s.str.) taurica* (Osthelder,1933) (Noctuidae) *taurica* Osthelder,1933 04 05 06 12 18 25 30 36 42 46 50 51 58 60 65 66
- 598) *Euchalcia (s.str.) viridis* (Staudinger,1901) (Noctuidae) *viridis* Staudinger,1901 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75
- 599) *Eugnorisma (Metagnorisma) rafidain* (Boursin,1936) (Noctuidae) *rafidain* Boursin,1936 42
- 600) *Eugnorisma (s.str.) chaldaica* (Boisduval,1840) (Noctuidae) *chaldaica* Boisduval,1840 01 06 25 42 50 51 58 60 65
- 601) *Eugnorisma (s.str.) insignata* (Lederer,1853) (Noctuidae) *insignata* Lederer,1853; *intermedia* Eversmann,1855. 01 25 30 36 42 46 58 65
- 602) *Eulocastra diaphora* (Staudinger,1879) (Noctuidae) *diaphora* Staudinger,1879; *triangularis* Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898. 05 06 08 09 18 24 25 30 33 36 42 47 50 51 58 65 69
- 603) *Eutelia adulatrix* (Hübner,[1813]) (Noctuidae) *adulatrix* Hübner,[1813] 01 05 06 07 08 10 14 16 17 18 24 30 31 32 33 35 42 46 50 55 58 65 80
- 604) *Euxoa (Orosagrotis) foeda* (Lederer,1855) (Noctuidae) *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937. 04 06 08 18 23 25 30 42 46 50 51 62 63 65 70 75
- 605) *Euxoa (s.str.) anatolica* Draudt,1936 (Noctuidae) *anatolica* Draudt,1936. 07 36 42 46 58
- 606) *Euxoa (s.str.) aquilina* ([Denis & Schiffermüller],1775) (Noctuidae) *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937. 04 05 06 08 12 14 18 24 25 30 32 36 40 42 46 50 51 65 66 75

- 607) **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abdit*a Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. 01 03 04 05 06 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71
- 608) **Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabille,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933. 01 05 06 08 14 18 25 27 36 42 50 51 58 62 65 66 71
- 609) **Euxoa (s.str.) deserta (Staudinger,1870)** (Noctuidae) *deserta* Staudinger,1870 06 42
- 610) **Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) *distinguenda* Lederer,1857. 01 06 08 18 24 25 36 42 46 50 58 60 65 70 71
- 611) **Euxoa (s.str.) eruta (Hübner,[1817])** (Noctuidae) *eruta* Hübner,[1817]. 11 17 42 45 50 51
- 612) **Euxoa (s.str.) glabella (Wagner,1930)** (Noctuidae) *glabella* Wagner,1930 01 03 06 08 14 25 42 46 50 51 70
- 613) **Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952. 01 04 25 42 49 62 65 70
- 614) **Euxoa (s.str.) heringi (Christoph,1877)** (Noctuidae) *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. 04 06 24 25 30 40 42 46 50 51 58 60 65 70 76
- 615) **Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. 04 05 06 07 18 24 25 29 30 32 36 42 44 46 50 51 58 60 62 65 66 71
- 616) **Euxoa (s.str.) luteomixta (Wagner,1932)** (Noctuidae) *luteomixta* Wagner,1932 06 08 18 42 50 58 60 70
- 617) **Euxoa (s.str.) mobergi Fibiger,1990** (Noctuidae) *mobergi* Fibiger,1990 06 42 50
- 618) **Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907. 03 05 08 12 14 18 25 31 36 42 50 51 58 65 71
- 619) **Euxoa (s.str.) nigrofusca (Esper,[1788])** (Noctuidae) *tritici sensu auct. nec* Linn.,1761; *nigrofusca* Esper,[1788]. 01 04 05 18 25 36 42 50 58 60
- 620) **Euxoa (s.str.) obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934. 05 14 42 50 65
- 621) **Euxoa (s.str.) robiginosa (Staudinger,1895)** (Noctuidae) *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensor* Draudt,1936; *vinirufa* Draudt,1936. 01 06 14 23 42 44 46 49 50 58 63
- 622) **Euxoa (s.str.) scurrielis Draudt,1937** (Noctuidae) *scurrielis* Draudt,1937 01 12 24 25 30 36 42 50 51 58 65
- 623) **Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957. 03 06 19 23 25 42 50 51 58 59 62 65 68
- 624) **Euxoa (s.str.) sulcifera (Christoph,1893)** (Noctuidae) *sulfifera* Christoph,1893 04 08 12 25 30 42 62 65 69 76
- 625) **Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *hemispherica* Hampson,1903; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937. 01 05 06 25 33 42 46 50 58 59 60 65 70 71
- 626) **Euxoa (s.str.) tritici (Linnaeus,1761)** (Noctuidae) *tritici* Linnaeus,1761; *pratincola* Borkhausen,1792; *domestica* Fabricius,1794; *venosus*, *pupillatus*, *pusillus* Haworth,1803; *lineolata*, *albilinea* Haworth,1809; *privigna* Püngeler,1906. 01 04 10 14 42 45 50 51 58
- 627) **Euxoa (s.str.) zernyi Boursin,1944** (Noctuidae) *zernyi* Boursin,1944. 06 42 58 70
- 628) **Exophila rectangularis (Hübner,[1828])** (Noctuidae) *rectangularis* Hübner,[1828] 05 30 31 42 56
- 629) **Gripopsis pinkeri (Kobes,1973)** (Noctuidae) *pinkeri* Kobes,1973 06 08 13 42 56
- 630) **Hada plebeja (Linnaeus,1761)** (Noctuidae) *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiff.],1775; *leucostigma* Hw.,1809; *odontides* Bsd.,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rbl. & Zerny,[1932]; *littoralis*, *gredensis*, *nevadensis*, *hawelkae* Schawerda,1938. 06 08 16 18 25 36 38 42 49 50 60 75
- 631) **Hadena (Anepia) musculina (Staudinger,1892)** (Noctuidae) *musculina* Staudinger,1892; *mayeri* Wagner,1931. 04 12 25 30 36 42 44 46 50 51 58 60 73
- 632) **Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]. 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 633) **Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) *syriaca* Osthelder,1933; *osthelderi* Draudt,1933. 01 02 04 05 06 08 14 18 24 25 27 30 32 36 42 46 47 50 51 58 65 66
- 634) **Hadena (Enterpia) laudeti (Boisduval,1840)** (Noctuidae) *laudeti* Boisduval,1840 01 04 05 30 33 35 36 42 44 46 50 51 58 60 63 65 70
- 635) **Hadena (Enterpia) roseocandida Hacker,1996** (Noctuidae) *roseocandida* Hacker,1996 01 04 06 12 22 23 25 30 36 42 46 50 58
- 636) **Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) *pumila* Staudinger,1879 01 03 05 06 08 18 23 24 25 30 32 33 36 38 42 44 46 47 49 50 51 58 60 62 65
- 637) **Hadena (Pinkercola) tephroleuca (Boisduval,1833)** (Noctuidae) *tephroleuca* Boisduval,1833 04 06 13 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66
- 638) **Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820]. 05 06 08 18 24 25 28 30 33 42 50 51 58 65 66 69 75
- 639) **Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) *gueneei* Staudinger,1901; *guenei* Hampson,1905 01 03 04 06 08 12 16 18 24 25 30 31 33 36 42 46 47 50 58 65 66 71 80
- 640) **Hadena (s.str.(Albimaculia)) humilis (Christoph,1893)** (Noctuidae) *humilis* Christoph,1893; *stenoptera* Rebel,1933. 03 04 06 07 12 18 19 24 25 29 30 32 33 35 38 42 44 46 50 51 58 60 65 66 76
- 641) **Hadena (s.str.(Anatolidena)) staudingeri (Wagner,1931)** (Noctuidae) *staudingeri* Wagner,1931 06 08 18 24 25 30 36 40 42 50 51 58 65 66
- 642) **Hadena (s.str.(Clarhadena)) clara (Staudinger,1901)** (Noctuidae) *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938. 04 07 08 12 24 25 30 42 50 51 58 65 69
- 643) **Hadena (s.str.(Clarhadena)) drenowski (Rebel,1930)** (Noctuidae) *drenowski* Rebel,1930. 01 04 08 12 25 30 33 36 40 42 50 51 58
- 644) **Hadena (s.str.(Hadenobilis)) melanochoa (Staudinger,1892)** (Noctuidae) *melanochoa* Staudinger,1892 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75
- 645) **Hadena (s.str.(Hadenobilis)) vulcanica (Turati,1907)** (Noctuidae) *vulcanica* Turati,1907 01 03 04 06 14 18 24 25 29 30 31 36 42 46 50 51 58 60 65 69 70
- 646) **Hadena (s.str.(Luteocincta)) persimilis Hacker,1996** (Noctuidae) *persimilis* Hacker,1996 06 12 24 25 30 37 42 44 46 50 51 58 62 65 69
- 647) **Hadena (s.str.(Magnolihadena)) magnolii (Boisduval,1828)** (Noctuidae) *magnolii* Boisduval,1828; *nummosa* Eversmann,1844. 01 04 05 06 09 14 18 24 25 29 32 33 36 42 46 49 50 51 58 65 66
- 648) **Hadena (s.str.(Miselia)) compta ([Denis & Schiffermüller],1775)** (Noctuidae) *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. 03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66

- 649) **Hadula (Calocestra (Dianthus)) dianthi (Tauscher,1809)** (Noctuidae) *dianthi Tauscher,1809; dentigera Eversmann,1837; actinobola Eversmann,1837; firculoides Wagner,1930.* 01 04 05 06 18 25 42 49 50 51 58 66 69
- 650) **Hadula (Calocestra (Hadumendax)) hoplites (Staudinger,1901)** (Noctuidae) *hoplites Staudinger,1901* 01 07 32 33 42 51 76
- 651) **Hadula (Calocestra (Hadumendax)) mendax (Staudinger,1879)** (Noctuidae) *mendax Staudinger,1879* 01 05 06 07 13 16 18 20 24 25 27 29 30 32 33 37 38 42 46 49 50 51 58 60 65 66 70
- 652) **Hadula (Calocestra (Hadumendax)) mendica (Staudinger,[1895])** (Noctuidae) *mendica Staudinger,[1895].* 01 02 07 13 23 24 30 32 33 36 42 46 47 49 51 58 60 63 65
- 653) **Hadula (Calocestra (Hadupugnax)) pugnax (Hübner,[1824])** (Noctuidae) *pugnax Hübner,[1824]; treitschkii Boisduval,1827; petricolor Turati,1923; italica Berio,1942* 03 04 06 18 24 25 30 32 42 51 58
- 654) **Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) *trifolii Hufnagel,1766; chenopodii [Denis & Schiffermüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel,1827; farkasii Treitschke,1835; inquieta Walker,1857; albifusa Walker,1857; cinnamomina Rothschild,1913; taylori Rothschild,1921* 04 05 06 07 08 16 17 18 23 25 31 32 36 39 37 39 42 45 46 49 50 51 53 57 58 60 62 63 65
- 655) **Haemerosia renalis (Hübner,[1813])** (Noctuidae) *renalis Hübner,[1813]* 05 06 12 15 16 25 30 32 33 36 40 42 47 50 62 65 66
- 656) **Hecatera cappa (Hübner,[1809])** (Noctuidae) *cappa Hübner,[1809]* 05 06 16 17 18 25 36 40 42 51 58 62 65
- 657) **Hecatera rhodocharis (Brandt,1938)** (Noctuidae) *rhodocharis Brandt,1938* 12 20 24 25 30 31 32 33 36 38 42 44 46 49 50 58 65
- 658) **Heliophobus unicolor (Alpheraky,1889)** (Noctuidae) *unicolor Alpheraky,1889* 06 07 08 14 18 24 25 28 33 36 38 42 46 49 50 51 58 60 65 75
- 659) **Heliopsis nubigera Herrich-Schäffer,[1851]** (Noctuidae) *nubigera Herrich-Schäffer,[1851]; perigeoides Moore,1881; deserta Sohn-Rethel,1929; minutier Thurner,1938.* 01 04 07 10 18 20 25 33 35 42 46 47 50 51 58
- 660) **Heliopsis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) *peltigera [Denis & Schiffermüller],1775; alpea Cramer,1780; florentina Esper,[1788]; charmione Stoll,1790; straminea Donovan,1793; insulata Navas,1924.* 01 05 06 07 08 16 18 20 24 25 27 31 33 36 38 42 45 46 50 51 56 58 65 66 73 80
- 661) **Heliopsis viriplaca (Hufnagel,1766)** (Noctuidae) *viriplaca Hufnagel,1766; dipsacea Linnaeus,1767; spargulariae Lederer,1857; #dispaceus Alpheraky,1882; salamantina Fernald,1928.* 01 03 04 05 06 10 16 17 18 19 25 31 32 33 42 45 46 50 51 58 60 62 63 65
- 662) **Heterophya dumetorum (Geyer,1834)** (Noctuidae) *dumetorum Geyer,1834* 01 04 06 08 24 25 30 36 42 46 51 58 60 62 65 66 69
- 663) **Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) *ambigua [Denis & Schiffermüller],1775; plantaginis Hübner,[1813]; uniformis Swinhoe,1885* 01 05 06 08 09 10 17 18 20 23 24 25 27 31 32 33 34 35 36 37 38 39 42 45 46 48 50 51 56 58 64 65 69 80
- 664) **Hoplodrina pfeifferi (Boursin,1932)** (Noctuidae) *pfeifferi Boursin,1932.* 08 13 18 23 25 30 32 36 42 50 51 58 62 65
- 665) **Hypena munitalis Mann,1861** (Noctuidae) *munitalis Mann,1861.* 01 05 06 07 08 12 24 25 32 33 42 49 50 51 56 58 65 69
- 666) **Hypenodes anatolica Schwingenschuss,1938** (Noctuidae) *anatolica Schwingenschuss,1938; nigrilis Ronkay,1984.* 06 42
- 667) **Hypenodes kalchbergi Staudinger,1876** (Noctuidae) *kalchbergi Staudinger,1876* 31 42
- 668) **Ipimorpha subusta (Fabricius,1787)** (Noctuidae) *#subusta [Denis & Schiffermüller],1775; subtusa Fabricius,1787.* 14 42 61
- 669) **Janthinea friwaldskii (Duponchel,1835)** (Noctuidae) *friwaldskii Duponchel,1835; viola Freyer,1836; #violacea Staudinger,1879; friwaldskii Hampson,1910.* 05 06 16 26 35 42 45 50
- 670) **Jodia croceago (Fabricius,1787)** (Noctuidae) *#croceago [Denis & Schiffermüller],1775; croceago Fabricius,1787; aurantiago Donovan,1796; corsica Mabilie,1868* 05 06 08 11 24 31 42 46 56 58
- 671) **Lacanobia (Diataraxia) blenna (Hübner,[1824])** (Noctuidae) *blenna Hübner,[1824]; peregrina Treitschke,1825; trimenda Geyer,[1832]; guenei Bruand,1850.* 05 06 16 18 42
- 672) **Lacanobia (s.str.) w-latinum (Hufnagel,1766)** (Noctuidae) *w-latinum Hufnagel,1766; genistae Borkhausen,1792; dives Donovan,1801; umbrosa Bytinski-Salz & Brandt,1937; diniensis Heinrich,1938; caerulea Schwingenschuss,1962.* 04 05 06 11 18 24 25 28 33 34 37 39 42 49 50 58 60 65
- 673) **Lampra fimbriata (Schreber,1759)** (Noctuidae) *fimbriata Schreber,1759; domiduca Hufnagel,1766; fimbria Linnaeus,1767; solani Fabricius,1787.* 03 05 06 07 08 12 13 14 16 18 25 29 30 39 42 43 46 49 51 60 62 65 80
- 674) **Lamprosticta culta ([Denis & Schiffermüller],1775)** (Noctuidae) *#culta [Denis & Schiffermüller],1775* 06 07 13 14 18 24 25 32 37 42 50 58 62 65 66
- 675) **Ledereragrotis multifida (Lederer,1870)** (Noctuidae) *multifida Lederer,1870; sanctimoritz A.Bang-Haas,1906* 04 06 38 42 51 65
- 676) **Leucania herrichi Herrich-Schäffer,[1849]** (Noctuidae) *herrichi Herrich-Schäffer,[1849]* 01 05 13 30 33 34 42 44 57
- 677) **Leucania loreyi (Duponchel,1827)** (Noctuidae) *loreyi Duponchel,1827; caricis Walker,1856; collecta Walker,1856; curcula Walker,1856; denotata Walker,1856; designata Walker,1856; exterior Walker,1856; thoracica Walker,1856.* 06 07 08 14 17 24 25 28 33 36 42 46 50 58 62 65 80
- 678) **Leucania punctosa (Treitschke,1825)** (Noctuidae) *punctosa Treitschke,1825* 01 07 42 46 50 56 62 63
- 679) **Leucochlaena hoerhammeri (Wagner,1931)** (Noctuidae) *hoerhammeri Wagner,1931* 06 32 42 50 63
- 680) **Lophoterges (Fibigeres) hoerhammeri (Wagner,1931)** (Noctuidae) *hoerhammeri Wagner,1931* 42
- 681) **Luperina dumerilii (Duponchel,1826)** (Noctuidae) *dumerilii Duponchel,1826* 01 05 21 35 42 46
- 682) **Lycophorus ankarensis (Rebel,1931)** (Noctuidae) *ankarensis Rebel,1931; wichgrafi Corti & Draudt,1933; #ankariensis Hacker,2001* 06 23 38 42 44 46 50 58 60
- 683) **Lygephila craccae (Fabricius,1787)** (Noctuidae) *#craccae [Denis & Schiffermüller],1775; riata Rungs,1952; craccae Fabricius,1787; #craccae Hacker & Kautt,1999.* 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 684) **Lygephila lusoria (Linnaeus,1758)** (Noctuidae) *lusoria Linnaeus,1758* 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 685) **Lygephila lusoria amasina (Staudinger,1879)** (Noctuidae) *amasina Staudinger,1879; sublutea Warren,1913.* 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 686) **Margelana flavidior Wagner,1831** (Noctuidae) *flavidior Wagner,1831* 12 25 36 38 42 49 50 58 60 64 65 70
- 687) **Megalodes eximia (Freyer,1845)** (Noctuidae) *eximia Freyer,1845* 01 05 07 10 13 24 25 27 30 33 36 42 46 47 49 50 62 63 65 66
- 688) **Meganephria bimaculosa (Linnaeus,1767)** (Noctuidae) *bimaculosa Linnaeus,1767; italica Esper,[1791]; binubeculosa Esper,[1804].* 05 06 42 46 56
- 689) **Mesoligia literosa (Haworth,[1809])** (Noctuidae) *literosa Haworth,[1809]; erratricula Hübner,[1813]; faroulti Rothschild,1914; powelli Oberthür,1918* 03 06 07 08 24 25 36 38 42 50 51 58 62 65 66 69 75
- 690) **Minucia bimaculata (Osthelder,1933)** (Noctuidae) *bimaculata Osthelder,1933* 07 13 30 31 33 42 46 56 63 73
- 691) **Mythimna (Aletia) impura (Hübner,[1808])** (Noctuidae) *impura Hübner,[1808]; fuliginosa Haworth,1809; punctina Haworth,1809.* 14 16 42 50
- 692) **Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) *l-album Linnaeus,1767; penicillata Moore,1881* 05 06 07 08 10 12 16 17 18 25 30 32 33 34 38 39 42 45 46 50 51 56 58 63 65 69 80
- 693) **Mythimna (Aletia) pallens (Linnaeus,1758)** (Noctuidae) *pallens Linnaeus,1758; ectypa Hübner,[1803]; rufescens Haworth,1803; arcuata Stephens,1829; ochracea Stephens,1829; suffusa Stephens,1829.* 06 34 35 42 50

- 694) **Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) *vitellina* Hübner,[1808]; *decolorata* Dannehl,1929; *saturation* Dannehl,1929; *grisea* Dannehl,1929. 01 03 05 06 07 08 09 16 17 18 22 23 24 25 27 28 29 31 33 34 35 36 37 39 42 44 45 46 50 51 52 56 58 62 63 65 80
- 695) **Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) *ferrago* Fabricius,1787; *lythargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926 01 04 06 12 08 24 28 33 36 39 42 45 46 50 58 61 62 65 66
- 696) **Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsafikis,1974. 01 07 18 22 33 42 50 51 58 70 80
- 697) **Noctua (Divaena) haywardi (Tams,1926)** (Noctuidae) *haywardi* Tams,1926; *balcanica* Slivov,1985 01 05 06 07 14 17 18 22 33 42 43 51 65 66
- 698) **Noctua (Euschesis) janthina ([Denis & Schiffermüller],1775)** (Noctuidae) *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900. 01 05 06 07 16 17 18 30 33 38 39 42 46 60
- 699) **Noctua (Latanoctua) orbona (Hufnagel,1766)** (Noctuidae) *orbona* Hufnagel,1766; *subseque* [Denis & Schiffermüller],1775; *caroni* Lempke,1964. 01 03 04 05 06 07 08 16 17 18 23 25 27 28 30 31 38 39 42 43 46 50 51 58 60 62 63 65 66
- 700) **Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) *orbona* Fabricius,1787 *nec* Hufn.,1767; *comes* Hübner,[1813]; *adseque* Treitschke,1825; *proseque* Treitschke,1825; *bergensis* Sp.-Schn.,1901. 01 05 06 07 08 09 10 16 22 30 31 33 39 42 43 45 46 56
- 701) **Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 *nec* Piesz.,1908; *decolorata* Turati,1923. 01 04 05 06 07 08 14 16 18 24 27 28 33 34 35 39 42 43 44 45 46 50 51 58 60 61 62 65 71
- 702) **Noctua (s.str.) tertia Mentzer, Moberg & Fibiger,1991** (Noctuidae) *tertia* Mentzer, Moberg & Fibiger,1991 01 03 05 08 27 30 33 42 50
- 703) **Nola squalida Staudinger,1871** (Noctuidae) *squalida* Staudinger,1871; *muscularis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henrioti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947 42 46
- 704) **Nonagria typhae (Thunberg,1784)** (Noctuidae) *typhae* Thunberg,1784; *arundinis* Fabricius,1787. 38 42 46
- 705) **Nycteola asiatica (Krulikovskiy,1904)** (Noctuidae) *asiatica* Krulikovskiy,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954. 01 05 06 07 08 11 18 19 23 24 25 42 44 50 51 56 58 63 65 66 69 75
- 706) **Nycteola columbana (Turner,1925)** (Noctuidae) *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958. 07 31 33 42
- 707) **Odice arcuinna (Hübner,1790)** (Noctuidae) *arcuinna* Hübner,1790; *inamoena* Hübner,[1803]. 05 06 10 14 16 17 20 25 32 33 35 36 38 42 51 58 66 80
- 708) **Odice suava (Hübner,[1813])** (Noctuidae) *suava* Hübner,[1813]. 03 06 08 11 14 17 18 19 25 39 42 50 51 65 66
- 709) **Oligia latruncula ([Denis & Schiffermüller],1775)** (Noctuidae) *latruncula* [Denis & Schiffermüller],1775 06 17 25 32 33 35 39 41 42 46 50 66
- 710) **Oligia turcia Rezbanyai-Reser,1997** (Noctuidae) *turcia* Rezbanyai-Reser,1997 06 11 18 22 24 32 42 49 50 51 60 65 75
- 711) **Olivenebula subsericata (Herrich-Schäffer,1861)** (Noctuidae) *subsericata* Herrich-Schäffer,1861; *helisabethae* De Lattin,1951; *bobitsi* Beck,1996. 03 05 08 16 17 18 33 34 35 42 46 50 58
- 712) **Omphalophana antirrhinii (Hübner,[1803])** (Noctuidae) *antirrhinii* Hübner,[1803] 05 06 16 17 18 24 25 33 35 42 45 46 50 51 58 60 63 65
- 713) **Oncocnemis strioligera Lederer,1853** (Noctuidae) *strioligera* Lederer,1853 01 30 42 70
- 714) **Ophiusa lunaris (Goeze,1781)** (Noctuidae) *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949. 01 05 06 07 10 16 18 25 32 33 35 39 42 50 56 62 65
- 715) **Opigena huberi Hacker,1999** (Noctuidae) *huberi* Hacker,1999 04 25 30 42 49 60
- 716) **Opigena polygona (Fabricius,1787)** (Noctuidae) *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792. 03 04 12 13 17 18 24 25 30 36 39 42 60 69
- 717) **Oria musculosa (Hübner,[1808])** (Noctuidae) *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889. 05 06 07 15 18 19 22 25 32 33 38 42 45 46 50 51 58 66
- 718) **Ozarba moldavicola (Herrich-Schäffer,[1851])** (Noctuidae) *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874; *mesopotamica* Schawerda,1924. 42 48 63 65
- 719) **Pamparama acuta (Freyer,[1837])** (Noctuidae) *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871. 02 06 07 09 16 23 30 32 34 35 38 42 46 50 51 63
- 720) **Panolis flammea ([Denis & Schiffermüller],1775)** (Noctuidae) *flammea* [Denis & Schiffermüller],1775 06 42 43
- 721) **Parallelia algira (Linnaeus,1767)** (Noctuidae) *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europaea* Schawerda,1912 01 05 07 08 10 16 17 18 22 28 30 31 33 34 35 39 40 42 45 50 52 61 62 65
- 722) **Parascotia robiginosa (Staudinger,1892)** (Noctuidae) *robiginosa* Staudinger,1892 01 05 06 07 33 42 46 62
- 723) **Parexarnis figulina (Draudt,1936)** (Noctuidae) *figulina* Draudt,1936 42
- 724) **Parexarnis taurica (Staudinger,1879)** (Noctuidae) *taurica* Staudinger,1879; *pseudosollers* Boursin,1940. 23 24 25 33 36 38 42 44 50 51 65 66
- 725) **Pericyma albidentaria (Freyer,1842)** (Noctuidae) *albidentaria* Freyer,1842 06 09 19 23 33 35 36 42 44 50 56 58 66
- 726) **Peridroma saucia (Hübner,[1808])** (Noctuidae) *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusata* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929. 01 05 06 08 16 17 18 22 29 31 33 34 38 42 46 50 51 58 70 80
- 727) **Periphanes delphinii (Linnaeus,1758)** (Noctuidae) *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903. 01 04 05 06 07 18 22 23 24 25 32 42 44 46 50 51 58 60 65 66
- 728) **Phytometra viridaria (Clerck,1759)** (Noctuidae) *#viridaria* Clerck,1759 05 07 08 11 16 22 25 32 33 39 42 50 54 58 59 60
- 729) **Plecoptera inquinata (Lederer,1857)** (Noctuidae) *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933 01 07 08 13 30 33 42 46
- 730) **Plusia festucae (Linnaeus,1758)** (Noctuidae) *festucae* Linnaeus,1758 05 06 13 33 42 49 65
- 731) **Polia sagittigera (Hufnagel,1766)** (Noctuidae) *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885. 01 06 16 18 25 33 42 46 49 50 51 60 61 65
- 732) **Polymixis (Myxinia) chrysographa (Wagner,1931)** (Noctuidae) *chrysographa* Wagner,1931 36 42 45 58 70
- 733) **Polymixis (s.str.) manisadjiani (Staudinger,1881)** (Noctuidae) *manisadjiani* Staudinger,1881 05 06 08 33 42 44 46 50 51 58 62
- 734) **Polypogon zelleri (Wocke,1850)** (Noctuidae) *zelleri* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851. 08 16 42 53

- 735) **Protexarnis squalidiformis** (Corti & Draudt,1933) (Noctuidae) *squalidiformis* Corti & Draudt,1933; *suspica* Corti & Draudt,1933. 05 38 42 46 58
- 736) **Pseudonargia regina** (Staudinger,1892) (Noctuidae) *regina* Staudinger,1892 01 03 05 06 08 13 18 31 33 36 42 46 50 51 58 62 65
- 737) **Pseudohadena (s.str.) laciniosa** (Christoph,1887) (Noctuidae) *laciniosa* Christoph,1887 07 23 25 30 36 38 42 44
- 738) **Pseudoips prasinana** (Linnaeus,1758) (Noctuidae) *prasinana* Linnaeus,1758; *fagana* Fabricius,1781; *sylvana* Fabricius,1794; *britannica* Warren,1913. 01 06 14 28 34 37 39 42 43 53 61 66
- 739) **Pyrois cinnamomea** (Goeze,1781) (Noctuidae) *cinnamomea* Goeze,1781 06 42 56
- 740) **Pyrois effusa** (Boisduval,1828) (Noctuidae) *effusa* Boisduval,1828; *sciaphila* Staudinger,1871 20 35 33 42 46 48 51
- 741) **Recophora beata** (Staudinger,1892) (Noctuidae) *beata* Staudinger,1892 01 06 13 23 24 30 42 63 65 73
- 742) **Rhyacia (Epipsilia) cervantes** (Reisser,1935) (Noctuidae) *cervantes* Reisser,1935; *gyulaipetri* Varga,1975 01 14 30 42 65
- 743) **Rhyacia (Epipsilia) latens** (Hübner,[1809]) (Noctuidae) *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929. 01 08 14 25 30 38 42 51 65
- 744) **Rhyacia (s.str.) helvetina** (Boisduval,1833) (Noctuidae) *helvetina* Boisduval,1833; *livia* Freyer,1836 04 25 27 33 36 38 42 51 58 65 68
- 745) **Rhyacia (s.str.) nyctimerides** (O.Bang-Haas,1922) (Noctuidae) *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschhoff,1951; *alagesica* Boursin,1962 04 12 25 38 42 46 50 51 58 65 66
- 746) **Rhypagla lacernaria** (Hübner,[1813]) (Noctuidae) *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842 03 05 06 20 27 42 45 46 50 51 65
- 747) **Scotochrosta pulla** ([Denis & Schiffermüller],1775) (Noctuidae) *pulla* [Denis & Schiffermüller],1775 06 13 24 42 56
- 748) **Sideridis (Luteohadena) luteago** ([Denis & Schiffermüller],1775) (Noctuidae) *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *negrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. 04 05 06 07 08 11 18 21 24 25 29 30 33 36 42 49 50 58 60 61 65
- 749) **Sideridis (s.str.) turbida** (Esper,[1790]) (Noctuidae) *turbida* Esper,[1790]; *albicolon* Hübner,[1813] 04 18 24 25 36 42 50 58 60 65 75
- 750) **Simyra dentinosa** Freyer,1839 (Noctuidae) *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 05 06 20 25 26 30 33 34 42 46 50 56 58 60 62 65
- 751) **Spaelotis raveda** ([Denis & Schiffermüller],1775) (Noctuidae) *raveda* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 nec Cramer,1780; *salva* Corti & Draudt,1933. 04 05 06 14 18 25 36 42 50 58 62 65 66 73
- 752) **Spaelotis senna** (Freyer,1829) (Noctuidae) *senna* Freyer,1829; *senna* Geyer,[1832] nec Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934 04 06 18 19 24 25 30 33 42 50 51 58 66
- 753) **Spodoptera exiguum** (Hübner,[1808]) (Noctuidae) *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985. 01 05 07 08 14 16 17 18 25 27 29 30 31 32 33 36 38 42 43 45 46 50 51 52 56 58 63 64 65 69
- 754) **Standfussiana nictymera** (Boisduval,[1837]) (Noctuidae) *carriei* Boursin,1948. 04 05 25 31 33 36 42 46 50 51 58 60 65 66 69
- 755) **Stenoecia dos** (Freyer,1838) (Noctuidae) *dos* Freyer,1838 05 34 35 42 50
- 756) **Teinoptera oliva** (Staudinger,[1895]) (Noctuidae) *oliva* Staudinger,[1895] 01 18 24 25 32 37 42 44 50 51 58 60 70
- 757) **Teinoptera olivina** (Herrich-Schäffer,[1852]) (Noctuidae) *olivina* Herrich-Schäffer,[1852] 01 05 06 08 18 21 24 25 32 33 36 42 50 51 58 60
- 758) **Tyta luctuosa** ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 01 04 05 06 07 08 11 14 16 17 18 22 23 25 30 32 33 34 35 36 38 42 44 50 51 58 61 62 65 66 67 69 70 71
- 759) **Valeria oleagina** (Esper,[1786]) (Noctuidae) *holeagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786]. 06 09 15 30 42 43 46 56 58
- 760) **Valerietta niphopasta** (Hampson,1906) (Noctuidae) *niphopasta* Hampson,1906 01 06 07 31 42 62
- 761) **Victrix (s.str.) gracilis** (Wagner,1931) (Noctuidae) *gracilis* Wagner,1931 06 42 58
- 762) **Xestia (s.str.) trifida** (Fischer v. Waldheim,1820) (Noctuidae) *trifida* Fischer v. Waldheim,1820. 06 42
- 763) **Xestia (s.str.) xanthographa** ([Denis & Schiffermüller],1775) (Noctuidae) *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922. 01 05 20 42 62
- 764) **Xylena vetusta** (Hübner,[1813]) (Noctuidae) *vetusta* Hübner,[1813] 06 12 25 42 50 66
- 765) **Zekelita (Ravalita) ravalis** (Herrich-Schäffer,[1852]) (Noctuidae) *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *spallida* Schawerda,1929; *transcaspica* Brandt,1941. 01 05 06 07 08 18 24 25 33 42 46 50 58 62 69 70
- 766) **Zekelita (Rhynchodontodes) antiqualis** (Hübner,[1809]) (Noctuidae) *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *antiquilis* Zukowsky,1941 01 03 05 06 07 08 12 16 17 18 24 30 32 33 35 36 37 42 45 46 48 50 51 58 62 65 67
- 767) **Zekelita (Rhynchodontodes) revolutalis** Zeller,1852 (Noctuidae) *revolutalis* Zeller,1852; *angulalis* Mabilie,1880. 25 42
- 768) **Zethes insularis** Rambur,1833 (Noctuidae) *insularis* Rambur,1833 05 07 10 14 16 22 31 33 35 42 45 48 63
- 769) **Cerura (s.str.) vinula** (Linnaeus,1758) (Notodontidae) *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 03 06 07 12 15 16 24 25 30 31 32 33 34 35 36 42 43 45 46 58 60 62 64 65
- 770) **Clostera curtula** (Linnaeus,1758) (Notodontidae) *curtula* Linnaeus,1758; *albicaudaalba* Retzius,1783 06 16 26 34 36 42 43 60 65 71
- 771) **Clostera pigra** (Hufnagel,1766) (Notodontidae) *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *flavidior* Bytinski-Salz,1936 04 06 08 12 14 24 30 31 36 42 44 46 58 60 62 65
- 772) **Dicranura ulmi** ([Denis & Schiffermüller],1775) (Notodontidae) *ulmi* [Denis & Schiffermüller],1775; *discors* Fabricius,1798; *modica* Dannehl,1929; *istriaca* Bytinski-Salz,1939. 05 06 16 17 21 32 33 42 43 71
- 773) **Drymonia ruficornis** (Hufnagel,1766) (Notodontidae) *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803; *concolor* Daniel,1939; *adolua* De Freina,1983. 05 06 07 10 32 33 34 42 46 71
- 774) **Furcula interrupta** Christoph,1867 (Notodontidae) *interrupta* Christoph,1867; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *syreyae* Schintlmeister,1989. 01 05 06 07 12 15 19 26 30 31 33 42 44 46 60 62 71
- 775) **Harpyia milhauseri** (Fabricius,1775) (Notodontidae) *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932 05 06 07 10 12 13 14 24 30 33 37 42 46 53 56 60 62 64 65 71 73
- 776) **Notodonta ziczac** (Linnaeus,1758) (Notodontidae) *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956 24 36 42 52 60
- 777) **Peridea anceps** (Goeze,1781) (Notodontidae) *anceps* Goeze,1781; *trepida* Esper,1786; *serrata* Thunberg,1792; *tremula* Hübner,[1800]; *baetica* Zerny,1927; *agenjoi* Schawerda,1938; *mesatlantica* Rungs,1940; *albertiana* Witt,1974. 06 07 42 46

- 778) *Phalera bucephala* (Linnaeus,1758) (Notodontidae) *bucephala* Linnaeus,1758; *lunula* Retzius,1783 *nec* Hufn.,1766 *non* Strm,1768. 05 12 13 14 16 17 24 25 32 36 42 53 58 60 65
- 779) *Phalera bucephaloides* (Ochsenheimer,1810) (Notodontidae) *bucephaloides* Ochsenheimer,1810 06 07 12 14 24 37 42
- 780) *Pterostoma palpinum* (Linnaeus,1761) (Notodontidae) *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812. 06 12 13 16 19 24 25 30 32 36 37 42 46 50 60 65
- 781) *Ptilodon capucina* (Linnaeus,1758) (Notodontidae) *capucina* Linnaeus,1758 29 42 53
- 782) *Spatalia argentina* (Denis & Schiffermüller,1775) (Notodontidae) *argentina* [Denis & Schiffermüller],1775 05 06 07 08 10 12 13 14 16 17 20 24 30 31 32 33 35 42 46 62 64 65 66 71 73
- 783) *Agonopterix cervariella* (Constant,1884) (Oecophoridae) *cervariella* Constant,1884 42
- 784) *Agonopterix despoliatella* Erschoff,1874 (Oecophoridae) *despoliatella* Erschoff,1874 42
- 785) *Agonopterix purpurea* (Haworth,[1811]) (Oecophoridae) *purpurea* Haworth,[1811] 16 26 42 71
- 786) *Batia lunaris* (Haworth,[1828]) (Oecophoridae) *lunaris* Haworth,[1828] 16 42
- 787) *Carcina quercana* (Fabricius,1775) (Oecophoridae) *quercana* Fabricius,1775 16 42 46
- 788) *Crossotocera wagnerella* Zerny,1930 (Oecophoridae) *wagnerella* Zerny,1930 42
- 789) *Depressaria badiella* (Hübner,1796) (Oecophoridae) *badiella* Hübner,1796; *badia* Haworth,1811; *aurantiella* Tutt,1893; *frigidella* Turati,1919 42
- 790) *Epicallima icterinella* (Mann,1867) (Oecophoridae) *icterinella* Mann,1867 05 42 46
- 791) *Esperia intermediella* (Stainton,1867) (Oecophoridae) *intermediella* Stainton,1867 05 42 46 71
- 792) *Holoscolia majorella* Rebel,1902 (Oecophoridae) *majorella* Rebel,1902 42
- 793) *Pleurota contristatella* Mann,1867 (Oecophoridae) *contristatella* Mann,1867 05 42 46
- 794) *Pleurota ericella* (Duponchel,1839) (Oecophoridae) *ericella* Duponchel,1839; *imitatrix* Herrich-Schäffer,1854; *imitatricella* Herrich-Schäffer,1862; *aenella* Lhomme,1949 42
- 795) *Pleurota eximia* Lederer,1861 (Oecophoridae) *eximia* Lederer,1861; *galaticella* Staudinger,1880 05 06 33 42 76
- 796) *Pleurota metricella* (Zeller,1847) (Oecophoridae) *metricella* Zeller,1847 05 06 17 38 42 46 71 76
- 797) *Pleurota pungitiella* Herrich-Schäffer,[1854] (Oecophoridae) *pungitiella* Herrich-Schäffer,[1854] 05 06 42 71 76
- 798) *Pleurota pyropella* ([Denis & Schiffermüller,1775) (Oecophoridae) *pyropella* [Denis & Schiffermüller],1775 05 06 16 36 42 44 46 51
- 799) *Pleurota subpyropella* Staudinger,1880 (Oecophoridae) *subpyropella* Staudinger,1880 05 06 42 65 76
- 800) *Schiffermuelleria schaefferella* (Linnaeus,1758) (Oecophoridae) *schaefferella* Linnaeus,1758; *hermannella* Fabricius,1781; *lucidula* Fourcroy,1785. 06 33 42 46
- 801) *Archon apollinus* (Herbst,1798) (Papilionidae) *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979. 01 02 03 05 06 07 09 10 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 31 32 33 34 35 37 38 42 43 44 45 46 48 51 58 60 63 64 66 68 71 77
- 802) *Iphiclidus podalirius* (Linnaeus,1758) (Papilionidae) *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 803) *Papilio* (s.str.) *Alexanoria*) *alexanor* Esper,[1800] (Papilionidae) *polidamas* De Prunner,1787 *nec* Linnaeus,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 804) *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 78 80
- 805) *Parnassius* (Driopa) *mnemosyne* (Linnaeus,1758) (Papilionidae) *mnemosyne* Linnaeus,1758 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 806) *Parnassius* (s.str.) *apollo* (Linnaeus,1758) (Papilionidae) *apollo* Linnaeus,1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 807) *Zerynthia* (Allancastris) *cerisyi* (Godart,1822) (Papilionidae) *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eisn. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989. 01 06 07 09 10 11 14 15 16 17 22 26 31 32 33 34 35 37 39 41 42 43 45 46 48 51 52 59 60 80
- 808) *Zerynthia* (Allancastris) *deyrollei* (Oberthür,1869) (Papilionidae) *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927. 01 02 03 05 06 07 12 13 14 15 18 19 21 23 24 25 26 27 28 29 30 31 32 33 37 38 42 43 44 46 47 49 50 51 58 60 62 63 64 65 66 68 70 71 73
- 809) *Anthocharis cardamines* (Linnaeus,1758) (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 810) *Anthocharis damone* Boisduval,1836 (Pieridae) *damone* Boisduval,1836 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 51 65 69 70 73 76
- 811) *Anthocharis gruneri* Herrich-Schäffer,[1851] (Pieridae) *gruneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 812) *Aporia* (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) *crataegi* Linnaeus,1758; *nigrionervosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 813) *Colias* (Eriocolias) *crocea* (Fourcroy,1785) (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 814) *Colias* (Neocolias) *aurorina* Herrich-Schäffer,[1850] (Pieridae) *aurorina* Herrich-Schäffer,[1850] 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 815) *Colias* (s.str.) *sareptensis* Staudinger,1881 (Pieridae) *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 816) *Colotis* (s.str.) *faustus* (Olivier,[1804]) (Pieridae) *fausta* Olivier,[1804]; *faustina* Felder & Felder,[1865]. 01 12 21 27 30 31 33 42 46 56 63 73 79
- 817) *Euchloe* (Elphinstonia) *penia* (Freyer,[1852]) (Pieridae) *penia* Freyer,[1852]; *mesopotamica* Baker,1889. 01 02 03 06 07 15 17 24 25 26 31 32 33 38 40 42 43 44 46 51 58 59 62 65 69 70 71

- 818) **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 819) **Gonepteryx (s.str.) farinosa (Zeller,1847)** (Pieridae) *farinosa* Zeller,1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 820) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) *rhamni* Linnaeus,1758; *gravesi* Huggins,1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 821) **Leptidea duponcheli (Staudinger,1871)** (Pieridae) *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 822) **Leptidea sinapis (Linnaeus,1758)** (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiolum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 75 76 81
- 823) **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) *ergane* Geyer,[1828]; *narcæa* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 824) **Pieris (Artogeia) krueperi Staudinger,1860** (Pieridae) *krueperi* Staudinger,1860 01 07 08 09 10 16 21 25 30 32 33 35 36 42 45 46 51 56 58 62 65 73 80
- 825) **Pieris (Artogeia) mannii (Mayer,1851)** (Pieridae) *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973. 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 826) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) *pseudorapae* Verity,1908 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 827) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 828) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 829) **Pontia callidice (Hübner,[1800])** (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803]. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 830) **Pontia chloridice (Hübner,[1813])** (Pieridae) *russiae* Esper,[1784] *nec russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidge* Staudinger,1901 *nec Oberthür*,1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 831) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 832) **Zegris eupheme (Esper,[1804])** (Pieridae) *eupheme* Esper,[1804]; *erethoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851]. 01 05 06 07 11 18 24 25 30 31 32 33 36 38 42 44 46 50 51 58 60 65 71 73 76
- 833) **Canephora febretha (Boyer de Fonscolombe,1835)** (Psychidae) *febretha* Boyer de Fonscolombe,1835 42 46
- 834) **Canephora lutea (Staudinger,1871)** (Psychidae) *lutea* Staudinger,1871 05 42 46 76
- 835) **Megalophanes viciella ([Denis & Schiffermüller],1775)** (Psychidae) *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977. 01 06 14 22 25 33 34 36 42 45
- 836) **Rebelia surientella (Bruand,1858)** (Psychidae) *surientella* Bruand,1858; *suriens* Bruand,1859 06 11 34 42
- 837) **Pterolonche (s.str.) inspersa Staudinger,1859** (Pterolonchidae) *inspersa* Staudinger,1859 42
- 838) **Agdistis (Frankistis) frankeniae (Zeller,1847)** (Pterophoridae) *frankeniae* Zeller,1847; *lerinsis* Millièrre,1876; *bahrutia* Amsel,1955; *tondeuri* Bigot,1963; *rupestris* Bigot,1974; *rjabovi* Zagulyaev & Filippova,1976; *kulunda* Ustjuzhanin,1991. 06 09 16 35 42 68 71
- 839) **Agdistis (Frankistis) mevlaniella Arenberger,1972** (Pterophoridae) *mevlaniella* Arenberger,1972 42
- 840) **Agdistis (Meridistis) intermedia Caradja,1920** (Pterophoridae) *intermedia* Caradja,1920; *hungarica* Amsel,1955. 42
- 841) **Agdistis (Meridistis) meridionalis (Zeller,1847)** (Pterophoridae) *meridionalis* Zeller,1847; *staticis* Millièrre,1875; *portlandica* Tutt,1906; *clivicola* Meyrick,1920; *tyrrhenica* Amsel,1952; *prolai* Hartig,1953. 09 33 42
- 842) **Calyciphora homoioidactyla (Kasy,1960)** (Pterophoridae) *homoioidactyla* Kasy,1960 39 42
- 843) **Calyciphora xanthodactyla (Treitschke,1833)** (Pterophoridae) *xanthodactyla* Treitschke,1833 05 16 42 45
- 844) **Capperia celeusi (Frey,1886)** (Pterophoridae) *celeusi* Frey,1886; *interciscus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997. 05 06 08 28 42 60 71
- 845) **Capperia fusca (Hofmann,1898)** (Pterophoridae) *fusca* Hofmann,1898; *marrubii* Adamczewski,1951 05 06 42 46 71
- 846) **Capperia hellenica Adamczewski,1951** (Pterophoridae) *hellenica* Adamczewski,1951 24 42 48
- 847) **Capperia maratonica Adamczewski,1951** (Pterophoridae) *maratonica* Adamczewski,1951 36 42
- 848) **Capperia washbourni Adamczewski,1951** (Pterophoridae) *washbourni* Adamczewski,1951 05 06 23 24 25 29 32 33 42 51
- 849) **Cnaemidophorus rhododactylus (Fabricius,1787)** (Pterophoridae) *#rhododactyla* [Denis & Schiffermüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931. 05 06 16 42 46
- 850) **Crombrugghia distans (Zeller,1847)** (Pterophoridae) *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactuca* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997. 05 06 07 16 22 23 30 33 34 42 44 45 46 48 50 58 61
- 851) **Crombrugghia laeta (Zeller,1847)** (Pterophoridae) *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millièrre,1863; *andryaladactylus* Millièrre,1863; *lantoscanus* Millièrre,1882. 05 06 16 42 44 46 76
- 852) **Marasmarcha ehrenbergiana Zeller,1841** (Pterophoridae) *ehrenbergiana* Zeller,1841; *decolorum* Caradja,1920. 06 42 46 47
- 853) **Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993 05 06 07 09 14 16 23 29 33 42 46 55 76 77
- 854) **Merrifieldia tridactyla (Linnaeus,1758)** (Pterophoridae) *tridactyla* Linnaeus,1758; *tetradactyla* Linnaeus,1758; *niveidactylus* Stephens,1829; *fuscolimbatus* Duponchel,1844; *exilidactyla* Buszko,1975. 38 42 58 69
- 855) **Oxyptilus chrysodactylus ([Denis & Schiffermüller],1775)** (Pterophoridae) *chrysodactylus* [Denis & Schiffermüller],1775; *hieracii* Zeller,1841; *hieracidactyla* Bruand,1858; *perunovi* Ustjuzhanin,1996. 17 42

- 856) *Oxyptilus parvidactylus* (Haworth,[1811]) (Pterophoridae) *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroccanensis* Amsel,1956. 05 06 07 14 16 29 34 35 42 44 46 71 76
- 857) *Paracapperia anatolica* (Caradja,1920) (Pterophoridae) *anatolica* Caradja,1920. 05 07 31 33 42 56 58 66 70 71
- 858) *Platyptilia gonodactyla* ([Denis & Schiffermüller],1775) (Pterophoridae) *gonodactyla* [Denis & Schiffermüller],1775; *megalodactyla* [Denis & Schiffermüller],1775; *diptera* Sulzer,1776; *trigonodactyla* Haworth,1811; *farfara* Gregson,1885; *albidior* Caradja,1920. 16 42 71
- 859) *Procapperia kuldschaensis* (Rebel,1914) (Pterophoridae) *kuldschaensis* Rebel,1914; *asiatica* Zaguljaev,1986. 05 33 42
- 860) *Procapperia maculata* (Constant,1865) (Pterophoridae) *maculata* Constant,1865; *croatica* Adamczewski,1951. 05 06 24 33 36 42 58 71
- 861) *Pterophorus pentadactylus* (Linnaeus,1758) (Pterophoridae) *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880. 04 05 06 08 14 16 24 31 34 42 44 46 50 58 61 76
- 862) *Stenoptilia bipunctidactyla* (Scopoli,1763) (Pterophoridae) *bipunctidactyla* Scopoli,1763; *pallida* Tutt,1906; *arida* Caradja,1920 *nec* Zell.,1847. 38 42
- 863) *Stenoptilia mannii* (Zeller,1852) (Pterophoridae) *mannii* Zeller,1852; *megalochroa* Meyrick,1930. 05 16 25 42 46 65
- 864) *Stenoptilia zophodactyla* (Duponchel,1838) (Pterophoridae) *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873. 35 42
- 865) *Tabulaephorus parthicus* (Lederer,1870) (Pterophoridae) *parthicus* Lederer,1870 05 06 23 33 42 46 51 71 76
- 866) *Wheeleria ivae* (Kasy,1960) (Pterophoridae) *ivae* Kasy,1960 03 05 06 07 14 20 42 71
- 867) *Wheeleria obsoleta* (Zeller,1841) (Pterophoridae) *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970. 05 06 14 16 29 36 38 42 44 46 47 50 51 55 58 71 76
- 868) *Wheeleria phlomidis* (Staudinger,1871) (Pterophoridae) *phlomidis* Staudinger,1871 05 06 12 42 46 50 51 71 76
- 869) *Wheeleria spilodactyla* (Curtis,1827) (Pterophoridae) *spilodactyla* Curtis,1827; *marrubii* Heydenreich,1851. 05 06 38 42 46 76
- 870) *Acentria nivea* Olivier,1791 (Pylalidae) *nivea* Olivier,1791 42
- 871) *Acrobasis bithynella* Zeller,1848 (Pylalidae) *bithynella* Zeller,1848; *minuscule* Turati,1930; *witteella* Roesler,1969. 05 16 34 42
- 872) *Acrobasis glaucella* Staudinger,1859 (Pylalidae) *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910. 01 05 06 31 35 42 46 65 71
- 873) *Acrobasis obtusella* (Hübner,1796) (Pylalidae) *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825]. 01 06 33 42 46
- 874) *Aglossa pinguinalis* (Linnaeus,1758) (Pylalidae) *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *guicciardii* Constantino,1922 05 06 16 34 42 45
- 875) *Agriphila beieri* Bleszynski,1955 (Pylalidae) *beieri* Bleszynski,1955 06 42
- 876) *Agriphila brionella* (Zerny,1914) (Pylalidae) *brioniella* Zerny,1914; *subbrioniella* Amsel,1959. 22 42 50 59
- 877) *Agriphila deliella* (Hübner,[1813]) (Pylalidae) *deliella* Hübner,[1813] 06 42 33 58 70
- 878) *Agriphila inquinatella* ([Denis & Schiffermüller],1775) (Pylalidae) *inquinatella* [Denis & Schiffermüller],1775; *? arbustella* Schrank,1802; *nevadensis* Caradja,1910. 01 03 05 06 16 35 42 46 76
- 879) *Agriphila paleatella* (Zeller,1847) (Pylalidae) *paleatellus* Zeller,1847 06 31 35 42 46 51
- 880) *Ancylolomia palpella* ([Denis & Schiffermüller],1775) (Pylalidae) *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909; *syriaca* Rebel,1911; *gracilella* Caradja,1916; *mesopotamica* Rebel,1918; *affinis* Rothschild,1921. 05 06 10 16 31 33 36 42 46 58 65 71
- 881) *Ancylolomia pectinatella* (Zeller,1847) (Pylalidae) *pectinatellus* Zeller,1847 05 06 16 31 34 35 42 46
- 882) *Ancylosis (Cabotia) oblitella* (Zeller,1848) (Pylalidae) *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955. 01 06 09 21 34 42 46 65 71
- 883) *Ancylosis (Heterographis) candidatella* (Lederer,1858) (Pylalidae) *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890. 03 06 16 21 42 46
- 884) *Ancylosis (Heterographis) convexella* (Lederer,1855) (Pylalidae) *convexella* Lederer,1855; *albiciella* Staudinger,1859; *favorinella* Zeller,1867 01 03 06 07 16 21 31 42 46 63
- 885) *Ancylosis (Heterographis) faustinella* (Zeller,1867) (Pylalidae) *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilbe,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952. 01 03 06 13 16 35 42 46 65
- 886) *Ancylosis (Heterographis) gracilella* Ragonot,1887 (Pylalidae) *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistina* Turati,1924; *dowsoniella* Richards & Thomson,1932. 06 16 21 38 42 46 71 76
- 887) *Ancylosis (Heterographis) hellenica* (Staudinger,1870) (Pylalidae) *hellenica* Staudinger,1870; *deliciosella* Caradja,1910. 03 06 07 09 16 21 34 35 41 42 46 58 65 76
- 888) *Ancylosis (Heterographis) pallida* (Staudinger,1870) (Pylalidae) *pallida* Staudinger,1870 42 46
- 889) *Ancylosis (Heterographis) pyrethrella* (Herrich-Schäffer,1860) (Pylalidae) *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammata* Ragonot,1901; *trilineata* Amsel,1961. 05 16 42 46
- 890) *Ancylosis (Heterographis) rhodochrella* (Herrich-Schäffer,1855) (Pylalidae) *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961. 01 03 05 06 07 16 21 31 42 46 58 71 76
- 891) *Ancylosis (Heterographis) roscidella* (Eversmann,1844) (Pylalidae) *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* Warren,1888; *barteilella* Caradja,1910; *benderella* Amsel,1961. 01 03 06 09 13 16 21 42 46 65 76
- 892) *Ancylosis (Heterographis) samaritanella* (Zeller,1867) (Pylalidae) *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescens* Chrétien,1910; *diminuella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954. 01 03 06 07 16 21 42 46
- 893) *Ancylosis (Heterographis) xylina* (Staudinger,1870) (Pylalidae) *xylina* Staudinger,1870; *sablonella* Rothschild,1915; *molochina* Zerny,1929. 03 06 13 16 42 46 65
- 894) *Ancylosis (s.str.) cinnamomella* (Duponchel,1836) (Pylalidae) *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauyella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopenella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. 01 03 05 06 09 13 14 16 21 26 31 34 42 46 47 65 71 76
- 895) *Ancylosis (s.str.) iranella* Ragonot,1887 (Pylalidae) *iranella* Ragonot,1887; *turaniella* Ragonot,1887. 06 21 42 45 46 76
- 896) *Ancylosis (s.str.) maculifera* Staudinger,1870 (Pylalidae) *maculifera* Staudinger,1870; *ifraneella* Lucas,1954. 01 03 05 06 13 16 21 35 42 46 58 65 71 76
- 897) *Ancylosis (s.str.) sareptella* (Herrich-Schäffer,1860) (Pylalidae) *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863. 03 06 07 21 38 42 46 47 58
- 898) *Anerastia lotella* (Hübner,[1813]) (Pylalidae) *lotella* Hübner,[1813] 05 16 42

- 899) *Anthophilopsis baphialis* (Staudinger,1870) (Pyrilidae) *baphialis* Staudinger,1870; *#baphiale* Caradja,1917. 06 31 35 42 46 65 76
- 900) *Aporodes floralis* (Hübner,[1809]) (Pyrilidae) *floralis* Hübner,[1809]; *grisealis* Caradja,1917. 01 05 06 16 23 42 44 46 58 61 65 76
- 901) *Arsissa ramosella* (Herrich-Schäffer,[1855]) (Pyrilidae) *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939. 05 06 42 45 46 47 58 65
- 902) *Asalebria (Exophora) exasperata* (Staudinger,1879) (Pyrilidae) *exasperata* Staudinger,1879 01 05 06 08 21 25 30 32 38 42 46 47 58 65 76
- 903) *Asalebria (Exophora) florella* (Mann,1862) (Pyrilidae) *florella* Mann,1862 06 09 16 42 46 65
- 904) *Bradyrrhoa gilveolella* (Treitschke,1833) (Pyrilidae) *gilveolella* Treitschke,1833 01 05 06 13 16 22 23 29 51 38 42 44 46 51 58 65 71 77
- 905) *Bradyrrhoa trapezella* (Duponchel,1836) (Pyrilidae) *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalconiella* Herrich-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933. 05 16 38 42 46 65
- 906) *Cadra abstersella* (Zeller,1847) (Pyrilidae) *abstersella* Zeller,1847; *liguriella* Amsel,1954. 16 21 42 46
- 907) *Cadra cautella* (Walker,1863) (Pyrilidae) *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959 03 06 21 38 42 46
- 908) *Cadra delattinella* Roesler,1965 (Pyrilidae) *delattinella* Roesler,1965 06 16 38 42 65
- 909) *Cadra furcatella* (Herrich-Schäffer,[1849]) (Pyrilidae) *furcatella* Herrich-Schäffer,[1849] 03 05 06 09 16 21 42 65 71
- 910) *Calamotropha paludella* (Hübner,[1824]) (Pyrilidae) *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramattellus* Meyrick,1879; *carphurus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959. 42 46
- 911) *Cataclysta lemnata* (Linnaeus,1758) (Pyrilidae) *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935. 42 46
- 912) *Catoptria confusella* (Staudinger,1881) (Pyrilidae) *confusellus* Staudinger,1881 03 05 06 42
- 913) *Catoptria dimorphella* (Staudinger,1881) (Pyrilidae) *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *wolffi* Ganey & Hacker,1984 01 05 06 31 42 46
- 914) *Chilo luteellus* (Motschulsky,1866) (Pyrilidae) *lutellus* Motschulsky,1860 *nec* [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941. 01 05 06 16 25 36 42 46 58 76
- 915) *Chilo pulverosellus* Ragonot,1895 (Pyrilidae) *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezi* Joannis,1932; *lemarchandellus* Lucas,1945. 13 31 42 46 65
- 916) *Chrysocrambus linetellus* (Fabricius,1781) (Pyrilidae) *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960. 04 06 42 50 53 58 65
- 917) *Conobathra tumidana* ([Denis & Schiffermüller],1775) (Pyrilidae) *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839. 16 42 46
- 918) *Crambus pascuella* (Linnaeus,1758) (Pyrilidae) *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutulellus* Chrétien,1896. 30 42 53 76
- 919) *Crambus perlellus* (Scopoli,1763) (Pyrilidae) *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849. 14 16 24 25 42 51 58 65 69 76
- 920) *Crambus scoticus* Westwood,1849 (Pyrilidae) *scoticus* Westwood,1849; *uliginosellus* Zeller,1850; *#infuscatellus* Caradja,1910 42
- 921) *Cynaeda dentalis* ([Denis & Schiffermüller],1775) (Pyrilidae) *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959 01 05 06 16 17 31 42 50 71
- 922) *Cynaeda gigantea* (Wocke,1871) (Pyrilidae) *gigantea* Wocke,1871 05 06 14 23 42 44 46 58 65
- 923) *Dattinia variabilis* (Zerny,1930) (Pyrilidae) *variabilis* Zerny,1930 42
- 924) *Dolicharthra punctalis* ([Denis & Schiffermüller],1775) (Pyrilidae) *punctalis* [Denis & Schiffermüller],1775 01 05 06 14 16 39 42 46 65 71
- 925) *Ecpyrrhorhoe diffusalis* (Guenée,1854) (Pyrilidae) *diffusalis* Guenée,1854; *tenuialis* Mann,1862. 01 05 06 16 38 42 47 60 65 71
- 926) *Ecpyrrhorhoe rubiginalis* (Hübner,1796) (Pyrilidae) *rubiginalis* Hübner,1796 05 16 25 31 35 39 42 53
- 927) *Ematheudes pseudopunctellus* Ragonot,1888 (Pyrilidae) *pseudopunctella* Ragonot,1888 34 42 46
- 928) *Ematheudes punctellus* (Treitschke,1833) (Pyrilidae) *punctella* Treitschke,1833 01 05 06 16 27 31 33 34 35 38 42 46 71
- 929) *Endotricha flammealis* ([Denis & Schiffermüller],1775) (Pyrilidae) *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951. 01 05 06 07 16 31 34 42 46 58 65 71
- 930) *Epascestria peltaloides* (Rebel,1932) (Pyrilidae) *peltaloides* Rebel,1932 42 46 58
- 931) *Epascestria pustulalis* (Hübner,[1823]) (Pyrilidae) *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917. 01 05 06 31 35 42 46 65
- 932) *Ephestia (Anagasta) welseriella* (Zeller,1848) (Pyrilidae) *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927. 05 06 16 42 45 46 65 71
- 933) *Ephestia (s.str.) disparella* Hampson,1901 (Pyrilidae) *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934. 01 03 05 06 07 09 16 21 34 35 42 46 76
- 934) *Ephestia (s.str.) parasitella* Staudinger,1859 (Pyrilidae) *parasitella* Staudinger,1859; *bimaculella* Lucas,1955. 03 05 06 13 33 34 42 44 46
- 935) *Epidauria strigosa* (Staudinger,1879) (Pyrilidae) *strigosa* Staudinger,1879 05 25 33 42 46 65 71 76
- 936) *Epischnia cuculliella* Ragonot,1887 (Pyrilidae) *cuculliella* Ragonot,1887 42 46
- 937) *Epischnia illotella* Zeller,1839 (Pyrilidae) *illotella* Zeller,1839 16 31 42
- 938) *Epischnia leucomixtella* Ragonot,1887 (Pyrilidae) *leucomixtella* Ragonot,1887 42
- 939) *Epischnia muscidella* Ragonot,1887 (Pyrilidae) *muscidella* Ragonot,1887 05 42
- 940) *Epischnia prodromella* (Hübner,[1799]) (Pyrilidae) *prodromella* Hübner,[1799] 01 05 06 16 32 34 42 46 58 65
- 941) *Eucampyla dealbatella* (Erschoff,1874) (Pyrilidae) *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965. 06 42
- 942) *Euchromius bellus* (Hübner,1796) (Pyrilidae) *bella* Hübner,1796; *bellalis* Hübner,[1825]. 05 06 16 26 31 33 35 39 42 46 65 71 76
- 943) *Euchromius gratiosellus* (Caradja,1910) (Pyrilidae) *gratiosella* Caradja,1910 06 33 42 70 71 76
- 944) *Euchromius keredjellus* (Amsel,1949) (Pyrilidae) *keredjella* Amsel,1949 42 65 76
- 945) *Euchromius ocellus* (Haworth,[1811]) (Pyrilidae) *ocella* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982 01 05 07 16 31 32 34 42 48 65 71 76
- 946) *Euchromius pulverosus* (Christoph,1887) (Pyrilidae) *pulverosa* Christoph,1887 01 06 42 46
- 947) *Euchromius ramburiellus* (Duponchel,1836) (Pyrilidae) *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949. 05 06 42 76
- 948) *Eudonia phaeoleuca* (Zeller,1846) (Pyrilidae) *phaeoleuca* Zeller,1846; *sciaphilella* La Harpe,1855; *bielnalis* Rougemont,1904; *gratiella* Turati,1914 05 42

- 949) *Eurhodope* (*Eurhobasis*) *cinerea* (Staudinger,1879) (Pyralidae) *cinerea* Staudinger,1879 35 42
- 950) *Eurhodope* (s.str.) *monogrammos* (Zeller,1867) (Pyralidae) *monogrammos* Zeller,1867; *buxtoni* Rothschild,1921; *homochromella* Amsel,1961; *melanella* Roesler,1969 01 05 06 16 31 33 42 46 50 71
- 951) *Eurrhysis* *pollinalis* ([Denis & Schiffermüller],1775) (Pyralidae) *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985 05 06 14 16 32 39 42 46
- 952) *Euzophera* (s.str.) *lunulella* (Costa,1836) (Pyralidae) *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851. 42 45 46 71
- 953) *Euzopherodes* *lutisignella* (Mann,1869) (Pyralidae) *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924. 21 23 35 38 42 44 46 65
- 954) *Evergestis* *desertalis* (Hübner,[1813]) (Pyralidae) *desertalis* Hübner,[1813]; *avicennae* Tams,1925. 05 06 26 42 76
- 955) *Evergestis* *frumentalis* (Linnaeus,1761) (Pyralidae) *frumentalis* Linnaeus,1761 05 06 08 16 17 32 38 42 65 71 76
- 956) *Evergestis* *segetalis* (Herrich-Schäffer,1851) (Pyralidae) *segetalis* Herrich-Schäffer,1851 05 16 29 42 46
- 957) *Galleria* *mellonella* (Linnaeus,1758) (Pyralidae) *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombruggeella* Dufrane,1930. 05 06 07 16 34 38 42 46 51
- 958) *Gymnancyla* (s.str.) *canella* ([Denis & Schiffermüller],1775) (Pyralidae) *canella* [Denis & Schiffermüller],1775; *depositella* Zincken,1818; *canellaris* Hübner,[1825]. 05 06 33 42
- 959) *Homoeosoma* (s.str.) *subalbatellum* (Mann,1864) (Pyralidae) *subalbatella* Mann,1864 03 06 07 16 31 35 38 39 42 46
- 960) *Hyperlais* *nemausalis* (Duponchel,1834) (Pyralidae) *nemausalis* Duponchel,1834 16 42 45
- 961) *Hypotia* *colchicalis* (Herrich-Schäffer,[1855]) (Pyralidae) *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900. 05 31 42
- 962) *Isauria* *dilucidella* (Duponchel,1836) (Pyralidae) *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculilla* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gaballitella* Chrétien,1931; *grisescens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970 05 06 13 16 25 32 38 42 46 47 50 53 58 65 71
- 963) *Keradere* *tengstroemiella* (Erschoff,1874) (Pyralidae) *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879. 05 09 42 46
- 964) *Khorassania* *compositella* (Treitschke,1835) (Pyralidae) *compositella* Treitschke,1835; *murinella* Heinemann,1865; *senescens* Heinemann,1865; *kalischella* Staudinger,1870; *iconicensis* Caradja,1910. 05 42 58
- 965) *Lambaesia* *straminella* (Zerny,1914) (Pyralidae) *straminella* Zerny,1914; *alphitopis* Meyrick,1937. 31 42 46 65
- 966) *Lamoria* *anella* ([Denis & Schiffermüller],1775) (Pyralidae) *anella* [Denis & Schiffermüller],1775 05 06 17 34 35 38 42 46 58
- 967) *Loxostege* *clathralis* (Hübner,[1813]) (Pyralidae) *clathralis* (Hübner,[1813]); *comptalis* Lederer,1855 nec Frr.,[1848]; *#nivalis* Caradja,1916 05 06 38 42 58 76
- 968) *Loxostege* *straminealis* (Hampson,1900) (Pyralidae) *straminealis* Hampson,1900 42
- 969) *Loxostege* *wagneri* Zerny,1929 (Pyralidae) *wagneri* Zerny,1929 06 42
- 970) *Margaritia* *sticticalis* (Linnaeus,1761) (Pyralidae) *lupulina* Clerk,1759 nec Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811 05 16 17 34 39 42 46
- 971) *Mecyna* *flavalis* ([Denis & Schiffermüller],1775) (Pyralidae) *flavalis* [Denis & Schiffermüller],1775. 05 06 16 42 45
- 972) *Mecyna* *lutulentalis* (Lederer,1858) (Pyralidae) *lutulentalis* Lederer,1858 01 06 24 29 42 65 69 71
- 973) *Mecyna* *subsequalis* (Herrich-Schäffer,1851) (Pyralidae) *subsequalis* Herrich-Schäffer,1851; *consequens* Meyrick,1932. 01 05 06 33 42 46 58 65 76
- 974) *Megasis* *mimeticella* (Staudinger,1879) (Pyralidae) *mimeticella* Staudinger,1879; *tolli* Amsel,1953. 05 06 36 42 44 46 58
- 975) *Megasis* *rippertella* (Zeller,1839) (Pyralidae) *rippertella* Zeller,1839 05 06 13 32 38 42 71
- 976) *Mesocrambus* *candidellus* (Herrich-Schäffer,[1848]) (Pyralidae) *candidellus* Herrich-Schäffer,[1848]; *#candiellus* Bleszynski,1965. 34 42 46 65
- 977) *Metacrambus* *carectellus* (Zeller,1847) (Pyralidae) *carectellus* Zeller,1847; *lugdunellus* Millière,1868; *truncatellus* Caradja,1916. 01 03 33 42 46 65 71
- 978) *Metallosticha* *argyrogrammos* (Zeller,1847) (Pyralidae) *argyrogrammos* Zeller,1847 05 06 16 38 42 45 46 48 65
- 979) *Metasia* (s.str.) *carnealis* (Treitschke,1829) (Pyralidae) *carnealis* Treitschke,1829 05 06 16 06 31 42 65 71
- 980) *Metasia* (s.str.) *suppandalis* (Hübner,[1823]) (Pyralidae) *suppandalis* Hübner,[1823] 05 06 16 17 34 35 42 45 58 71 76
- 981) *Microstega* *praepetalis* (Lederer,1869) (Pyralidae) *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937 04 05 42 46 58 65 71 76
- 982) *Myelois* (s.str.) *multiflorella* Ragonot,1887 (Pyralidae) *multiflorella* Ragonot,1887; *#multiflorella* Zerny,1939. 42 58
- 983) *Myrllaea* *albistrigata* (Staudinger,1881) (Pyralidae) *albistrigata* Staudinger,1881 05 06 42 46 65 71 76
- 984) *Myrllaea* *epischneilla* (Staudinger,1879) (Pyralidae) *epischneilla* Staudinger,1879 05 42 44 46
- 985) *Noctuella* *superba* (Freyer,[1844]) (Pyralidae) *superba* Freyer,[1844] 05 06 21 38 42 44 46 58 71
- 986) *Orthopygia* *incarnatalis* Zeller,1847 (Pyralidae) *incarnatalis* Zeller,1847 16 42 46
- 987) *Oxybia* *transversella* (Duponchel,1836) (Pyralidae) *transversella* Duponchel,1836; *bituminella* Millière,1870; *panorminella* Caradja,1928. 05 09 16 33 42 46
- 988) *Panstegia* *limbopunctalis* (Herrich-Schäffer,[1849]) (Pyralidae) *limbopunctalis* Herrich-Schäffer,[1849] 05 06 16 33 38 42 46 58 65
- 989) *Panstegia* *meciti* Koçak,1987 (Pyralidae) *meciti* Koçak,1987 42
- 990) *Paracorsia* *repandalis* ([Denis & Schiffermüller],1775) (Pyralidae) *repandalis* [Denis & Schiffermüller],1775 05 06 16 38 42 45 46 65 76
- 991) *Parapoxyn* *stratitota* (Linnaeus,1758) (Pyralidae) *stratitota* Linnaeus,1758; *paludata* Fabricius,1794; *amanica* Osthelder,1935 42 46
- 992) *Pediasia* *aridella* (Thunberg,1788) (Pyralidae) *aridella* Thunberg,1788; *salinellus* Tutt,1887. 06 42
- 993) *Pediasia* *aridelloides* Bleszynski,1965 (Pyralidae) *aridelloides* Bleszynski,1965 42
- 994) *Pediasia* *contaminella* (Hübner,1796) (Pyralidae) *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886. 06 16 39 42 46 59 76
- 995) *Pediasia* *luteella* ([Denis & Schiffermüller],1775) (Pyralidae) *luteella* [Denis & Schiffermüller],1775; *exoletella* [Denis & Schiffermüller],1775; *exsoletella* Hübner,1796; *ochrella* Hübner,1796; *kindermannii* Zeller,1863; *uhryki* Rothschild,1911. 05 06 16 42
- 996) *Pediasia* *matricella* (Treitschke,1832) (Pyralidae) *matricella* Treitschke,1832; *obscura* Caradja,1931 01 05 06 33 42 46 50 58 71
- 997) *Pediasia* *persella* (Toll,1947) (Pyralidae) *persella* Toll,1947 04 06 42 58 60
- 998) *Pediasia* *phrygia* Fazekas,1990 (Pyralidae) *phrygius* Fazekas,1990 42
- 999) *Pempelia* *alipigenella* (Duponchel,1836) (Pyralidae) *alipigenella* Duponchel,1836; *wagnerella* Freyer,1845 05 06 42 65 76
- 1000) *Pempelia* *ambustiella* Ragonot,1887 (Pyralidae) *ambustiella* Ragonot,1887 06 38 42 46 76
- 1001) *Pempelia* *brephiella* (Staudinger,1879) (Pyralidae) *brephiella* Staudinger,1879; *farinosella* Caradja,1910. 09 42 46 71
- 1002) *Pempelia* *obductella* Zeller,1839 (Pyralidae) *obductella* Zeller,1839 05 34 42
- 1003) *Pempelia* *palumbella* ([Denis & Schiffermüller],1775) (Pyralidae) *palumbella* [Denis & Schiffermüller],1775 05 06 42 46
- 1004) *Pempelia* *placidella* (Zerny,1929) (Pyralidae) *placidella* Zerny,1929 42

- 1005) **Pempeliella sororiella** (Zeller,1839) (Pyalidae) *sororiella* Zeller,1839 06 16 34 42 46
 1006) **Phycita metzneri** (Zeller,1846) (Pyalidae) *metzneri* Zeller,1846 09 16 42 46
 1007) **Phycitodes albatella** (Ragonot,1887) (Pyalidae) *albatella* Ragonot,1887 01 03 06 16 21 38 42 44 46 65 71
 1008) **Phycitodes binaevella** (Hübner,[1813]) (Pyalidae) *binaevella* Hübner,[1813]. 01 05 06 13 31 34 42 46 65
 1009) **Phycitodes lacteella** (Rothschild,1915) (Pyalidae) *lacteella* Rothschild,1915; *viettella* Roesler,1965. 03 06 09 13 16 31
 34 38 42 46 65 71
 1010) **Phycitodes nigrilimbella** (Ragonot,1887) (Pyalidae) *nigrilimbella* Ragonot,1887 06 16 31 42 46 50 65 71
 1011) **Phycitodes saxicola** (Vaughan,1870) (Pyalidae) *saxicola* Vaughan,1870 01 06 07 09 13 35 42 44 65
 1012) **Pima boisduvaliella** (Guenée,1845) (Pyalidae) *boisduvaliella* Guenée,1845 06 14 17 42 46 50 65 71 76
 1013) **Praeepischnia lydella** (Lederer,1865) (Pyalidae) *lydella* Lederer,1865; *gypsocrates* Meyrick,1937 06 42 45 46 58
 1014) **Proceratia caesariella** Ragonot,1901 (Pyalidae) *caesariella* Ragonot,1901 38 42
 1015) **Prorophora** (Epischidia) **albunculella** (Staudinger,1879) (Pyalidae) *albunculella* Staudinger,1879; *rhectogramma*
Meyrick,1937. 05 06 38 42 65
 1016) **Psammotis pulveralis** (Hübner,1796) (Pyalidae) *pulveralis* Hübner,1796 05 06 16 42 45 65 71
 1017) **Psorosa albunculella** Ragonot,1901 (Pyalidae) *albunculella* Ragonot,1901 05 42 46 76
 1018) **Pterothrixidia contectella** (Zeller,1848) (Pyalidae) *contectella* Zeller,1848 05 06 38 42 65 71
 1019) **Pyalis narynensis** Zerny,1914 (Pyalidae) *perversalis* sensu auct. nec Herr.-Schäff.,1849; *narynensis* Zerny,1914;
#naryssensis Amsel,1961 42
 1020) **Pyrausta** (Haematia) **castalis** Treitschke,1829 (Pyalidae) *castalis* Treitschke,1829 05 06 16 30 37 42 71
 1021) **Pyrausta** (Haematia) **despicata** (Scopoli,1763) (Pyalidae) *despicata* Scopoli,1763; *cespitalis* [Denis & Schiffermüller],1775.
 05 06 11 13 14 16 17 24 25 32 33 34 42 46 51 65 71
 1022) **Pyrausta** (Haematia) **virginalis** (Duponchel,1832) (Pyalidae) *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis*
Caradja,1916 01 05 06 16 31 32 38 42 58 65 71 76
 1023) **Pyrausta** (s.str.) **inciae** Koçak,1982 (Pyalidae) *meridionalis* Staudinger,1880 nec Wcke,1871; *inciae* Koçak,1982. 13 33
 42 65
 1024) **Pyrausta** (s.str.) **pauperalis** (Staudinger,1879) (Pyalidae) *pauperalis* Staudinger,1879 05 31 42
 1025) **Raphimetopus ablutellus** (Zeller,1839) (Pyalidae) *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni*
Rothschild,1921 01 05 06 23 35 42 45 46
 1026) **Saluria chehirella** Zerny,1929 (Pyalidae) *chehirella* Zerny,1929. 42
 1027) **Schoenobius gigantellus** ([Denis & Schiffermüller],1775) (Pyalidae) *gigantella* [Denis & Schiffermüller],1775 42 46
 1028) **Sciota** (s.str.) **rhenella** (Zincken,1818) (Pyalidae) *rhenella* Zincken,1818 42 65 71
 1029) **Scoparia subfusca** Haworth,[1811] (Pyalidae) *subfusca* Haworth,[1811]; *gracella* Stainton,1849; *subfuscalis* Guenée,1854;
scotica White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *#sugfusca* Leraut,1984 42 46
 1030) **Sefidia clasperella** Asselbergs,1994 (Pyalidae) *clasperella* Asselbergs,1994 33 42
 1031) **Selagia dissimilella** Ragonot,1887 (Pyalidae) *dissimilella* Ragonot,1887 42 76
 1032) **Selagia spadicella** (Hübner,1796) (Pyalidae) *spadicella* Hübner,1796 06 42 46
 1033) **Serrulacera serraticornella** (Zeller,1839) (Pyalidae) *serraticornella* Zeller,1839; *gregella* Eversmann,1844. 42 46
 1034) **Sitochroa palealis** ([Denis & Schiffermüller],1775) (Pyalidae) ? *flaveolata* Hufnagel,1767; *palealis* [Denis &
Schiffermüller],1775; stigmatalis Villers,1789; *selenalis* Hübner,[1819] 06 14 16 37 42 46 58 65
 1035) **Sitochroa verticalis** (Linnaeus,1758) (Pyalidae) *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
 01 05 06 16 25 32 42 46 65 71
 1036) **Staudingeria** (s.str.) **deserticola** (Staudinger,1870) (Pyalidae) *deserticola* Staudinger,1870 16 21 42 46
 1037) **Staudingeria** (s.str.) **morbosella** (Staudinger,1879) (Pyalidae) *morbosella* Staudinger,1879; *inderskyella* Caradja,1910;
cinnamomella Rothschild,1915. 05 06 12 42 46 58 76
 1038) **Stemmatophora caesarealis** Ragonot,1891 (Pyalidae) *caesarealis* Ragonot,1891 38 42 46
 1039) **Stemmatophora subustalis** Lederer,1853 (Pyalidae) *subustalis* Lederer,1853 31 42 46
 1040) **Synaphe moldavica** (Esper,[1789]) (Pyalidae) *moldavica* Esper,[1789]; *schmidt* Hartig,1941. 05 06 07 16 17 22 25 31
 32 34 35 38 42 45 46 48 58 71
 1041) **Synoria antiquella** (Herrich-Schäffer,[1855]) (Pyalidae) *antiquella* Herrich-Schäffer,[1855] 05 16 42 46 76
 1042) **Talis quercella** ([Denis & Schiffermüller],1775) (Pyalidae) *#quercella* [Denis & Schiffermüller],1775; *noctuella*
Hübner,1796; neglectella Hübner,[1824]. 06 16 17 26 42
 1043) **Tegostoma comparalis** (Hübner,1796) (Pyalidae) *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis*
Walker,1865; #comparale Caradja,1917. 16 42 45 46 58 71 76
 1044) **Tegostoma perlepidalis** (Guenée,1854) (Pyalidae) *#lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis*
Herrich-Schäffer,[1855]; #lepidale Caradja,1917. 05 06 42 71
 1045) **Thospia trifasciella** (Ragonot,1887) (Pyalidae) *trifasciella* Ragonot,1887; *alborivulella* Ragonot,1888. 42
 1046) **Titanio normalis** (Hübner,1796) (Pyalidae) *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898]. 05 06 16 32 42 45 46
 58 65 71 76
 1047) **Titanio venustalis** (Lederer,1855) (Pyalidae) *venustalis* Lederer,1855 05 16 42 65
 1048) **Trachycera dulcella** (Zeller,1848) (Pyalidae) *dulcella* Zeller,1848 05 16 42 46 47 51
 1049) **Trachycera legatea** (Haworth,[1811]) (Pyalidae) *legatea* Haworth,[1811]; *legatella* Hübner,1796 nec [Den. & Schiff.],1775;
legatalis Hübner,[1825] 05 16 42 46 58
 1050) **Udea ferrugalis** (Hübner,1796) (Pyalidae) *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796;
martialis Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879 03 05 06 07 14 16 17 31 32 33 34 35 38 42 44 46 58 65 71
 1051) **Udea fimbriatralis** (Duponchel,1834) (Pyalidae) *fimbriatralis* Duponchel,1834 01 05 06 16 31 38 42 46 76
 1052) **Xanthocrampus saxonellus** (Zincken,1821) (Pyalidae) *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus*
Christoph,1888 05 06 16 42 65 76
 1053) **Saturnia** (Heraclea) **spini** ([Denis & Schiffermüller],1775) (Saturniidae) *#spini* [Denis & Schiffermüller],1775 03 05 23 24
 26 29 30 42 58 60
 1054) **Saturnia** (Perisomena) **caecigena** (Kupido,1825) (Saturniidae) *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti*
Niepelt,1914; derosata Schawerda,1914; *transcaucasica* O.Bang-Haas,1927; *parviocellata* Friedel,1968 04 05 06 07 12 16 22 25 33
 35 42 60 71
 1055) **Saturnia** (s.str.) **pyri** ([Denis & Schiffermüller],1775) (Saturniidae) *pyri* [Denis & Schiffermüller],1775; *teherana*
Lenek,1970; pinkerae Kobes,1980. 05 06 07 10 13 15 16 17 19 22 26 28 30 32 33 38 42 44 46 47 50 53 58 64 65 76
 1056) **Arethusana arethusa** ([Denis & Schiffermüller],1775) (Satyridae) *arethusa* [Denis & Schiffermüller],1775; *erythia*
Hübner,1805; pontica Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (sensu Hesselbarth et al.,1995: 917). 03 04 05 06
 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76

- 1057) **Brintesia circe (Fabricius,1775)** (Satyridae) *circe Fabricius,1775; proserpina Denis & Schiffermüller,1775; maga Fruhstorfer,1909; venefica Fruhstorfer,1909; gabalae Gaillard,1959; maladettæ Varin,1962.* 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 1058) **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) *anthe Hoffmannsegg,1804; persephone Hübner,1805; anthe Ochsenheimer,1807.* 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 1059) **Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) *bischoffi Herrich-Schäffer,[1846]* 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 1060) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) *briseis Linnaeus,1764; daedale Bergsträßer,1780; bataia Fruhstorfer,1909; interjecta Verity,1916; variabilis Varin,1958; pictonica Varin,1958.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 1061) **Coenonympha arcania (Linnaeus,1761)** (Satyridae) *arcania Linnaeus,1761; amyntas Poda,1761; cephalus Fourcroy,1785; naidion Borkhausen,1788; huebneri Oberthür,1910; saleviana Fruhstorfer,1910; triumphans Fruhstorfer,1910; caucasica Jachontov,1914; fulvosatura Verity,1935.* 03 05 06 08 10 14 16 17 18 25 26 29 34 36 37 39 42 43 52 55 57 58 60 66 67 75 76 81
- 1062) **Coenonympha leander (Fabricius,1787)** (Satyridae) *#leander Esper,[1784]; leander Fabricius,1787* 03 04 05 06 07 08 16 24 25 29 30 36 42 51 60 65 69 76
- 1063) **Coenonympha pamphilus (Linnaeus,1758)** (Satyridae) *pamphilus Linnaeus,1758; menalcas Poda,1761; nephele Hufnagel,1766; marginata Heyne,1894; orantia Fruhstorfer,1908; scota Verity,1911; infrarasa Verity,1926; juldusica Verity,1926; asiaemontium Verity,1926; euxina Verity,1926; posteuxina Verity,1926; londonii Verity,1926; neolyllus De Lattin,1950* 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 1064) **Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) *#climene Esper,[1783]; clymene Fabricius,1787; boroeas Latreille,1803; synclimene Hübner,[1819].* 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 1065) **Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) *fatua Freyer,1844; sichaea Lederer,1857; insularis Turati,1929; elineata Verity,1937; infracastanea Verity,1938; kosswigi De Lattin,1950.* 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 1066) **Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) *statilinus Hufnagel,1766; fauna Sulzer,1776 nec Drury,1773; allionia Fabricius,1781; actaea sensu Villers,1789; archane Esper,1789 nec Denis & Schiff.,1775; allionii Hübner,1826, etc.* 01 03 05 06 07 08 10 11 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 58 60 65 66 67 70 71 76 81
- 1067) **Hipparchia (Parahipparchia) aristaeus (Bonelli,1826)** (Satyridae) *aristaeus Bonelli,1826; sardoa Spuler,1908; rautheri Krause,1912; ichnusa Hemming,1931; aligrica auct.* 01 03 05 06 07 09 11 14 16 17 18 20 22 26 27 31 32 33 34 35 37 39 40 42 43 45 46 48 51 58 60 66 67 70 71 75 80
- 1068) **Hipparchia (Parahipparchia) mersina (Staudinger,1871)** (Satyridae) *mersina Staudinger,1871; malickyi Kudrna,1977.* 01 07 10 16 17 27 31 32 33 34 35 42 45 46 48 51 70 80
- 1069) **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) *syriaca Staudinger,1871; attikana Fruhstorfer,1907; meschetica Jachontov,1915; tokatensis Gross,1959.* 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 1070) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina Costa,[1836]* 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 1071) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800.* 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 1072) **Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) *roxelana Cramer,[1777]* 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 19 20 21 22 23 25 26 27 29 30 31 32 33 34 35 38 39 42 43 44 45 46 47 48 49 51 55 56 59 60 62 65 66 71 72 73
- 1073) **Lasiommata maera (Linnaeus,1758)** (Satyridae) *maera Linnaeus,1758; pandion Poda,1761; hiera Fab.,1777; maja Fuchs,1873; monotonia Schilde,1885; crimea Bang-Haas,1907; atabryris Fruhstorfer,1909.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 1074) **Lasiommata megera (Linnaeus,1767)** (Satyridae) *megera Linnaeus,1767; caledonia Verity,1911; alticola Verity,1911; pseudoadrasta Stauder,1922; infrapallens Verity,1922; ocellator Verity,1923; pallidedepulverata Verity,1923.* 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 1075) **Maniola (Telmessiola) telmessia (Zeller,1847)** (Satyridae) *telmessia Zeller,1847; pallescens Butler,1868; kurdistan Heyne,1894; oreas Le Cerf,1912; maniolides Le Cerf,1912; ornata Turati & Fiori,1930; marenigrans Verity,1938; pelekassii Kattulas & Koutsaftikis,1978.* 01 02 03 07 09 10 12 13 15 17 20 21 23 27 30 31 32 33 35 42 44 45 46 47 48 51 56 62 63 65 70 72 73 80
- 1076) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina Linnaeus,1758; janira Linnaeus,1758; lemur Schrank,1801.* 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 1077) **Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) *larissa Geyer,[1828].* 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 1078) **Pararge aegeria (Linnaeus,1758)** (Satyridae) *aegeria Linnaeus,1758; meone Cramer,1782; egeria Ochsenheimer,1807; sardoa Verity,1908.* 01 05 06 07 08 09 11 13 14 15 16 17 18 20 21 25 27 28 29 30 31 32 33 34 35 38 41 42 44 46 47 48 52 53 55 60 61 67 73 74 77 81
- 1079) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) *anthelea Hübner,[1824]; atavirensis Coutsis,1973.* 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 1080) **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) *beroe Freyer,[1843]* 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 1081) **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) *geyeri Herrich-Schäffer,[1846]; aristonicus Fruhstorfer,[1911]; selim Gross,1978, karsicola Gross,1978* 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 1082) **Pseudochazara (s.str.) lydia (Staudinger,1878)** (Satyridae) *lydia Staudinger,1878; neglecta Gross,1978; bithyniae Gross,1978.* 01 03 07 15 16 20 32 33 35 42 43 48 64 70
- 1083) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra Herrich-Schäffer,[1846]; sintenisi Staudinger,1895* 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76

- 1084) **Pseudochazara (s.str.) mnischei** (Herrich-Schäffer, [1851]) (Satyridae) *mnischei* Herrich-Schäffer, [1851] 01 03 05 06
07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 1085) **Pyronia tithonus** (Linnaeus, 1771) (Satyridae) *tithonus* Linnaeus, 1771; *tiphon* Kühn, 1774; *pilosellae* Fabricius, 1775; *herse*
Denis & Schiffmüller, 1775; *phaedra* Esper, 1776; *amaryllis* Fourcroy, 1785 *nec* Cramer, 1782; *tithone* Hübner, 1819; *britanniae*
Verity, 1914; *bajocassensis* Moul, 1938; *armoricus* Moul, 1938 03 05 11 14 16 17 19 20 21 34 35 41 42 55 59 60 67
- 1086) **Satyrus (Asatyrus (s.str.)) amasinus** Staudinger, 1861 (Satyridae) *bryce* Herrich-Schäffer, [1852] *nec* Hübner, [1800];
amasinus Staudinger, 1861 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 71 76
- 1087) **Satyrus (Asatyrus (s.str.)) ferulus** (Fabricius, 1793) (Satyridae) *proserpina* Cyrillo, 1787 *nec* Denis & Schiff., 1775; *cordula*
Fabricius, 1793; *ferula* Fabricius, 1793; *cyrillus* Herbst, 1796; *hyppolite* Herbst, 1796 *nec* Dru., 1782; *orsiera* De Prunner, 1798; *bryce*
Hübner, [1800]. 01 03 07 32 33 42 46 51
- 1088) **Satyrus (s.str.(s.str.)) favonius** Staudinger, [1892] (Satyridae) *favonius* Staudinger, [1892] 01 04 07 08 12 13 24 25 27 31
33 36 42 44 46 49 51 53 58 62 63 65 76
- 1089) **Enolmis acanthella** (Godart, 1824) (Scythridae) *acanthella* Godart, 1824 42
- 1090) **Scythris (scopolella-gr.) flabella** (Mann, 1861) (Scythridae) *flabella* Mann, 1861; *aurella* Caradja, 1920 05 06 38 42 46 76
- 1091) **Scythris aristidella** (Rebel, 1912) (Scythridae) *aristidella* Rebel, 1912 42
- 1092) **Scythris iconiensis** Rebel, 1903 (Scythridae) *iconiensis* Rebel, 1903 42
- 1093) **Scythris zelleri** (Staudinger, 1880) (Scythridae) *zelleri* Staudinger, 1880 05 42 46
- 1094) **Bembecia sanguinolenta** (Lederer, 1853) (Sesiidae) *sanguinolenta* Lederer, 1853 01 25 33 42 47 50 65
- 1095) **Chamaesphecia albiventris** Lederer, 1853 (Sesiidae) *albiventris* Lederer, 1853 01 05 08 16 42 46
- 1096) **Chamaesphecia anatolica** Schwingenschuss, 1938 (Sesiidae) *anatolica* Schwingenschuss, 1938 04 06 25 42
- 1097) **Chamaesphecia annellata** (Zeller, 1847) (Sesiidae) *annellata* Zeller, 1847; *ceriaeformis* Lederer, 1853 *nec* Luc., 1849;
muscinaeformis Walker, 1856; *ceriiformis* Staudinger, 1856; *clermonti* Le Cerf, 1914 16 39 42
- 1098) **Chamaesphecia astatifformis** (Herrich-Schäffer, 1846) (Sesiidae) *astatifformis* Herrich-Schäffer, 1846 13 16 42
- 1099) **Chamaesphecia bibioniformis** (Esper, [1800]) (Sesiidae) *bibioniformis* Esper, [1800]; *tengyraeformis* Boisduval, 1840;
tengiriformis Rambur, 1866; *myrsinites* Pinker, 1954. 05 06 14 34 38 42 58
- 1100) **Chamaesphecia doryceraeformis** (Lederer, 1853) (Sesiidae) *doryceraeformis* Lederer, 1853 01 02 05 06 12 17 21 26 42
47 50 65 70
- 1101) **Chamaesphecia gorbunovi** K.Spatenka, 1992 (Sesiidae) *gorbunovi* K.Spatenka, 1992 25 36 42
- 1102) **Chamaesphecia masariformis** (Ochsenheimer, 1808) (Sesiidae) *masariformis* Ochsenheimer, 1808; *banchiformis*
Hübner, [1813]; *allantiformis* Eversmann, 1844 *nec* Newm., 1832; *loewii* Zeller, 1847; *brandti* Le Cerf, 1937; *djakonovi* Popescu-Gorj &
Capuse, 1966 05 10 16 42
- 1103) **Chamaesphecia proximata** (Staudinger, 1871) (Sesiidae) *proximata* Staudinger, 1871; *moreaui* Le Cerf, 1911; *gravesi*
Rebel, 1927 01 05 42 60 73
- 1104) **Chamaesphecia schmidtiformis** (Freyer, 1836) (Sesiidae) *schmidtiformis* Freyer, 1836 01 05 06 37 38 42 46 60
- 1105) **Euhagena palmariformis** (Lederer, 1858) (Sesiidae) *palmariformis* Lederer, 1858; *diocetriiformis* Romanoff, 1884; *rubescens*
Staudinger, 1887; *almana* Rebel, 1917 01 02 05 07 30 32 33 42 44 46 47 73 76 80
- 1106) **Paranthrene insolita** Le Cerf, 1914 (Sesiidae) *insolita* Le Cerf, 1914; *aurantiacum* Rebel, 1917. 01 06 11 14 24 26 31 33 42
46 47 62 70
- 1107) **Pyropteron minianiformis** (Freyer, 1843) (Sesiidae) *minianiformis* Freyer, 1843 07 10 16 22 32 33 35 39 42 48
- 1108) **Pyropteron triannuliformis** (Freyer, 1845) (Sesiidae) *meriaeformis* Assmann, 1845 *nec* Bsd., 1840; *triannuliformis*
Freyer, 1845; *bracconiformis* Herrich-Schäffer, 1846; *philanthiformis* Lederer, 1853 *nec* Lasp., 1801; *armeniaca* Bartel, 1906; *balcanica*
Zukowsky, 1929; *iljijanae* Tosevski, 1986; *pungeleri* K.Spatenka, 1987 01 04 05 06 07 08 13 16 22 25 30 31 34 35 36 39 42 44 46 50 58
- 1109) **Synanthedon affinis** (Staudinger, 1856) (Sesiidae) *affinis* Staudinger, 1856 05 42 46
- 1110) **Synanthedon myopaeformis** (Borkhausen, 1789) (Sesiidae) *myopaeformis* Borkhausen, 1789; *mutillaeformis* Laspeyres, 1801;
luctuosa Lederer, 1853; *myopiformis* Staudinger, 1856; *elegans* Lederer, 1861. 05 06 16 25 31 32 34 35 42 44 50
- 1111) **Synanthedon stomoxiformis** (Hübner, 1790) (Sesiidae) *stomoxiformis* Hübner, 1790; *culiciformis* Scopoli, 1763 *nec*
Linn., 1758; *stomoxiformis* Hübner, 1796; *amasina* Staudinger, 1878. 05 08 31 36 42 46
- 1112) **Synanthedon vespiformis** (Linnaeus, 1761) (Sesiidae) *vespiformis* Linnaeus, 1761; *asiliformis* Rottemburg, 1775; *oestriiformis*
Rottemburg, 1775; *cynipiformis* Esper, 1783; *chrysorrhoea* Donovan, 1795 01 05 06 07 08 15 16 22 25 33 39 42 60 65
- 1113) **Tinthia brosiiformis** (Hübner, [1813]) (Sesiidae) *brosiiformis* Hübner, [1813] 01 04 05 08 16 25 30 33 38 42 46
- 1114) **Tinthia myrmosaeformis** (Herrich-Schäffer, 1846) (Sesiidae) *myrmosaeformis* Herrich-Schäffer, 1846; *hucida* Lederer, 1853;
myrmosiformis Staudinger, 1856. 01 05 06 16 33 36 39 42 46 50
- 1115) **Agrius convolvuli** (Linnaeus, 1758) (Sphingidae) *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus*
Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans*
Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922;
aksuensis O.Bang-Haas, 1927 05 06 10 16 42 44 60
- 1116) **Daphnis nerii** (Linnaeus, 1758) (Sphingidae) *nerii* Linnaeus, 1758; *infernelutea* Saalmüller, 1884; *#confluens* Closs, 1912;
#nigra Schmidt, 1914; *bipartita* Gehlen, 1934. 07 09 30 33 34 35 42 46
- 1117) **Deilephila elpenor** (Linnaeus, 1758) (Sphingidae) *elpenor* Linnaeus, 1758 32 42 53 60
- 1118) **Deilephila suellus** Staudinger, 1878 (Sphingidae) *suellus* Staudinger, 1878; *kuruschi* O.Bang-Haas, 1938. 01 04 05 06 07
12 13 19 25 30 32 42 50 58 60 65 66 71
- 1119) **Hemaris (Cochrania) croatica** (Esper, [1779]) (Sphingidae) *croatica* Esper, [1779]; *sesia* Hübner, [1806]; *#obscurata*
Closs, 1911; *#rangnowi* Closs, 1911. 05 06 13 16 30 33 42 44 45 46 50 60 65 71
- 1120) **Hyles conspicua** (Rothschild & Jordan, 1903) (Sphingidae) *conspicua* Rothschild & Jordan, 1903. 01 05 06 07 09 10 13
14 15 16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76
- 1121) **Hyles siehei** (Püngeler, 1903) (Sphingidae) *siehei* Püngeler, 1903; *#privata* Austaut, 1905. 38 42 46 71
- 1122) **Laothoe populeti** (Bienert, [1870]) (Sphingidae) *populeti* Bienert, [1870]; *populetorum* Staudinger, 1887; *syriaca* Gehlen, 1932;
intermedia Gehlen, 1934. 05 06 12 25 30 32 36 42 44 46 53 60 65 71
- 1123) **Marumba quercus** ([Denis & Schiffmüller], 1775) (Sphingidae) *quercus* [Denis & Schiffmüller], 1775; *denisii*
Fuessly, 1779; *#brunescens* Rebel, 1910; *#canescens*, *pallascens* Closs, 1922; *mesopotamica* O.Bang-Haas, 1938; *schirasi* O.Bang-
Haas, 1938; *#pallida* Vilarrubia, 1973. 01 05 06 07 10 12 19 30 42 46 47 62 65 73
- 1124) **Mimas tiliae** (Linnaeus, 1758) (Sphingidae) *tiliae* Linnaeus, 1758 42
- 1125) **Rethera komarovi** (Christoph, 1885) (Sphingidae) *komarovi* Christoph, 1885; *#kamarowi* Wagner, 1931; *rjabovi* O.Bang-
Haas, 1934; *#albocingulata* O.Bang-Haas, 1934; *#roseocingulata* O.Bang-Haas, 1937 05 06 23 30 36 42 46 60 65 71
- 1126) **Smerinthus kindermanni** Lederer, 1852 (Sphingidae) *kindermanni* Lederer, 1852; *#obscura* Closs, 1917 06 22 23 25 30 42
46 58 60 63 65 76
- 1127) **Smerinthus ocellatus** (Linnaeus, 1758) (Sphingidae) *ocellatus* Linnaeus, 1758 05 16 32 36 42 58 60

- 1128) **Sphinx ligustri Linnaeus,1758** (Sphingidae) *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998 06 16 25 36 42 60
- 1129) **Sphinx pinastri Linnaeus,1758** (Sphingidae) *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987. 05 06 15 17 19 32 36 42 46 60
- 1130) **Thaumetopoea (Traumatocampa) pinivora Treitschke,1834** (Thaumetopoeidae) *pinivora* Treitschke,1834 42
- 1131) **Thaumetopoea (Traumatocampa) pityocampa (Denis & Schiffermüller),1775** (Thaumetopoeidae) *#pityocampa* [Denis & Schiffermüller],1775; *ceballosi* Agenjo,1941 01 05 07 10 16 19 31 33 34 42 55 59 60
- 1132) **Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) *solitaria* Freyer,[1838] 05 07 16 27 31 33 34 35 42 45 46 60 63
- 1133) **Polyplocia korbi Rebel,1901** (Thyatiridae) *korbi* Rebel,1901 06 07 31 33 42 46 64 73
- 1134) **Tethea ocularis (Linnaeus,1767)** (Thyatiridae) *ocularis* Linnaeus,1767; *octogena* Esper,1788 03 06 12 13 14 15 17 19 32 36 37 42 43 46 50 60 62 65 71
- 1135) **Cephalallota crassiflavella (Bruand,1851)** (Tineidae) *crassiflavella* Bruand,1851; *simplicella* Zeller,1852. 42 46
- 1136) **Ceratuncus affinitellus (Rebel,1901)** (Tineidae) *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951. 33 38 42 46 47
- 1137) **Episcardia (Bilobatana) fuscoviolacella (Ragonot,1895)** (Tineidae) *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935. 01 31 42 46 47
- 1138) **Fermocelina latiusculella (Stainton,1867)** (Tineidae) *latiusculella* Stainton,1867 16 33 38 42 46
- 1139) **Hapsifera luridella Zeller,1847** (Tineidae) *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949 01 05 06 16 22 27 31 42 46 65 71 76
- 1140) **Hapsifera multiguttella (Ragonot,1895)** (Tineidae) *multiguttella* Ragonot,1895; *jerichoella* Amsel,1935. 31 42 46
- 1141) **Infurcitinea anatolica G.Petersen,1968** (Tineidae) *anatolica* G.Petersen,1968 42
- 1142) **Nemapogon anatolica Gaedike,1986** (Tineidae) *anatolica* Gaedike,1986 06 32 42
- 1143) **Nemapogon arenbergeri Gaedike,1986** (Tineidae) *arenbergeri* Gaedike,1986 32 33 42 70
- 1144) **Nemapogon gravosaella G.Petersen,1957** (Tineidae) *gravosaellus* G.Petersen,1957; *signatellus* G.Petersen,1960; *borshomi* Zaguljaev,1964. 05 07 42
- 1145) **Nemapogon quercicolella (Zeller,1852)** (Tineidae) *quercicolellus* Zeller,1852 06 16 42 61
- 1146) **Rhodobates laevigatellus (Herrich-Schäffer,[1854])** (Tineidae) *laevigatellus* Herrich-Schäffer,[1854]. 05 06 24 27 33 38 42 44 46 71
- 1147) **Tinea murariella Staudinger,1859** (Tineidae) *murariella* Staudinger,1859; *bipunctella* Ragonot,1874. 42
- 1148) **Acleris boscanoides Razowski,1959** (Tortricidae) *boscanoides* Razowski,1959 42 44 60
- 1149) **Acleris logiana (Clerck,1759)** (Tortricidae) *logiana* Clerck,1759; *treueriana* Denis & Schiffermüller,1775; *niveana* Fabricius,1787; *mulzeriana* Hübner,[1825]; *scotana* Stephens,1852; *placidiana* Robinson,1869; *trisiniana* Robinson,1869. 42
- 1150) **Acleris rhombana (Denis & Schiffermüller),1775** (Tortricidae) *rhombana* [Denis & Schiffermüller],1775; *reticulata* Ström,1783; *centrana* Fabricius,1794; *contaminana* Hübner,[1799]; *ciliana* Hübner,[1799]; *obscurana* Donovan,1806 *nec* Schr.,1802; *dimidiana* Frölich,1828. 42 50
- 1151) **Acleris variegana (Denis & Schiffermüller),1775** (Tortricidae) *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851. 05 06 15 16 32 35 42 44 46 61
- 1152) **Aethes eryngiella (Vallot,1829)** (Tortricidae) *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helvticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952. 01 06 42 46
- 1153) **Aethes francillana (Fabricius,1794)** (Tortricidae) *francillana* Fabricius,1794; *francillonana* Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920. 05 06 16 33 42 45
- 1154) **Aethes kindermanniana (Treitschke,1830)** (Tortricidae) *kindermanniana* Treitschke,1830 42
- 1155) **Aethes margarotana (Duponchel,1836)** (Tortricidae) *margarotana* Duponchel,1836; *maritimana* Guenée,1845; *scabidulana* Lederer,1855; *capnospila* Meyrick,1912; *parallelana* Kennel,1913; *edrisitana* Chrétien,1922; *paronyma* Meyrick,1932. 05 06 16 31 35 42 46 54 71
- 1156) **Aethes munda Karisch,2003** (Tortricidae) *munda* Karisch,2003 42
- 1157) **Aethes pannosana (Kennel,1913)** (Tortricidae) *pannosana* Kennel,1913 42
- 1158) **Aethes smeathmanniana (Fabricius,1781)** (Tortricidae) *smeathmanniana* Fabricius,1781; *fabriciana* Hübner,[1799]; *biviana* Duponchel,1842; *stachydana* Herrich-Schäffer,1851; *scissana* Walker,1863. 16 42 46
- 1159) **Aethes williana (Brahm,1791)** (Tortricidae) *williana* Brahm,1791; *cembrana* Hübner,[1825]; *zephyrana* Treitschke,1830; *dubrisana* Curtis,1834; *marmoratana* Curtis,1834; *luteolana* Stephens,1834; *virginana* Guenée,1845; *loriculana* Guenée,1849; *costignata* Filipjev,1926. 05 16 35 42 46
- 1160) **Aleimma loeflingianum (Linnaeus,1758)** (Tortricidae) *loeflingiana* Linnaeus,1758; *mixtana* Fabricius,1794; *plumbana* Hübner,[1799]; *ectypana* Hübner,[1800]; *plumbeolana* Haworth,1811 05 06 16 17 22 32 42 46 71 81
- 1161) **Ancyliis paludana (Barrett,1871)** (Tortricidae) *paludana* Barrett,1871; *rhusana* Fuchs,1903. 42
- 1162) **Aphelia (Zelothereses) (ochreana Hübner,[1799])** (Tortricidae) *ferugana* Hübner,1793 (*homonym*); *ochreana* Hübner,[1799]; *shaqlawana* Amsel,1955; *chretieni* Obraztsov,1957 05 16 30 42 46 65 71
- 1163) **Archips podanus (Scopoli,1763)** (Tortricidae) *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyastrana* Hübner,[1799]; *congenerana* Hübner,[1824]; *sauberiana* Sorhagen,1882; *vulpeculana* Fuchs,1903. 01 05 14 16 17 25 34 39 41 42 46 71 81
- 1164) **Archips rosanus (Linnaeus,1758)** (Tortricidae) *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834 03 05 06 07 08 14 15 16 17 18 22 24 25 32 34 42 51
- 1165) **Bactra (s.str.) furfurana (Haworth,[1811])** (Tortricidae) *furfurana* Haworth,[1811]; *gozmaniana* Toll,1958 05 42
- 1166) **Bactra (s.str.) robustana (Christoph,1872)** (Tortricidae) *robustana* Christoph,1872; *griseana* A.M.Djakonov,1929; *grisea* A.M.Djakonov,1929; *scirpcolana* Pierce,1935 42
- 1167) **Celypha anatoliana (Caradja,1916)** (Tortricidae) *anatoliana* Caradja,1916 42
- 1168) **Cnephasia (Cnephasiella) incertana (Treitschke,1835)** (Tortricidae) *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistan* Amsel,1955; *atticana* Razowski,1958 05 34 38 42 44 46
- 1169) **Cochylimorpha diana (Kennel,1899)** (Tortricidae) *diana* Kennel,1899; *iraniana* Razowski,1963. 06 42 44 46 47 58 65 76
- 1170) **Cochylimorpha hilarana (Herrich-Schäffer,[1851])** (Tortricidae) *hilarana* Herrich-Schäffer,[1851]; *rheticana* LaHarpe,1864; *dilutana* Caradja,1916. 16 42
- 1171) **Cochylimorpha meridiana (Staudinger,1859)** (Tortricidae) *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919. 05 06 38 42 46
- 1172) **Cochylimorpha nomadana (Erschoff,1874)** (Tortricidae) *nomadana* Erschoff,1874 42 76

- 1173) **Cochylis defessana (Mann,1861)** (Tortricidae) *defessana* Mann,1861; *centaureana* Staudinger,1879. 05 06 14 42 44 71
 1174) **Cochylis epilina Duponchel,1842** (Tortricidae) *epilina* Duponchel,1842; *carpophilana* Staudinger,1859. 06 38 42 71
 1175) **Cochylis posterana Zeller,1847** (Tortricidae) *posterana* Zeller,1847; *nubivagana* Zerny,1935; *hyrcana* Toll,1947. 01 05
 14 15 16 38 42 46
 1176) **Cochylis suaveolana Fuchs,1903** (Tortricidae) *suaveolana* Fuchs,1903 42
 1177) **Crociosema plebejana Zeller,1847** (Tortricidae) *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millière,1863;
peregrinana Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917;
insulana Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946. 14 42
 1178) **Cryptocochylis conjunctana (Mann,1864)** (Tortricidae) *conjunctana* Mann,1864; *grapholitana* Kennel,1913. 16 42
 1179) **Cydia pomonella (Linnaeus,1758)** (Tortricidae) *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis &
Schiffmüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859 01 05 08 16 24 25 27 32 34 36 42
 45 46 51 65 71
 1180) **Cydia triangulella (Goeze,1783)** (Tortricidae) *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799];
glandella Schrank,1802; *reaumurana* Heyden,1860 14 16 34 42 71 81
 1181) **Diceratura rhodograptia Djakonov,1929** (Tortricidae) *rhodograptia* Djakonov,1929 05 06 33 42
 1182) **Diceratura roseofasciana (Mann,1855)** (Tortricidae) *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana*
Razowski,1963. 01 05 06 16 42 46
 1183) **Dichrorampha coniana Obratzov,1953** (Tortricidae) *coniana* Obratzov,1953 42
 1184) **Endothenia oblongana (Haworth,[1811])** (Tortricidae) *oblongana* Haworth,[1811]; *sellana* Frölich,1828. 16 42 46
 1185) **Eucosma agnatana (Christoph,1872)** (Tortricidae) *agnatana* Christoph,1872 05 42
 1186) **Eucosma gypsata (Kennel,1921)** (Tortricidae) *gypsata* Kennel,1921 06 42
 1187) **Eucosma paetulana (Kennel,1901)** (Tortricidae) *paetulana* Kennel,1901 42
 1188) **Eugnosta lathoniana (Hübner,[1800])** (Tortricidae) *lathoniana* Hübner,[1800] 06 16 31 42
 1189) **Eugnosta magnificana (Rebel,1914)** (Tortricidae) *margaritana* Hübner,[1813] *nec* Haw.,[1811]; ? *norvichiana*
Hübner,[1817] [nomina dubia!]; *magnificana* Rebel,1914. 06 13 42 71
 1190) **Falseuncaria ruficiliana (Haworth,[1811])** (Tortricidae) *ciliella* Hübner,[1796] *nec* [Denis & Schiff.],1775; *ruficiliana*
Haworth,[1811]; coniana Fuchs,1903; *tectana* Fuchs,1903. 42
 1191) **Grapholita caecana (Schläger,1847)** (Tortricidae) *caecana* Schläger,1847; *obcaecana* Ragonot,1876 05 16 42 46 71
 1192) **Gypsonoma aceriana (Duponchel,1843)** (Tortricidae) *aceriana* Duponchel,1843 42 46
 1193) **Gypsonoma minutana (Hübner,[1799])** (Tortricidae) *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836 15 32 42
 71
 1194) **Hedya nubiferana (Haworth,[1811])** (Tortricidae) *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] *nec* [Denis &
Schiff.],1775; nubiferana Haworth,[1811] 03 06 14 15 17 22 32 34 42 71
 1195) **Hedya pruniana (Hübner,[1799])** (Tortricidae) *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849 03 05 14 16 27 33 42
 45 46 71 81
 1196) **Hedya salicella (Linnaeus,1758)** (Tortricidae) *salicella* Linnaeus,1758; *salicana* [Denis & Schiffmüller],1775 06 42 71
 1197) **Notocelia aquana (Hübner,[1799])** (Tortricidae) *#roborana* [Denis & Schiffmüller],1775; *aquana* Hübner,[1799]. 03
 06 14 42 71 81
 1198) **Notocelia cynosbatella (Linnaeus,1758)** (Tortricidae) *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana*
[Denis & Schiffmüller],1775; #cynobatella Razowski,1966; *damascena* Tuleskov & Nikolova,1967. 05 14 16 42
 1199) **Olethreutes (Argyroplote) ernestiana Obratzov,1961** (Tortricidae) *ernestiana* Obratzov,1961 42
 1200) **Pelochrista caecimaculana (Hübner,[1799])** (Tortricidae) *caecimaculana* Hübner,[1799]; *kollariana* Herrich-Schäffer,[1851]
 14 16 42
 1201) **Pelochrista infidana (Hübner,[1824])** (Tortricidae) *infidana* Hübner,[1824]; *bulgarica* Soffner,1967 42
 1202) **Phalonidia albipalpna (Zeller,1847)** (Tortricidae) *albipalpna* Zeller,1847 42
 1203) **Phalonidia contractana (Zeller,1847)** (Tortricidae) *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata*
Meyrick,1923; thermoconis Meyrick,1925. 05 06 15 16 42 46 71
 1204) **Phalonidia manniana (Fischer v. Röslerstamm,1839)** (Tortricidae) *manniana* Fischer v. Röslerstamm,1839; *notulana*
Zeller,1847; udana Guenée,1845; *tolli* Razowski,1960. 16 35 42 46
 1205) **Phtheochroa duponchelana (Duponchel,1843)** (Tortricidae) *duponchelana* Duponchel,1843; *duponcheliana* Costa,1847;
gloriosana Herrich-Schäffer,1851; *syriaca* Walsingham,1900 01 06 16 31 42 65
 1206) **Phtheochroa procerana (Lederer,1853)** (Tortricidae) *procerana* Lederer,1853 42 46
 1207) **Phtheochroa unionana (Kennel,1900)** (Tortricidae) *unionana* Kennel,1900 42
 1208) **Prochlidonia ochromixtana (Kennel,1913)** (Tortricidae) *ochromixtana* Kennel,1913 06 26 42
 1209) **Tortrix viridana (Linnaeus,1758)** (Tortricidae) *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffmüller],1775; *flavipes*
Fourcroy,1785; flavana Zincken,1821 *nec* Hübner,[1799]; *coeruleana* Sorhagen,1881. 03 05 06 10 12 13 16 17 34 39 42 45 50 65 71
 76
 1210) **Trachysmia palpana (Ragonot,1894)** (Tortricidae) *palpana* Ragonot,1894 01 07 31 42
 1211) **Argyresthia (s.str.) spinosella Stainton,1849** (Yponomeutidae) *mendica* auct; *spinosella* Stainton,1849. 16 42 46
 1212) **Paraswammerdamia lutarea (Haworth,[1828])** (Yponomeutidae) *lutarea* Haworth,[1828] 06 42
 1213) **Plutella (s.str.) xylostella (Linnaeus,1758)** (Yponomeutidae) *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 *nec*
Hufn.,1766; xylostei Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856;
limbipennella Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa*
Walsingham,1897; megapterella Bentinck,1934 01 06 34 38 42 65 71
 1214) **Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) *obscura* Zeller,1847; *anceps* Staudinger,1862. 05 06 12 16 31 33 35
 36 38 42 46 50 51 63 65 71 80
 1215) **Jordanita (Praviela) anatolica (Naufock,1929)** (Zygaenidae) *anatolica* Naufock,1929; *levantina* Jordan,1931; *pfeifferi*
Naufock,1935; ? christinae Keil,1998. 13 23 27 30 33 42 44 46 47 63 65
 1216) **Jordanita (Roccia) budensis (Speyer & Speyer,1858)** (Zygaenidae) *budensis* Speyer & Speyer,1858 05 06 29 33 36 42 51
 58 62 69 70
 1217) **Jordanita (Roccia) hector (Jordan,1909)** (Zygaenidae) *hector* Jordan,1909; *#monotona* Alberti,1937 01 03 31 33 42 80
 1218) **Jordanita (s.str.) chloros (Hübner,[1813])** (Zygaenidae) *chloros* Hübner,[1813]; *sepium* Boisduval,1834. 05 06 16 23 24
 25 30 42 69
 1219) **Jordanita (s.str.) graeca (Jordan,1907)** (Zygaenidae) *graeca* Jordan,1907; *sultana* Alberti,1937 06 13 24 30 33 42 47 49
 50 62 65
 1220) **Zygaena (Agrumenia) carniolica (Scopoli,1763)** (Zygaenidae) *carniolica* Scopoli,1763 01 04 05 06 08 13 14 16 22 23 24
 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77

- 1221) **Zygaena (Agrumenia) formosa Herrich-Schäffer,[1852]** (Zygaenidae) *formosa Herrich-Schäffer,[1852]* 01 05 06 29 42
44 58 76
- 1222) **Zygaena (Mesembrynus) araratensis Reiss,1935** (Zygaenidae) *araratensis Reiss,1935* 01 42 76
- 1223) **Zygaena (Mesembrynus) laeta (Hübner,1790)** (Zygaenidae) *laeta Hübner,1790* 05 06 11 13 16 25 38 42 46 58 66
- 1224) **Zygaena (Mesembrynus) minos ([Denis & Schiffermüller],1775)** (Zygaenidae) *minos [Denis & Schiffermüller],1775.* 01
06 07 10 13 23 24 31 32 33 36 42 44 48 53 58 60 61 65 66 75
- 1225) **Zygaena (Mesembrynus) punctum Ochsenheimer,1808** (Zygaenidae) *punctum Ochsenheimer,1808* 04 05 06 12 13 17
23 33 35 42 44 45 49 57 58 60 66 76
- 1226) **Zygaena (Mesembrynus) purpuralis (Brünnich,1763)** (Zygaenidae) *purpuralis Brünnich,1763; pythia Fabricius,1777; scabiosae Scheven,1777; pilosellae Esper,1780; pluto Ochsenheimer,1808; pasiphae Meigen,[1829]; tatvanica Reiss & Reiss,1973.* 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
- 1227) **Zygaena (s.str.) dorycnii Ochsenheimer,1808** (Zygaenidae) *dorycnii Ochsenheimer,1808* 04 06 08 11 13 14 24 25 28 29
33 36 38 42 43 49 53 57 61 62 69 75 76
- 1228) **Zygaena (s.str.) filipendulae (Linnaeus,1758)** (Zygaenidae) *filipendulae Linnaeus,1758; aries Retzius,1783* 01 05 06 08
11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
- 1229) **Zygaena (s.str.) lonicerae (Scheven,1777)** (Zygaenidae) *lonicerae Scheven,1777; graminis Villers,1789; rechei Dujardin,1965; microdoxa Dujardin,1965* 05 06 08 13 14 16 24 25 29 36 42 55 58 62 76
- 1230) **Zygaena (s.str.) loti ([Denis & Schiffermüller],1775)** (Zygaenidae) *loti [Denis & Schiffermüller],1775; fulvia Fabricius,1777* 04 05 06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76

Priamus⁴**ISSN 1015-8243**

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara, and appears in volumes at irregular intervals. Each volume is composed of four or six parts.

The serial serves as a refereed publication outlet and accepts original manuscripts of the researchers of the Cesa. Articles accepted deal with the Insect taxonomy, nomenclature, morphology, bibliography, check-list, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The Cesa is a non-profit organization, no royalties will be paid to the authors of contributions. Papers accepted become the copyright of the journal. The publication languages are Turkish, English, German, Uighur language, and Chinese.

Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)⁵, Miscellaneous Papers (ISSN 1015-8235)⁶, Memoirs (ISSN-8227)⁷ DVD Films⁸, Iconographia Insectorum⁹

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistants: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey.

e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 -

DCS@york.biosis.org⁴ <http://www.cesa-tr.org/Priamus.htm>⁵ <http://www.members.tripod.com/entcesa/Pri.htm>⁶ <http://www.cesa-tr.org/Miscell.htm>⁷ <http://www.cesa-tr.org/Memoirs.htm>⁸ <http://www.cesa-tr.org/CDF.htm>⁹ <http://www.cesa-tr.org/Icon.htm>